A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION: Ghoradhari, Chandpur.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 21.0m	R. L.: 3.05m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING: 29-06-2010.	G. W. T : 1.52m above from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
5.0m	Bluish Gray Gley2 (6/1), very loose to medium dense, silty Sand, SM.			D-1 to D-5	2, 7, 5, 4, 9		
2.0m	Dark Gray Gley2 (4/1), loose to dense, micaceous, fine Sand, MH.			D-6 to D-7	4, 18		
14.45m	Light bluish Gray Gley2 (7/1), medium dense to very dense, fine Sand, SM.			D-7 to D-17	18, 19, 20, 22, 25, 15, 13, 15, 20, 22, 25		



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SAND	SILT	SHALE
PEAT/HIGHLY ORGANIC SOIL	MICACEOUS FINE SAND/SILT	UNDISTURBED SAMPLE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED