| A2 | PROSOIL | BOREHOLE NO: BH-1 | |
|---|---|---|---|
| | | LOCATION : Shreepur Kumaria, Jamalpur Sadar, Jamalpur. | |
| PROJECT : Telecommunication Tower. | | DEPTH OF BORING : 18.0m | R. L.: 0.91m below from Road Level. |
| CLIENT : Warid Telecom International Ltd. | | DATE OF BORING: 06-12-2010. | G. W. T : 2.44m below from E.G.L. |

| THICKNESS | SOIL STRATA | BORELOG | UNDISTURBED SAMPLE | DISTURBED SAMPLE | DEPTH (m) SPT VALUES ( BLOWS / 300mm ) | Grain Size Distribution, % Clay %, Silt %, Sand % | Max$^{m}$ Penetration |
|---|---|---|---|---|---|---|---|
| 6.0m | Reddish Yellow 7.5YR (6/8), medium dense, Silt, ML. | | | D-1 to D-5 | 8, 14, 9, 7, 6 | | |
| 3.0m | Light Red 2.5YR (6/8), medium dense to dense, Silt, ML. | | | D-5 to D-6 | 6, 28 | | |
| 4.5m | Reddish Yellow 7.5YR (6/8), dense to very dense, fine Sand, SM. | | | D-6 to D-8 | 28, 25, 25 | | |
| 4.95m | Yellowish Brown 10YR (5/8), very dense, fine Sand, SM. | | | D-8 to D-12 | 25, 45, 50, 50, 50 | | Over, Over, Over |
| 3.0m | Boring was not possible due to very dense fine Sand. | | | | | | |




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

| | | | |
|---|---|---|---|
| PLASTIC CLAY | SAND | SHALE | UNDISTURBED SAMPLE |
| MICACEOUS FINE SAND/SILT | SILT | PEAT/HIGHLY ORGANIC SOIL | DISTURBED SAMPLE |

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX$^{m}$ PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED