| A2 PROSOIL | BOREHOLE NO: BH-1 | |
|---|---|---|
| | LOCATION : Choirkuri, Nasirnagar, B. Baria. | |
| PROJECT : Telecommunication Tower. | DEPTH OF BORING : 21.0m | R. L.: 3.65m below from Road Level. |
| CLIENT : Grameenphone Ltd. | DATE OF BORING : 03-05-2007. | G. W. T : 4.57m below from E. G. L. |

| THICKNESS | SOIL STRATA | BORELOG | UNDISTURBED SAMPLE | DISTURBED SAMPLE | DEPTH (m) SPT VALUES ( BLOWS / 300mm ) | Grain Size Distribution, % Clay %, Silt %, Sand % | Max$^{m}$ Penetration |
|---|---|---|---|---|---|---|---|
| 2.0m | Very pale brown 10YR (7/3), medium dense to loose, cohesionless Silt, SM. | | | D-1 D-2 | 7 4 | | |
| 3.0m | Gray 10YR (6/1), medium dense to loose, cohesionless Silt, SM. | | | D-3 D-4 | 5 7 | | |
| 1.0m | Gray 10YR (6/1), medium plstic, very stiff, silty Clay, CL. | | | D-5 | 16 | | |
| 4.5m | Gray 10YR (6/1), medium dense to dense, cohesionless Silt, SM. | | | D-6 D-7 D-8 D-9 D-10 | 19 24 28 31 33 | | |
| 10.95m | Gray 10YR (7/2), dense to very dense, fine sand, SM. | | | D-11 D-12 D-13 D-14 D-15 D-16 | 37 42 47 50 50 50 | | Over Over |

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

ORGANIC

UNDISTURBED SAMPLE

DISTURBED SAMPLE

SHALE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX$^{m}$ PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED