A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION: Bagbati, Sirajganj.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 20.0m	R. L.: 0.76m below from Road Level.
CLIENT : GrameenPhone Ltd.	DATE OF BORING : 12-09-2004	G. W. T : 0.15m above from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	SAMPLE	DEPTH (m)	SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
2.0m	Light brown color 7.5YR (6/3), loose, fine sand with mica.			0–2	4, 4		
3.0m	Pinkish gray colour 7.5YR (6/2), medium plasticity, soft, silty Clay, CL.			2–5	3, 4, 5		
1.0m	Light brown color 7.5YR (6/3), loose, fine sand with mica.			5–6	12		
3.0m	Brown color 7.5YR (5/4), medium dense, fine sand with mica.			6–9	11, 16		
11.0m	Gray color 7.5YR (5/1), dense to very dense, fine sand,			9–20	19, 34, 27, 38, 41, 47, 50, 50		Over, Over



ID FOR BORELOG A RAIN SIZE DISTRIBU

CLAY SILT SAND

UNDISTURBED ORGANIC

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED