

Author: Francesco Bruno

Major contributors: Letizia Fiorucci

 $\underline{\text{Version: } 0.4\text{a.5}}$

Documentation release date: July 16, 2024

Contents

1	Introduction			
2	Us	er guide		
	2.1	Initialize the package		
		2.1.1 Extra variables		
	2.2	Processing of a 'raw'1D spectrum		
		2.2.1 The class pSpectrum_1D		
	2.3	Processing of a 'raw'2D spectrum		
		2.3.1 Computing projections		
	2.4	Simulating data		
		2.4.1 Simulate 1D data		
		2.4.2 Simulate 2D data		
	2.5	The Pseudo_2D class		
	_			
3	Lis	t of modules and functions		
	3.1	MISC package		
		3.1.1 misc.SNR		
		3.1.2 misc.SNR_2D		
		3.1.3 misc.avg_antidiag		
		3.1.4 misc.binomial_triangle		
		3.1.5 misc.calcres		
		3.1.6 misc.cmap2list		
		3.1.7 misc.data2wav		
		3.1.8 misc.edit_checkboxes		
		3.1.9 misc.extend_taq		
		3.1.10 misc.find_nearest		
		3.1.11 misc.freq2ppm		
		3.1.12 misc.get_trace		
		3.1.13 misc.get_ylim		
		3.1.14 misc.hankel		
		3.1.15 misc.hz2pt		
		3.1.16 misc.in2px		
		3.1.17 misc.load_ser		
		3.1.18 misc.makeacqus_1D		
		$3.1.19 \;\; misc.makeacqus_1D_oxford \;\; . \;\; . \;\; . \;\; . \;\; . \;\; . \;\; . \;\;$		
		$3.1.20$ misc.makeacqus_1D_spinsolve		
		3.1.21 misc.makeacqus_1D_varian		
		3.1.22 misc.makeacqus_2D		
		3.1.23 misc.mathformat		
		3.1.24 misc.molfrac		
		3.1.25 misc.noise_std		

		misc.nuc_format
		misc.polyn
		misc.ppm2freq
	3.1.29	misc.ppmfind
	3.1.30	misc.pretty_scale
	3.1.31	misc.print_dict
	3.1.32	misc.print_list
	3.1.33	misc.procpar
	3.1.34	misc.px2in
	3.1.35	misc.readlistfile
	3.1.36	misc.select_for_integration
		misc.select_traces
		misc.set fontsizes
		misc.set_ylim
		misc.show cmap
		misc.split_acqus_2D
		misc.split_procs_2D
		misc.trim data
		misc.trim_data_2D
		misc.unhankel
		misc.write_acqus_1D
		_ · _
		misc.write_help
		misc.write_ser
	3.1.50	misc.zero_crossing
3.2	PKU	OCESSING package
	3.2.1	processing.Cadzow
	3.2.2	processing.Cadzow_2D
	3.2.3	processing.EAE
	3.2.4	processing.LRD
	3.2.5	processing.MCR
	3.2.6	processing.MCR ALS
	3.2.7	processing.MCR unpack
	3.2.8	processing.SIMPLISMA
	3.2.9	processing.acme
		processing.align
	3.2.10 $3.2.11$	processing baseline correction
		processing.blp
		processing.calc_nc
		processing.calibration
		processing.convdta
		processing.em
		processing.fp
		processing.ft
		processing.gm
		processing.gmb
		processing.hilbert
		processing.ift
		processing.integral
		processing.integral_2D
	3.2.25	processing.integrate

	2 2 26	
		processing.interactive_basl_windows
		processing.interactive_echo_param
		processing.interactive_fp
		processing.interactive_phase_1D
		processing.interactive_phase_2D
		processing.interactive_qfil
	3.2.32	processing.interactive_xfb
	3.2.33	processing.inv_convolve
	3.2.34	processing.inv_fp
	3.2.35	processing.inv_xfb
	3.2.36	processing.iterCadzow
	3.2.37	processing.load baseline
		processing.make_polynomion_baseline
		processing.make_scale
		processing.new MCR
		processing.new_MCR_ALS
		processing.pknl
		processing.ps
		processing.qfil
		1 0 1
		processing.qpol
		processing.qsin
		processing.quad
		processing.repack_2D
		processing.rev
		processing.rpbc
		processing.sin
		processing.split_echo_train
		processing.stack_MCR
	3.2.54	processing.stack_fids
	3.2.55	processing.sum_echo_train
	3.2.56	processing.tabula_rasa
	3.2.57	processing.td_eff
	3.2.58	processing.tp_hyper
	3.2.59	processing.unpack_2D
	3.2.60	processing.whittaker smoother
	3.2.61	processing.write basl info
		processing.xfb
		processing.zf
0.0		
3.3		FURES package
	3.3.1	figures.ax1D
	3.3.2	figures.ax2D
	3.3.3	figures.ax_heatmap
	3.3.4	figures.dotmd
	3.3.5	figures.dotmd_2D
	3.3.6	figures.figure1D
	3.3.7	figures.figure1D_multi
	3.3.8	figures.figure2D
	3.3.9	figures.figure2D_multi
	3.3.10	figures.fitfigure
	3.3.11	figures.heatmap
	3.3.12	figures.ongoing_fit

	3.3.13	figures.plot_fid	13
	3.3.14	figures.plot_fid_re	14
	3.3.15	figures.redraw_contours	15
	3.3.16	figures.sns_heatmap	16
		figures.stacked_plot	
3.4	STM	package	18
0.1	3.4.1	sim.calc_splitting	18
	3.4.2	sim.f gaussian	
	3.4.3	sim.f lorentzian	
	3.4.4	$\operatorname{sim.f}$ pvoigt	
	3.4.5	sim.gaussian filter	
	3.4.6	sim.load_sim_1D	
	3.4.7	sim.load sim 2D	
	3.4.8	sim.mult_noise	
	3.4.9	sim.multiplet	
		sim.noisegen	
		sim.sim 1D	
		sim.sim 2D	
		$sim.t_2Dgaussian \dots \dots$	
		sim.t 2Dlorentzian	
		sim.t 2Dpvoigt	
		$ \frac{1}{2} \stackrel{\circ}{\text{Dvoigt}} \dots $	
		sim.t gaussian	
	3.4.18	$\operatorname{sim.t_lorentzian}^{-0}$	³⁷
		$\operatorname{sim.t}^-$ pvoigt	
	3.4.20	$\operatorname{sim.t_voigt}^{-}$	39
		sim.water7	
3.5	FIT	package	71
3. 3	3.5.1	fit.CostFunc	71
	3.5.2	fit.LR	
	3.5.3	fit.LSP	
	3.5.4	fit.Peak	
	3.5.5	fit.SINC ObjFunc	
	3.5.6	fit.SINC phase	
	3.5.7	fit.Voigt_Fit	
	3.5.8	fit.Voigt Fit P2D	
	3.5.9	fit.ax_histogram	
	3.5.10	fit.bin data	
	3.5.11	fit.build_2D_sgn	
		fit.build baseline	
		fit.calc R2	
		fit.calc_fit_lines	
		$\operatorname{fit.dic2mat}^{-}$	
		fit.f_t1	
		$fit.f_{t2}$	
		fit.fit int	
		fit.gaussian_fit	
		fit.gen_iguess	
		fit.gen iguess 2D	
		fit.get_region	

V

	3.5.23	fit.histogram)5
	3.5.24	fit.integrate)6
	3.5.25	fit.integrate_2D)7
	3.5.26	fit.interactive_smoothing)8
	3.5.27	fit.join_par)9
		fit.make_iguess	
		fit.make_iguess_P2D	
	3.5.30	fit.make_iguess_auto	12
		fit.make_signal	
	3.5.32	fit.peak_pick	14
	3.5.33	fit.plot_fit	15
	3.5.34	fit.plot_fit_P2D	17
	3.5.35	fit.polyn_basl	19
	3.5.36	fit.print_par	20
		fit.read_par	
		fit.read_vf	
		fit.read_vf_P2D	
		fit.smooth_spl	
		fit.test_correl	
	3.5.42	fit.test_ks	26
		fit.test_randomsign	
		fit.test_residuals	
		fit.voigt_fit	
	3.5.46	fit.voigt_fit_2D	30
	3.5.47	fit.voigt_fit_P2D	32
	3.5.48	fit.voigt_fit_indep	33
		fit.write_log	
	3.5.50	fit.write_par	35
		fit.write_vf	
	3.5.52	fit.write_vf_P2D	37
3.6	SPF	CCTRĀ package	38
0.0	3.6.1	Spectra.Pseudo 2D	,o }&
	3.6.2	Spectra.Spectrum 1D	
	3.6.3	Spectra.Spectrum 2D	
	3.6.4	Spectra.pSpectrum 1D	
	3.6.5	Spectra.pSpectrum 2D	
	0.0.0	рресы а.роресы шп_2D	JO

1. Introduction

KLASSEZ is a python package written to handle 1D and 2D NMR data. The aim of the project is to provide a toolkit, consisting of 'black-box' functions organized in modules, that could be used to read, process and analyze such data in a flexible manner, so to adapt to the needs of the individual users. However, the open-source nature of the package grants the user the chance to open the lid of these black-boxes and understand the gears that stand behind the function call.

The development of the toolkit started with python 3.8 and therefore it is compatible with that version. Nevertheless, the use of python 3.10 is advised.

The key objects provided by KLASSEZ are the classes Spectrum_1D and Spectrum_2D, that are able to fulfil the aims of the package with a few lines of code. The classes are able to read both simulated (i.e. generated with a custom-made input file) and experimental datasets. The latter feature was tested with Bruker data after the removal of the digital filter (run command convdta in TopSpin), but should be compatible with other kind of spectrometers, thanks to the remarkable work made by J. J. Helmus and coworkers with their nmrglue package¹. Either the FID or the spectrum processed with external solver can be read from KLASSEZ by using the classes Spectrum_nD or pSpectrum_nD, respectively.

The processing module, besides the classical functions used for the processing of NMR data (window functions, Fourier transform, etc.), includes denoising algorithms based on Multivariate Curve Resolution² and on Cadzow method³. Details are illustrated in the description of the functions.

Functions to show and analyze data in real time are provided, with dedicated GUIs. However, it is better to rely on the standalone functions, enclosed in the single modules, to save the figures. In fact, the figures module offers a wide plethora of functions (all based on matplotlib) to plot the data with a high degree of customization for the appearance.

The fitting functions use lmfit to build the initial guess and to minimize the difference between the experimental data and the model, generated with a Voigt profile in the time domain and then Fourier-transformed, in the least-square sense (employing the Levenberg-Marquardt algorithm implemented in scipy). For this purpose, the class Voigt_fit of the fit module includes attribute functions to construct an initial guess interactively, fit the data, and save the parameters in dedicated files.

Regarding the development of the package, I would like to acknowledge Letizia Fiorucci for her contribution in the design and the implementation of several functions, and for the alpha-testing.

¹https://www.nmrglue.com/

 $^{^2}$ Multivariate Curve Resolution: 50 years addressing the mixture analysis problem - A review

³Denoising NMR time-domain signal by singular-value decomposition accelerated by graphics processing units

2. User guide

2.1 Initialize the package

Initialize the package by writing, at the top of your file:

```
from klassez import *
```

This line also implies:

```
import os
import sys
import numpy as np
from scipy import linalg, stats
import matplotlib
import matplotlib.pyplot as plt
import matplotlib.cm as cm
from pprint import pprint
```

This means these can be not imported in your code, as KLASSEZ already does it for you.

2.1.1 Extra variables

Initializing KLASSEZ also grants access to CM and COLORS.

CM is a dictionary of colormaps taken from seaborn and saved in a dictionary whose keys are their names, so that also matplotlib can use them. You can inspect the keys through:

```
print(CM.keys())
```

```
COLORS is:
```

```
colors = [ 'tab:blue', 'tab:red', 'tab:green', 'tab:orange', 'tab:cyan', 'tab:purple',
    'tab:pink', 'tab:gray', 'tab:brown', 'tab:olive', 'salmon', 'indigo', 'm', 'c', 'g',
    'r', 'b', 'k', ]
```

repeated cyclically ten times and stored as tuple.

Other two 'quality of life' variables are figures.figsize_small and figures.figsize_large, which correspond to figure panel sizes of 3.59×2.56 inches and 15×8 inches, respectively. The former suits well for saving figures of spectra with font sizes of about 10 pt, whereas the latter are best for GUIs and withstand font sizes of about 14 pt.

For NMR: the variable sim.gamma is a dictionary containing the gyromagnetic ratio, in MHz/T, of all the magnetically-active nuclei. For instance:

```
print(sim.gamma['13C'])
>>> 10.70611
```

A decorator function called **cron** is defined in the top-level script **config**, and imported by **__init__**, so that you can use it after writing:

```
from klassez import cron
```

This decorator allows to measure the runtime of a function, and print it on standard output once it ended.

2.2 Processing of a 'raw' 1D spectrum

Let us say that your spectrum is saved in the folder /home/myself/spectra/mydataset/1/. Initialize the spectrum object through:

```
Path = "/home/myself/spectra/mydataset/1/"
s = Spectrum_1D(Path)
```

This command will do three main tasks:

- read the binary FID of your spectrum and store it in a complex array s.fid;
- load the acquisition parameters, read the interesting keys and store them in a dictionary s.acqus;
- initialize a dictionary s.procs which contains the processing parameters.

If there is the group delay at the beginning of the FID, you are advised to write

```
s.convdta()
```

to remove it. However, this is tested for Bruker data and does not always work, because it depends on the version of TopSpin that the spectrometer ran and several other construction parameters. Therefore, if you see a residual of the digital filter in you spectrum, the easiest solution is to run CONVDTA inside TopSpin.

KLASSEZ is able to read also Varian and Spinsolve (Magritek) data, by specifying the option 'spect'.

A detailed description of acqus and procs is shown in table 2.1 and table 2.2.

Please note that reading the spectrum causes the program to save a file called 'name.procs', where 'name' is the path name.

To make the Fourier transform of the FID to obtain the spectrum, you must invoke the **process** method, which reads the **procs** dictionary to get the instructions on the processing you want to make on your spectrum. For instance, if you want to obtain a final spectrum of 8k points with an exponential broadening of $25 \,\mathrm{Hz}$:

```
s.procs["wf"]["mode"] = "em"
s.procs["wf"]["lb"] = 25
s.procs["zf"] = 8192
s.process()
```

Calling the process method generates new attributes of the class:

- freq: the frequency scale, in Hz;
- ppm: the ppm scale;
- r: the real part of the spectrum;

Table 2.1: Description of the acqus dictionary of a Spectrum_1D object.

Key	Explanation	
В0	Magnetic field strength /T	
BYTORDA	DA Endianness of binary data: 0 little endian, 1 big endian	
DTYPA	Binary data type: 0 int32, 2 float64	
GRPDLY	Number of points of the digital filter	
nuc	Observed nucleus	
o1p	Carrier frequency i.e. center of the spectrum, in ppm	
01	Same as o1p, but in Hz	
SWp	Sweep width, in ppm	
SW	Sweep width, in Hz	
SF01	Larmor frequency of the observed nucleus at field B0	
TD	Number of sampled complex points	
dw	Dwell time, i.e. the sampling interval, in seconds	
AQ	Time duration of the FID	
t1	Acquisition timescale	

- i: the imaginary part of the spectrum;
- S: the complex spectrum (S = r + ii).

After the Fourier transform, the process method applies the phase correction and the calibration using the phase angles and the calibration value saved in the *procs* dictionary automatically. This allows the user to not phase their spectra every time, as well as keeping a record of the processing.

If the spectrum requires phase correction, you can perform it interactively:

s.adjph()

or by passing the phase angles, in degrees, to adjph. Example, if you know you need to phase your spectrum with 30 degrees of $\phi^{(0)}$ and -55 degrees of $\phi^{(1)}$ with the pivot set at 7.32 ppm:

```
s.adjph(p0=30, p1=-55, pv=7.32)
```

In both cases, the phase angles are updated in the procs dictionary.

The spectrum can be calibrated using a dedicated GUI:

```
s.cal()
```

or specifying the shift value in ppm or in Hz (in this case, be sure to set the isHz keyword to True).

```
s.cal(-3) # Shift of -3 ppm
s.cal(1000, isHz=True) # Shift of +1 kHz
```

Both ppm and freq are updated according to the given values.

A tool for baseline correction and lineshape fitting are also provided. Regarding the baseline correction, there are now two methods available: the 'old' one, named baseline_correction, allows to build and read a manually-designed baseline; the rpbc method automatically tries to fit the baseline with a polynomion and correct the phase together.

```
s.basl() # subtract s.baseline from s.S, then unpack s.r and s.i
```

For the fitting:

Table 2.2: Description of the procs dictionary of a Spectrum_1D object.

Key Explanation Window function. This is a dictionary itself: wf • 'mode': choose function between - 'em': exponential - 'sin': sine - 'qsin': squared sine - 'gm': mixed lorentzian-gaussian - 'gmb': mixed lorentzian-gaussian, Bruker style • 'lb': Exponential line-broadening. Read by em, gm and gmb • 'gb': Gaussian line-broadening. Read by gm and gmb • 'gc': Center of the gaussian $\in [0,1]$. Read by gm • 'ssb': Shift of the sine bell. Read by sin and qsin 'sw': Sweep width. Automatically set according to acqus['SW'] Zero-filling. Set the *final* number of points! zf Number of points to be used for processing tdeff Scaling factor for the first point of the FID before Fourier transform fcor p0 Frequency-independent phase correction /degrees First order phase correction /degrees р1 Pivot point for the first order phase correction /ppm pν Set of coefficients of a polynomion to be used as baseline, starting from basl_c the 0-order coefficient Offset, in ppm, to be added to the frequency and ppm scales for calical bration # Make an initial guess interactively and save all the parameters in a file called "myquess.inp" s.F.iguess(input_file="myguess.inp") # Save a figure of the initial guess in "myguess.png" s.F.plot(what='iguess', name="myguess") # Do the fit s.F.dofit(log_file="myfit.log", # Write the log of the fit in a file called "myfit.log" output_file="myfit.out", # Write the output of my fit in a file called "myfit.out" # Tolerance on the chemical shift of +/-0.5 ppm utol=0.5, # Allow/Not allow to fit dephased peaks vary_phi=False, # Allow/Not allow to change fraction of gaussianity vary_xg=False, res_hist_name="myres", # Make a figure of the residuals called "myres.png" # Perform tests on the goodness of the fit test_res=True # Plot the output and show it

s.F.plot(what='fit')

2.2.1 The class pSpectrum_1D

The class Spectrum_1D does not work if you want to read the processed data directly from TopSpin (or whatever software you used to acquire and process them). Instead, you should use the class pSpectrum_1D, which is designed to perform exactly this task. It inherits most of the attributes and methods of the Spectrum_1D class, therefore its usage closely resembles the example reported in the previous section.

2.3 Processing of a 'raw' 2D spectrum

Let us say that your spectrum is saved in the folder /home/myself/spectra/mydataset/21/. Initialize the spectrum object through:

```
Path = "/home/myself/spectra/mydataset/21/"
s = Spectrum_2D(Path)
```

The generated acqus and procs dictionaries include informations on both dimensions.

Table 2.3: Description of the acqus dictionary of a Spectrum_2D object.

Key	Explanation	
ВО	Magnetic field strength /T	
BYTORDA		
DTYPA	Binary data type: 0 int32, 2 float64	
GRPDLY	Number of points of the digital filter	
nuc1	Observed nucleus in the indirect dimension	
nuc2	Observed nucleus in the direct dimension	
o1p	Carrier frequency i.e. center of the indirect dimension, in ppm	
o2p	Carrier frequency i.e. center of the direct dimension, in ppm	
o1	Same as olp, but in Hz	
o2	Same as o2p, but in Hz	
SW1p	Sweep width of the indirect dimension, in ppm	
SW2p	Sweep width of the direct dimension, in ppm	
SW1	Sweep width of the indirect dimension, in Hz	
SW2	Sweep width of the indirect dimension, in Hz	
SF01	Larmor frequency of the observed nucleus in F1 at field B0	
SF02	Larmor frequency of the observed nucleus in F2 at field B0	
TD1	Number of t_1 -increments	
TD2	Number of sampled complex points	
dw1	t_1 increments, in seconds	
dw2	Dwell time, i.e. the sampling interval, in seconds	
AQ1	Sampled timescale of the indirect dimension	
AQ2	Time duration of the FID	
t1	Evolution timescale	
t2	Acquisition timescale	

Then, the sequence of commands resembles the ones of the 1D spectra.

s.convdta() # If there is the digital filter

s.process()

[#] Also in this case, phase correction and calibration are performed automatically with the values in procs

Table 2.4: Description of the procs dictionary of a Spectrum_2D object. Each of these dictionary entry is a list of two elements: the first one (index 0) is the processing to apply on the indirect dimension, the second (index 1) on the direct dimension. For instance, procs[tdeff] = [64, 1024] means to truncate the indirect evolutions to 64 points and the FIDs to 1024 points.

Key	Explanation		
wf	Window function. This is a dictionary itself:		
	• 'mode': choose function between		
	- 'em': exponential		
	- 'sin': sine		
	- 'qsin': squared sine		
	- 'gm': mixed lorentzian-gaussian		
	- 'gmb': mixed lorentzian-gaussian, Bruker style		
	• 'lb': Exponential line-broadening. Read by em, gm and gmb		
	• 'gb': Gaussian line-broadening. Read by gm and gmb		
	• 'gc': Center of the gaussian $\in [0,1]$. Read by gm		
	• 'ssb': Shift of the sine bell. Read by sin and qsin		
• 'sw': Sweep width. Automatically set according acqus['SW']			
zf	Zero-filling. Set the <i>final</i> number of points!		
tdeff	Number of points to be used for processing		
fcor			
p0			
p1	First order phase correction /degrees		
pv	Pivot point for the first order phase correction /ppm		
cal_1	Calibration offset for F1 /ppm		
cal_2	1_2 Calibration offset for F2 /ppm		

s.adjph()
s.plot()

The keys for adjph are of the kind: pXY, where X is the order of the phase correction (0 or 1) and Y is the dimension on which to apply it (1 or 2). Explicative table below:

	F 1	F2
$\phi^{(0)}$	p01	p02
$\phi^{(1)}$	p11	p12
pivot	pv1	pv2

For further information, rely on the help python builtin function. To read the processed data, use the pSpectrum_2D class instead.

2.3.1 Computing projections

While the 2D spectra give an overall look on the whole experiment, the user might want to extract projection of the direct or the indirect dimension, to focus onto particular features in the spectrum. In order to do so, klassez offers two commands: projf1 and projf2, which compute the sum projections on the indirect or on the direct dimension, respectively, and store the result in dictionaries called trf1 and trf2, whose keys are the ppm values correspondant to the projections. Actually, the capitalized versions of the two dictionaries (with the same keys), i.e. Trf1 and Trf2, can be more useful, as they are instances of the pSpectrum_1D class and therefore are initialized with ppm scales and other parameters.

Example:

```
# Supposed to have a 1H-15N HSQC spectrum

# Extract the direct dimension trace at 115 ppm, 15N scale
s.projf2(115)

# Access to it through
Proj_115 = s.Trf2['115']

# Extract the indirect dimension trace from 6 to 8 ppm, 1H scale
s.projf1(6, 8)
Proj_indim = s.Trf1['6:8']

# You can plot them:
Proj_115.plot()
Proj_indim.plot()
```

2.4 Simulating data

The classes Spectrum_1D and Spectrum_2D are also able to generate simulated data by reading a custom-written input file. The functions they use are sim.sim_1D and sim.sim_2D.

2.4.1 Simulate 1D data

The input file you have to write *must* have the following keys:

- B0: Magnetic field strength /T;
- nuc: Observed nucleus (e.g. 13C);
- o1p: Carrier frequency i.e. centre of the spectrum /ppm;
- SWp: Sweep width /ppm. The spectrum will cover the range [o1p SWp/2, o1p + SWp/2];
- TD: Number of sampled (complex) points;
- shifts: sequence of peak positions /ppm;
- fwhm: Full-width at half-maximum of the peaks /Hz;
- amplitudes: Intensity of the peaks in the FID;
- x_g: Fraction of gaussianity. $x_g = 0 \implies$ pure Lorentzian peak, $x_g = 1 \implies$ pure Gaussian peak;

and can have the following keys:

- phases: phases of the peaks /degrees. Default: all zeros;
- mult: fine structures of the peaks (e.g. doublets of triplets: dt). Default: all singlets;
- Jconst: coupling constants of the fine structures /Hz. If more of one coupling is expected, provide them as a sequence. Default: not used as the peaks are all singlets.

Key and value must be separated by a tab character. You are allowed to leave empty rows to improve the readibility and to insert comments using the # character.

Example:

```
B0 16.4 # 700 MHz 1H
nuc 1H
o1p 4.7
SWp 40
TD 8192

shifts 1, 3, 5, 7
fwhm [10 for k in range(4)]
amplitudes 10, 20, 15, 10
x_g 0, 0.4, 0.6, 1
phases 5, 0, 10, 0

mult s, t, dt, ddd
Jconst 0, 15, [12, 9.5], [25, 15, 10]
```

This input file generates the spectrum in Figure 2.1. Code:

```
#! /usr/bin/env python3
from klassez import *
s = Spectrum_1D('sim_in_1D', isexp=False)
s.process()
figures.figure1D(s.ppm, s.r, name='test_1D', X_label='$\delta\, ^1$H /ppm',
    Y_label='Intensity /a.u.')
```

2.4.2 Simulate 2D data

The same procedure can be followed to simulate 2D spectra. The input file to write is very similar to the one for 1D data, except for the quantities that clearly span over two dimensions. As in NMR textbook, the direct and indirect dimensions will be named F2 and F2 respectively, and dimension-specific quantities will feature the 1 or 2 labels accordingly.

- B0: Magnetic field strength /T;
- nuc1: Observed nucleus in F1(e.g. 13C);
- nuc2: Observed nucleus in F2(e.g. 1H);
- olp: Carrier frequency i.e. centre of F1 /ppm;

- o2p: Carrier frequency i.e. centre of F2 /ppm;
- SW1p: Sweep width /ppm. The indirect dimension will cover the range [o1p SW1p/2, o1p + SW1p/2];
- SW2p: Sweep width /ppm. The direct dimension will cover the range [o2p SW2p/2, o2p + SW2p/2];
- TD1: Number of sampled (complex) points in F1;
- TD2: Number of sampled (complex) points in F2;
- shifts_f1: sequence of peak positions in F1 /ppm;
- shifts_f2: sequence of peak positions in F2 /ppm;
- fwhm_f1: Full-width at half-maximum of the peaks in F1 /Hz;
- fwhm_f2: Full-width at half-maximum of the peaks in F2 /Hz;
- amplitudes: Intensity of the peaks in the FID;
- x_g: Fraction of gaussianity. $x_g = 0 \implies$ pure Lorentzian peak, $x_g = 1 \implies$ pure Gaussian peak;

Phase distortions and fine structures are not allowed for multidimensional spectra. The indirect dimension will be generated employing the *States-TPPI* sampling scheme.

Example:

```
B0 28.2
nuc1
       15N
nuc2
       1H
o1p 115
o2p 5
SW1p
       40
SW2p
       20
TD1 512
TD2 8192
shifts_f1 130.0, 105.0, 120.0, 1.25e2, 130.0, 105.0
shifts_f2 0.0, 0.0, 4.0, 7.0, 1.1e1, 10.5
fwhm_f1 100, 100, 100, 100, 100, 100
fwhm_f2 50, 50, 50, 50, 50, 50
amplitudes 10, 20, 10, 20, 10, 10
x_g 0.0, 0.2, 0.4, 0.6, 0.8, 1.0
```

This input file generates the spectrum in Figure 2.2. Code:

```
#! /usr/bin/env python3
```

```
from klassez import *

s = Spectrum_2D('sim_in_2D', isexp=False)
s.process()

figures.figure2D(s.ppm_f2, s.ppm_f1, s.rr, lvl=0.005, name='test_2D', X_label='$\delta\, ^1$H /ppm', Y_label='$\delta\, ^{15}$N /ppm')
```



Figure 2.1: Example of a simulated 1D spectrum.



Figure 2.2: Example of a simulated 2D spectrum.

2.5 The Pseudo_2D class

Sometimes, the spectroscopist might find interesting to acquire a series of 1D experiments in which one (or more) parameters are changed according to a certain schedule. This kind of experiments are 2D in principle, but their processing and analysis resemble the one of 1D spectra. Therefore, they lie somewhere in between 1D spectra and 2D spectra, hence they are often referred to as pseudo 2D.

Also in this case, klassez offers a specific class to deal with this kind of data: Pseudo_2D. Pseudo_2D is a subclass of Spectrum_2D; however, many functions have been adapted to resemble the 1D version.

Pseudo_2D does not encode for a routine to automatically simulate data. If you want to, you should give a 1D-like input file (just like the one in section 2.4.1), and replace the attribute fid with your FID, generated as you wish. With a real dataset this is not required, as it is able to read everything automatically.

```
path_to_pseudo = "/home/myself/spectra/mydataset/899/"
s = Pseudo_2D(path_to_pseudo)
s.convdta() # If there is the digital filter
```

The process() function applies apodization, zero-filling and Fourier transform only on the direct dimension, reading the parameters from a procs dictionary like the one of $pectrum_1D$. The attributes $processive freq_f1$ and ppm_f1 are initialized with p.arange(N), where N is the number of experiments that your FID comprises of.

The phase adjustment is performed on a reference spectrum, then applied on the whole 2D matrix. By default, the chosen spectrum is the first one, but you can choose the one that fits the most your needs.

```
s.process()
s.adjph(expno = 10) # Calls interactive_phase_1D on the 10th experiment
```

The method plot shows the 2D contour map of the spectrum, just like the one of Spectrum_2D. However, this is not always the most intelligent way to plot the data in order to gather information. This is the reason why this class features two unique additional methods that plot data: plot_md and plot_stacked. Both rely on the parameter which, that is a string of code (i.e. it should be interpreted by eval) that identifies which experiment to show by pointing at their index. which = 'all' results in pointing at all spectra.

```
s.plot() # 2D contour map
s.plot_md(which="3, 5, 11") # Plot the 3rd, the 5th and the 11th spectrum, superimposed
s.plot_stacked(which="np.arange(0,100,5)") # Makes a stacked plot with a spectrum every 5
```

The method integrate differs a little bit from the one coded in Spectrum_1D.

```
s.integrate(which=2) # Interactive panel on the 3rd spectrum
```

Even if you select the integration limits on a single spectrum, the method integrate will compute the integrals throughout the whole range of experiment. This means that each entry of integrals will be an array as long as the number of experiment.

3. List of modules and functions

3.1 MISC package

This package contains miscellaneous functions for the calculation of several properties, and generally for the handling of NMR spectra.

3.1.1 misc.SNR(data, signal=None, n reg=None)

Computes the signal to noise ratio of a 1D spectrum, as:

$$SNR = \frac{S}{2\sigma_n}$$

Parameters

- data: 1darray

 The spectrum of which you want to compute the SNR
- signal : float, optional
 If provided, uses this value as maximum signal. Otherwise, it is selected as the maximum value in data
- n_reg: list or tuple, optional If provided, contains the points that delimit the noise region. Otherwise, the whole spectrum is used.

Returns

• snr : float
The SNR of the spectrum

3.1.2 misc.SNR 2D(data, n reg=None)

Computes the signal to noise ratio of a 2D spectrum.

Parameters

• data: 1darray

The spectrum of which you want to compute the SNR

• n_reg: list or tuple
If provided, the points of F1 scale and F2 scale, respectively, of which to extract the projections.
Otherwise, opens the tool for interactive selection.

Returns

• snr_f1 : float
The SNR of the indirect dimension

• snr_f2 : float The SNR of the direct dimension

$3.1.3 \quad misc.avg_antidiag(X)$

Given a matrix X without any specific structure, finds the closest Hankel matrix in the Frobenius norm sense by averaging the antidiagonals.

Parameters:

• X: 2darray Input matrix

Returns:

• Xp: 2darray
Hankel matrix obtained from X

3.1.4 misc.binomial_triangle(n)

Calculates the n-th row of the binomial triangle. The first row is n=1, not 0. Example:

binomial_triangle(4)
>>> 1 3 3 1

Parameters:

• n: *int* Row index

Returns:

 \bullet row: 1darray The n-th row of binomial triangle.

3.1.5 misc.calcres(fqscale)

Calculates the frequency resolution of an axis scale, i.e. how many Hz is a 'tick'.

Parameters

• fqscale : *1darray* Scale to be processed

Returns

ullet res : float The resolution of the scale

3.1.6 misc.cmap2list(cmap, N=10, start=0, end=1)

Extract the colors from a colormap and return it as a list.

Parameters:

- cmap: matplotlib.Colormap Object

 The colormap from which you want to extract the list of colors
- N: *int* Number of samples to extract
- start: float
 Start point of the sampling. 0 = beginning of the cmap; 1 = end of the cmap.
- end: float
 End point of the sampling. 0 = beginning of the cmap; 1 = end of the cmap.

Returns:

• colors: *list*List of the extracted colors.

3.1.7 misc.data2wav(data, filename='audiofile', cutoff=None, rate=44100)

Converts an array of data in a .wav file. The data are converted in float32 format, then normalized to fit the (-1, 1) interval

Parameters:

• data: *ndarray*Data to listen to

 \bullet filename: str Filename for the .wav file, without extension

• cutoff: *float or None* Clipping borders for the audio. If None, no clipping is performed

• rate: *int* Sample rate in samples/sec

3.1.8 misc.edit checkboxes(checkbox, xadj=0, yadj=0, dim=100, color=None)

Edit the size of the box to be checked, and adjust the lines accordingly.

Parameters:

- checkbox: matplotlib.widgets.CheckBox Object
 The checkbox to edit
- xadj: *float* modifier value for bottom left corner x-coordinate of the rectangle, in checkbox.ax coordinates
- yadj: *float* modifier value for bottom left corner y-coordinate of the rectangle, in checkbox.ax coordinates
- dim: *float*Area of the square, in pixels. Default value is 25
- color: str or list or None
 If it is not None, change color to the lines

$3.1.9 \quad misc.extend_taq(old_taq, newsize=None)$

Extend the acquisition timescale to a longer size, using the same dwell time

Parameters:

• old_taq: 1darray Old timescale

Returns:

• new_taq: 1darray Extended timescale

3.1.10 misc.find_nearest(array, value)

Finds the value in array which is the nearest to value.

Parameters

• array : *1darray* Self-explanatory

• value : *float* Value to be found

Returns

• val: *float*The closest value in array to value

$3.1.11 \quad misc.freq2ppm(x, B0=701.125, o1p=0)$

Converts \mathbf{x} from Hz to ppm.

Parameters

• x : float
Value to be converted

• B0 : float Field frequency, in MHz. Default: 700 MHz

• o1p : float Carrier frequency, in ppm. Default: 0.

Returns

• y : *float*The converted value

3.1.12 misc.get trace(data, ppm f2, ppm f1, a, b=None, column=True)

Takes as input a 2D dataset and the ppm scales of direct and indirect dimensions respectively. Calculates the projection on the given axis summing from a (ppm) to b (ppm). Default: indirect dimension projection (i.e. column=True), change it to 'False' for the direct dimension projection. Returns the calculated 1D projection.

Parameters

- data : 2darray

 Spectrum of which to extract the projections
- ppm_f2 : *1darray* ppm scale of the direct dimension
- ppm_f1 : *1darray* ppm scale of the indirect dimension
- ullet a: float The ppm value from which to start extracting the projection.
- b: float, optional
 If provided, the ppm value at which to stop extracting the projection. Otherwise, returns only the a trace.
- column: bool

 If True, extracts the F1 projection. If False, extracts the F2 projection.

Returns

• y : *1darray* Computed projection

3.1.13 misc.get_ylim(data_inp)

Calculates the y-limits of a plot as follows:

- Bottom: min(data) 5% max(data)
- Top: max(data) + 5% max(data)

Parameters:

• data_inp: ndarray or list Input data. If it is a list, data_inp is converted to array.

3.1.14 misc.hankel(data, n=None)

Computes a Hankel matrix from data. If data is a 1darray of length N, computes the correspondant Hankel matrix of dimensions (N - n + 1, n). If data is a 2darray, computes the closest Hankel matrix in the Frobenius norm sense by averaging the values on the antidiagonals.

Parameters:

- data: 1darrayVector to be Hankel-ized, of length N
- \bullet n: int Number of columns that the Hankel matrix will have

Returns:

• H: 2darrayHankel matrix of dimensions (N - n + 1, n)

3.1.15 misc.hz2pt(fqscale, hz)

Converts hz from frequency units to points, on the basis of its scale.

Parameters

• fqscale : *1darray* Scale to be processed

• hz : *float* Value to be converted

Returns

• pt : *float*The frequency value converted in points

3.1.16 misc.in2px(*in_args)

Converts a sequence of numbers from inches to pixels by multiplying $\times 96$.

Parameters:

• in_args: sequence of floats Values in inches to convert

Returns:

• px_args: tuple of ints Values in pixels

3.1.17 misc.load ser(path, TD1=1, BYTORDA=0, DTYPA=0, cplx=True)

Reads a binary file and transforms it in an array. The parameters BYTORDA and DTYPA can be found in the acqus file.

- BYTORDA = $1 \Rightarrow \text{big endian} \Rightarrow '>'$
- BYTORDA = 0 ⇒ little endian ⇒ '<'
- DTYPA = $0 \Rightarrow int32 \Rightarrow 'i4'$
- DTYPA = 2 \Rightarrow float64 \Rightarrow 'f8'

Parameters:

- path : strPath to the file to read
- TD1: *int*Number of experiments in the indirect dimension
- BYTORDA: int Endianness of data
- DTYPA: *int* Data type format
- cplx: bool

 If True, the input data are interpreted as complex, which means that in the direct dimension there will be real and imaginary parts alternated.

Returns:

• data: 2darray Array of data.

3.1.18 misc.makeacqus_1D(dic)

Given a NMRGLUE dictionary from a 1D spectrum (generated by ng.bruker.read), this function builds the acqus file with only the 'important' parameters.

Parameters

• dic: dict

NMRglue dictionary returned by ng.bruker.read

Returns

$3.1.19 \quad misc.makeacqus_1D_oxford(dic)$

Given a NMRGLUE dictionary from a 1D spectrum (generated by ng.jcampdx.read), this function builds the acqus file with only the 'important' parameters.

Parameters:

Returns:

3.1.20 misc.makeacqus 1D spinsolve(dic)

Given a NMRGLUE dictionary from a 1D spectrum (generated by ng.spinsolve.read), this function builds the acqus file with only the 'important' parameters. Be sure to get the info from all the configuration files!

Parameters:

ullet dic: dict NMRglue dictionary returned by ng.spinsolve.read

Returns:

$3.1.21 \quad misc.makeacqus_1D_varian(dic)$

Given a NMRGLUE dictionary from a 1D spectrum (generated by ng.varian.read), this function builds the acqus file with only the 'important' parameters.

Parameters:

Returns:

$3.1.22 \quad misc.makeacqus_2D(dic)$

Given a NMRGLUE dictionary from a 2D spectrum (generated by ng.bruker.read), this function builds the acqus file with only the 'important' parameters.

Parameters

• dic: dict

NMRglue dictionary returned by ng.bruker.read

Returns

3.1.23 misc.mathformat(ax, axis='y', limits=(-2,2))

Apply exponential formatting to the given axis of the given figure panel. The offset text size is uniformed to the tick labels' size.

- ax: matplotlib.Subplot Object Panel of the figure to edit
- axis: *str* 'x', 'y' or 'both'.
- limits: tuple tuple of ints that indicate the order of magnitude range outside which the exponential format is applied.

3.1.24 misc.molfrac(n)

Computes the 'molar fraction' ${\tt x}$ of the array ${\tt n}.$ Returns also the total amount.

$$x_i = \frac{n_i}{N}, \qquad N = \sum_i n_i$$

Parameters

• n: list or 1darray list of values

Returns

- x: *list or 1darray* molar fraction array
- N: float sum of all the elements in n

3.1.25 misc.noise std(y)

Calculates the standard deviation of the noise using the Bruker formula. Taken y as an array of N points, and y_i its i-th entry:

$$\sigma_n = \frac{1}{\sqrt{N-1}} \sqrt{\sum_{i=1}^{N} y_i^2 - \frac{1}{N} \left[\left(\sum_{i=1}^{N} y_i \right)^2 + \frac{3 \left(\sum_{i=1}^{N/2} i (y_{N-i+1} - y_i)^2 \right)}{N^2 - 1} \right]}$$

Parameters

 \bullet y : 1darray The spectral region you would like to use to calculate the standard deviation of the noise.

Returns

• noisestd : *float*The standard deviation of the noise.

3.1.26 misc.nuc_format(nuc)

Converts the nuc key you may find in acqus in the formatted label, e.g. '13C' \rightarrow '\$\frac{1}{13}\C'

Parameters:

• nuc: strUnformatted string

Returns:

• fnuc: str Formatted string.

3.1.27 misc.polyn(x, c)

Computes p(x), polynomion of degree n-1, where n is the number of provided coefficients.

Parameters:

- x : 1darray
 Scale upon which to build the polynomion
- c : list or 1darray Sequence of the polynomion coefficient, starting from the 0-th order coefficient

Returns:

• px : 1darrayPolynomion of degree n-1.

$3.1.28 \quad misc.ppm2freq(x, B0=701.125, o1p=0)$

Converts x from ppm to Hz.

Parameters

• x : float Value to be converted

• B0 : float Field frequency, in MHz. Default: 700 MHz

• o1p : float Carrier frequency, in ppm. Default: 0.

Returns

• y : *float*The converted value

$3.1.29 \quad misc.ppmfind(ppm_scale, \, value)$

Finds the exact value in ppm scale.

Parameters

• ppm_scale : 1darray Self-explanatory

ullet value : float

The value to be found

Returns

• V : float
The closest value to value in ppm_scale

3.1.30 misc.pretty scale(ax, limits, axis='x', n major ticks=10)

This function computes a pretty scale for your plot. Calculates and sets a scale made of n_major_ticks numbered ticks, spaced by 5 * n_major_ticks unnumbered ticks. After that, the plot borders are trimmed according to the given limits.

- ax: matplotlib.AxesSubplot object
 Panel of the figure of which to calculate the scale
- limits: *tuple* limits to apply of the given axis. (left, right)
- axis: str'x' for x-axis, 'y' for y-axis
- n_major_ticks: *int*Number of numbered ticks in the final scale. An oculated choice gives very pleasant results.

$3.1.31 \quad misc.print_dict(mydict)$

Prints a dictionary one entry per row, in the format key: value. Nested dictionaries are printed with an indentation

Parameters:

• mydict: dict The dictionary you want to print

Returns:

 \bullet outstring: strThe printed text formatted as single string

3.1.32 misc.print_list(mylist)

Prints a list, one entry per row.

Parameters:

 \bullet mylist: listThe list you want to print

Returns:

ullet outstring: strThe printed text formatted as single string

3.1.33 misc.procpar(txt)

Takes as input the path of a file containing a 'key' in the first column and a 'value' in the second column. Returns a dictionary of shape key: value.

Parameters

 \bullet txt : strPath to a file that contains 'key' in first column and 'value' in the second

Returns

• procpars : *dict*Dictionary of shape key : value.

$3.1.34 \quad misc.px2in(*px_args)$

Converts a sequence of numbers from inches to pixels by multiplying $\times 96$.

Parameters:

• px_args: sequence of ints Values in pixels to convert

Returns:

• in_args: tuple of floats Values in inches

3.1.35 misc.readlistfile(datafile)

Takes as input the path of a file containing one entry for each row. Returns a list of the aforementioned entries.

Parameters

ullet datafile: str Path to a file that contains one entry for each row

Returns

• files : *list*List of the entries contained in the file

3.1.36 misc.select for integration(ppm f1, ppm f2, data, Neg=True)

Select the peaks of a 2D spectrum to integrate. First, select the area where your peak is located by dragging the red square. Then, select the center of the peak by right_clicking. Finally, click 'ADD' to store the peak. Repeat the procedure for as many peaks as you want.

Parameters:

- ppm_f1: *1darray* ppm scale of the indirect dimension
- ppm_f2: *1darray* ppm scale of the direct dimension
- data : 2darray Spectrum
- Neg: bool
 Choose if to show the negative contours (True) or not (False)

Returns:

• peaks: list of dict
For each peak there are two keys, 'f1' and 'f2', whose meaning is obvious. For each of these keys, you have 'u': center of the peak /ppm, and 'lim': the limits of the square you drew before.

3.1.37 misc.select traces(ppm f1, ppm f2, data, Neg=True, grid=False)

Select traces from a 2D spectrum, save the coordinates in a list. Left click to select a point, right click to remove it.

Parameters

- ppm_f1 : *1darray* ppm scale of the indirect dimension
- ppm_f2: 1darray ppm scale of the direct dimension
- data : *2darray* Spectrum
- Neg: bool
 Choose if to show the negative contours (True) or not (False)
- grid : bool
 Choose if to display the grid (True) or not (False)

Returns

• coord: *list*List containing the [x,y] coordinates of the selected points.

3.1.38 misc.set fontsizes(ax, fontsize=10)

Automatically adjusts the fontsizes of all the figure elements. In particular:

- title = fontsize
- axis labels = fontsize -2
- ticks labels = fontsize -3
- legend entries = fontsize -4

- ax: matplotlib.Subplot Object Subplot of interest
- fontsize: *float* Starting fontsize

3.1.39 misc.set_ylim(ax, data_inp)

Sets the y-limits of ax as follows:

- Bottom: min(data) 5% max(data)
- Top: max(data) + 5% max(data)

- ax: matplotlib.Subplot Object
 Panel of the figure where to apply this scale
- data_inp: ndarray or list
 Input data. If it is a list, data_inp is converted to array.

$3.1.40 \quad misc.show_cmap(cmap, N=10, start=0, end=1, filename=None)$

Plot the colors extracted from a colormap.

- cmap: matplotlib.Colormap Object

 The colormap from which you want to extract the list of colors
- N: *int* Number of samples to extract
- start: float
 Start point of the sampling. 0 = beginning of the cmap; 1 = end of the cmap.
- end: float
 End point of the sampling. 0 = beginning of the cmap; 1 = end of the cmap.
- filename: $str\ or\ None$ Filename of the figure to be saved. The '.png' extension is added automatically. If None, the figure is shown instead

$3.1.41 \quad misc.split_acqus_2D(acqus)$

Split the acqus dictionary of a 2D spectrum into two separate 1D-like acqus dictionaries.

Parameters:

• acqus: *dict* acqus dictionary of a 2D spectrum

Returns:

- acqu1s: dict acqus dictionary of the indirect dimension
- acqu2s: *dict* acqus dictionary of the direct dimension

$3.1.42 \quad misc.split_procs_2D(procs)$

Split the procs dictionary of a 2D spectrum into two separate 1D-like procs dictionaries.

Parameters

• procs: *dict* procs dictionary of a 2D spectrum

Returns

- proc1s: *dict* procs dictionary of the indirect dimension
- proc2s: *dict* procs dictionary of the direct dimension

$3.1.43 \quad misc.trim_data(ppm_scale, y, lims)$

Trims the frequency scale and correspondant 1D dataset y from sx (ppm) to dx (ppm).

Parameters:

- ppm_scale : 1darray ppm scale of the spectrum
- y : 1darray spectrum
- lims: *tuple* ppm values where to start and stop trimming

Returns:

 \bullet xtrim : 1darray Trimmed ppm scale

• ytrim : *1darray* Trimmed spectrum

$3.1.44 \quad misc.trim_data_2D(x_scale, y_scale, data, xlim=None, ylim=None)$

Trims data and scales according to xlim and ylim. Returns the trimmed data and the correspondant trimmed scales.

Parameters:

- x_scale: *1darray*Scale for the rows of data
- y_scale: 1darray
 Scale for the columns of data
- data: *2darray*Data to be trimmed
- xlim: tuple
 Limits for x_scale (L, R)
- ylim: tupleLimits for y_scale (L, R)

Returns:

- trimmed_x: 1darray
 Trimmed x-scale
- trimmed_y: 1darray Trimmed y-scale
- trimmed_data: 2darray Trimmed data

3.1.45 misc.unhankel(H)

Concatenates the first row and the last column of the matrix H, which should have Hankel-like structure, so to build the array of independent parameters.

Parameters:

• H: 2darray Hankel-like matrix

Returns:

• h: *1darray*First row and last column of H, concatenated

3.1.46 misc.write acqus 1D(acqus, path='./', filename=None)

Writes the input file for a simulated spectrum, basing on a dictionary of parameters.

Parameters

ullet acqus: dict The dictionary containing the parameters for the simulation

• path : str, optional
Directory where the file will be saved.

• filename: str, optionalName of the file to be saved in path. The default name is sim_in_1D

3.1.47 misc.write_acqus_2Dacqus, path='sim_in_2D')

Writes the input file for a simulated spectrum, basing on a dictionary of parameters.

Parameters

ullet acqus: dict The dictionary containing the parameters for the simulation

• path: str, optional
Directory where the file will be saved. The default name is sim_in_1D.

3.1.48 misc.write_help(request, file=None)

Gets the documentation of request, and tries to save it in a text file.

- request: function or class or package Whatever you need documentation of
- file: str or None or False

 Name of the output documentation file. If it is None, a default name is given. If it is False, the output is printed on screen.

3.1.49 misc.write_ser(fid, path='./', BYTORDA=0, DTYPA=0, overwrite=True)

Writes the FID file in directory 'path', in a TopSpin-readable way (i.e. little endian, int32). The binary file is named 'fid' if 1D, 'ser' if multiD. The parameters BYTORDA and DTYPA can be found in the acqus file.

- BYTORDA = $1 \Rightarrow \text{big endian} \Rightarrow '>'$
- BYTORDA = 0 ⇒ little endian ⇒ '<'
- DTYPA = $0 \Rightarrow int32 \Rightarrow 'i4'$
- DTYPA = 2 \Rightarrow float64 \Rightarrow 'f8'

- fid : ndarray FID array to be written
- path : strDirectory where to save the file

3.1.50 misc.zero crossing(array, after=False)

Find the indices where the elements in the array change sign. The identified positions are the ones before the sign changes. This behavior can be modified by setting 'before=False'.

Parameters:

• array: *1darray*Data to analyze

• after: bool

If True, returns the indices of the element after the sign change; if False, the indices before.

Returns:

• zerocross: *1darray*Position of the zero-crossing, according to 'before'

3.2 PROCESSING package

This package contains functions for the processing of NMR spectra, either in time domain or in frequency domain, and the transition between the two domains.

3.2.1 processing.Cadzow(data, n, nc, print head=True)

This functions performs Cadzow denoising on \mathtt{data} , which is a 1D array of N points. The algorithm works as follows:

- 1. Transform data in a Hankel matrix \mathbb{H} of dimensions (N-n,n)
- 2. Make SVD on $\mathbb{H} = \mathbb{USV}^{\dagger}$
- 3. Keep only the first nc singular values, and put all the rest to $0 (S \to S')$
- 4. Rebuild $\mathbb{H}' = \mathbb{US}'\mathbb{V}^{\dagger}$
- 5. Average the antidiagonals to rebuild the Hankel-type structure, then make 1D array

Parameters

- data: *1darray* Input data
- n: *int*Number of columns of the Hankel matrix.
- nc: *int*Number of singular values to keep.
- print_head: bool
 Set it to True to display the fancy heading.

Returns

• datap: *1darray*Denoised data

$3.2.2 \quad processing. Cadzow_2D(data, n, nc, i=True, itermax=100, f=0.005, \\ print \quad time=True)$

Performs the Cadzow denoising method on a 2D spectrum, one transient at the time. This function calls Cadzow if i=False, or iterCadzow if i=True.

Parameters

- data: 2darray Input data
- n: *int*Number of columns of the Hankel matrix.
- nc: *int*Number of singular values to keep.
- i: bool

 Calls processing.Cadzow if i=False, or processing.iterCadzow if i=True.
- itermax: *int*Maximum number of iterations allowed.
- f: float
 Factor for the arrest criterion.
- print_time: *bool*Set it to True to display the time spent.

Returns

• datap: 2darray
Denoised data

3.2.3 processing.EAE(data)

Shuffles data if the spectrum is acquired with 'FnMODE': 'Echo-Antiecho'. **NOTE:** introduces -90° phase shift in F1, to be corrected after the processing.

```
pdata = np.zeros_like(data)

pdata[::2] = (data[::2].real - data[1::2].real) + 1j*(data[::2].imag - data[1::2].imag)

pdata[1::2] = -(data[::2].imag + data[1::2].imag) + 1j*(data[::2].real + data[1::2].real)
```

Parameters

• data : ndarray
Data to be shuffled.

Returns

• pdata : ndarray Shuffled data.

3.2.4 processing.LRD(data, nc)

Denoising method based on Low-Rank Decomposition. The algorithm performs a singular value decomposition on data, then keeps only the first nc singular values while setting all the others to 0. Finally, rebuilds the data matrix using the modified singular values.

Parameters:

• data: *2darray*Data to be denoised

 \bullet nc: int Number of components, i.e. number of singular values to keep

Returns:

• data_out: 2darray
Denoised data

3.2.5 processing.MCR(input_data, nc, f=10, tol=1e-05, itermax=10000.0, P='H', oncols=True)

This is an implementation of Multivariate Curve Resolution for the denoising of 2D NMR data. Let us consider a matrix \mathbb{D} , of dimensions $m \times n$, where the starting data are stored. The final purpose of MCR is to decompose the \mathbb{D} matrix as follows:

$$\mathbb{D} = \mathbb{CS} + \mathbb{E}$$

where \mathbb{C} and \mathbb{S} are matrices of dimension $m \times n_c$ and $n_c \times n$, respectively, and \mathbb{E} contains the part of the data that are not reproduced by the factorization. Being \mathbb{D} the FID of a NMR spectrum, \mathbb{C} will contain time evolutions of the indirect dimension, and \mathbb{S} will contain transients in the direct dimension.

The total MCR workflow can be separated in two parts: a first algorithm that produces an initial guess for the three matrices \mathbb{C} , \mathbb{S} and \mathbb{E} (SIMPLISMA), and an optimization step that aims at the removal of the unwanted features of the data by iteratively filling the \mathbb{E} matrix (MCR ALS). This function returns the denoised datasets, \mathbb{CS} , and the single \mathbb{C} and \mathbb{S} matrices.

Parameters:

- input_data: 2darray or 3darray a 3D array containing the set of 2D NMR datasets to be coprocessed stacked along the first dimension. A single 2D array can be passed, if the denoising of a single dataset is desired.
- nc: *int* number of purest components to be looked for;
- f: float percentage of allowed noise;
- tol: *float* tolerance for the arrest criterion;
- itermax: *int* maximum number of allowed iterations
- P: str or 2darray
 'H' for horizontal stacking, 'V' for vertical stacking, or custom matrix as explained in the description of stack MCR
- oncols: bool

 True to estimate S with processing.SIMPLISMA, False to estimate C.

Returns:

- CS_f: 2darray or 3darray Final denoised data matrix
- C_f: 2darray or 3darray Final C matrix
- S_f: 2darray or 3darray Final S matrix

3.2.6 processing.MCR ALS(D, C, S, itermax=10000, tol=1e-5)

Performs alternating least squares to get the final $\mathbb C$ and $\mathbb S$ matrices. Being the fundamental MCR equation:

$$\mathbb{D} = \mathbb{CS} + \mathbb{E}$$

At the k-th step of the iterative cycle:

1.
$$\mathbb{C}^{(k)} = \mathbb{DS}^{+(k-1)}$$

2.
$$\mathbb{S}^{(k)} = \mathbb{C}^{+(k)} \mathbb{D}$$

3.
$$\mathbb{E}^{(k)} = \mathbb{D} - \mathbb{C}^{(k)}\mathbb{S}^{(k)}$$

Defined r_C and r_S as the Frobenius norm of the difference of $\mathbb C$ and $\mathbb S$ matrices between two subsequent steps:

$$r_C = \|\mathbb{C}^{(k)} - \mathbb{C}^{(k-1)}\|_F$$
 $r_S = \|\mathbb{S}^{(k)} - \mathbb{S}^{(k-1)}\|_F$

The convergence is reached when:

$$r_C \leq au$$
 ol $r_S \leq au$ ol

Parameters

- D: 2darray Input data, of dimensions $m \times n$
- C: 2darray Estimation of the $\mathbb C$ matrix, of dimensions $m \times \mathtt{nc}$.
- S: 2darrayEstimation of the \mathbb{S} matrix, of dimensions $nc \times n$.
- itermax: *int*Maximum number of iterations
- tol: *float*Threshold for the arrest criterion.

Returns

- C: 2darray Optimized \mathbb{C} matrix, of dimensions $m \times nc$.
- S: 2darray Optimized \mathbb{S} matrix, of dimensions $nc \times n$.

3.2.7 processing.MCR unpack(C, S, nds, P='H')

Reverts matrix augmentation of stack_MCR. The denoised spectra can be calculated by matrix multiplication:

$$\mathbb{D}[k] = \mathbb{C}_f[k]\mathbb{S}_f[k], \quad fork = 0, \dots, nds - 1$$

Parameters:

- C: 2darray MCR C matrix
- S: 2darray MCR S matrix
- nds: *int* number of experiments
- P: str or 2darray
 'H' for horizontal stacking, 'V' for vertical stacking, or custom matrix as explained in the description of stack MCR

Returns:

- C_f: list of 2darray Disassembled MCR C matrix
- S_f: list of 2darray Disassembled MCR S matrix

3.2.8 processing.SIMPLISMA(D, nc, f=10, oncols=True)

Finds the first nc purest components of matrix D using the SIMPLISMA algorithm, proposed by Windig and Guilment (DOI: 10.1021/ac00014a016). If oncols=True, this function estimates \mathbb{S} with SIMPLISMA, then calculates $\mathbb{C} = \mathbb{DS}^+$. If oncols=False, this function estimates \mathbb{C} with SIMPLISMA, then calculates $\mathbb{S} = \mathbb{C}^+\mathbb{D}$. f defines the percentage of allowed noise.

Parameters

- D: 2darrayInput data, of dimensions $m \times n$
- nc: intNumber of components to be found. This determines the final size of the $\mathbb C$ and $\mathbb S$ matrices.
- f: float
 Percentage of allowed noise.
- ullet oncols: bool If True, SIMPLISMA estimates the $\mathbb S$ matrix, otherwise estimates $\mathbb C$.

Returns

- C: 2darray Estimation of the \mathbb{C} matrix, of dimensions $m \times nc$.
- S: 2darrayEstimation of the \mathbb{S} matrix, of dimensions $\mathbf{nc} \times n$.

3.2.9 processing.acme(data, m=1, a=5e-05)

Automated phase Correction based on Minimization of Entropy. This algorithm allows for automatic phase correction by minimizing the entropy of the m-th derivative of the spectrum, as explained in detail by L. Chen et.al. in *Journal of Magnetic Resonance 158 (2002) 164-168*.

Defined the entropy of h as:

$$S = -\sum_{j} h_j \ln h_j$$

and

$$h = \frac{\left| R_j^{(m)} \right|}{\sum_j \left| R_j^{(m)} \right|}$$

where

$$R = \operatorname{Re}\{\operatorname{spectrum} e^{-\mathrm{i}\phi}\}$$

and $R^{(m)}$ is the m-th derivative of R, the objective function to minimize is:

$$Q = S + P(R)$$

where P(R) is a penalty function for negative values of the spectrum.

The phase correction is applied using processing.ps. The values p0 and p1 are fitted using Nelder-Mead algorithm.

Parameters:

- data: *1darray*Spectrum to be phased, complex
- \bullet m: int Order of the derivative to be computed
- a: *float*Weighting factor for the penalty function

Returns:

- p0f: float
 Fitted zero-order phase correction, in degrees
- p1f: float
 Fitted first-order phase correction, in degrees

3.2.10 processing.align(ppm scale, data, lims, u off=0.5, ref idx=0)

Performs the calibration of a pseudo-2D experiment by circular-shifting the spectra of an appropriate amount. The target function aims to minimize the superimposition between a reference spectrum and the others using a brute-force method.

Parameters:

- ppm_scale: 1darray ppm scale of the spectrum to calibrate
- data: *2darray*Complex-valued spectrum
- lims: *tuple* (ppm sx, ppm dx) of the calibration region
- u_off: float
 Maximum offset for the circular shift, in ppm
- ref_idx: *int*Index of the spectrum to be used as reference

Returns:

- data_roll: 2darray Calibrated data
- u_cal: *list*Number of point of which the spectra have been circular-shifted
- u_cal_ppm: *list* Correction for the ppm scale of each experiment

3.2.11 processing.baseline_correction(ppm, data, basl_file='spectrum.basl', winlim=None)

Interactively corrects the baseline of a given spectrum and saves the parameters in a file. The program starts with an interface to partition the spectrum in windows to correct separately. Then, for each window, an interactive panel opens to allow the user to compute the baseline.

Parameters:

• ppm: *1darray* PPM scale of the spectrum

• data: *1darray*The spectrum of which to adjust the baseline

• basl_file: str Name for the baseline parameters file

• winlim: list or str or None
List of the breakpoints for the window. If it is str, it points to a file to be read with np.loadtxt.

If it is None, the partitioning is done interactively.

3.2.12 processing.blp(data, pred=1, order=8, N=2048)

Performs backwards linear prediction on data. This function calls nmrglue.process.proc_lp.lp with most of the parameters set automatically. The algorithm predicts 'pred' points of the FID using 'order' coefficient for the linear interpolation. Only the first N points of the FID are used in the LP equation, because the computational cost scales with n**2, making the use of more than 8k points not effective: using more points brings negligible contiribution to the final result. For Oxford spectra, set 'pred' to half the value written in 'TDoff'.

Parameters:

• data: *ndarray*Data on which to perform the linear prediction. For 2d data, it is performed row-by-row

• pred: *int*Number of points to be predicted

• order: *int*Number of coefficients to be used for the prediction

• N: int
Number of points of the FID to be used in the calculation

Returns:

• datap: *ndarray*Data with the predicted points appended at the beginning

3.2.13 processing.calc_nc(data, s_n)

Calculates the optimal number of components, given the standard deviation of the noise. The threshold value is calculated as stated in Theorem 1 of reference: https://arxiv.org/abs/1710.09787v2

Parameters:

• data: *2darray* Input data

• s_n: *float*Noise standard deviation

Returns:

• n_c: *int* Number of components

3.2.14 processing.calibration(ppmscale, S)

Scroll the ppm scale of spectrum to make calibration. The interface offers two guidelines: the red one, labelled 'reference signal' remains fixed, whereas the green one ('calibration value') moves with the ppm scale.

The ideal calibration procedure consists in placing the red line on the signal you want to use as reference, and the green line on the ppm value that the reference signal must assume in the calibrated spectrum. Then, scroll with the mouse until the two lines are superimposed.

Parameters

• ppmscale: *1darray*The ppm scale to be calibrated

• S: *1darray*The spectrum to calibrate

Returns

• offset: *float*Difference between original scale and new scale. This must be summed up to the original ppm scale to calibrate the spectrum.

3.2.15 processing.convdta(data, grpdly=0, scaling=1)

Removes the digital filtering to obtain a spectrum similar to the command CONVDTA performed by TopSpin. However, they will differ a little bit because of the digitization. These differences are not invisible to human's eye.

Parameters:

• data: *ndarray* FID with digital filter

• grpdly: int

Number of points that the digital filter consists of. Key \$GRPDLY in acqus file

• scaling: float
Scaling factor of the resulting FID. Needed to match TopSpin's intensities.

Returns:

• data_in: *ndarray* FID without the digital filter. It will have grpdly points less than data.

3.2.16 processing.em(data, lb, sw)

Exponential apodization.

Being the FID an array of N points in its last dimension, and taken x = np.arange(N)/N:

$$\mathtt{apod} = \exp \biggl[- \pi \frac{\mathtt{lb}}{2\mathtt{sw}} x \biggr]$$

Parameters

- data : *ndarray* FID to be apodized
- lb : floatLorentzian broadening, in Hz. 1b > 0
- sw : *float* Spectral width in Hz, used for normalization.

Returns

• apod * data : ndarray Apodized FID.

3.2.17 processing.fp(data, wf=None, zf=None, fcor=0.5, tdeff=0)

Performs the full processing of a 1D NMR FID.

Parameters

- data: *1darray*Data to be processed.
- wf: dict {'mode': function to be used, 'parameters': see window functions documentation}
- zf: *int* final size of spectrum
- fcor: *float*Weighting factor for the first point of the FID.
- tdeff: *int*Number of FID points to be employed for the processing. tdeff = 0 means whole FID.

Returns

• data: *ndarray*Processed spectrum.

3.2.18 processing.ft(data, alt=False, fcor=0.5)

Fourier transform in NMR sense. This means it returns the reversed spectrum.

Parameters

- data : *ndarray* FID to be Fourier-transformed.
- alt: bool Negates the sign of the odd points, then takes the complex conjugate. Required for States-TPPI processing.
- fcor: float Weighting factor for FID 1-st point. Default value (0.5) prevents baseline offset

Returns

• dataft : ndarray Transformed FID.

3.2.19 processing.gm(data, lb, gb, sw, gc=0)

Gaussian apodization.

Being the FID an array of N points in its last dimension, and taken x = np.arange(N):

$$\mathrm{apod} = \exp \big[a - b^2 \big], \qquad a = \pi \frac{\mathrm{lb}}{\mathrm{sw}} x, \qquad b = 0.6 \pi \frac{\mathrm{gb}}{\mathrm{sw}} \big(\mathrm{gc}(N-1) - x \big)$$

Parameters

- data : *ndarray* FID to be apodized
- lb : float Lorentzian broadening, in Hz. 1b < 0
- gb : floatGaussian broadening, in Hz. gb > 0
- ullet sw : float Spectral width in Hz, used for normalization.
- \bullet gc: float Gaussian center, relatively to the FID length: $0 \leq \mathtt{gc} \leq 1$

Returns

• apod * data : ndarray Apodized FID.

82

3.2.20 processing.gmb(data, lb, gb, sw)

Gaussian apodization, Bruker-like. It does not work very well.

Being the FID an array of N points in its last dimension, and taken t = np.arange(N)/sw:

$$\mathrm{apod} = \exp\bigl[\alpha t - (\beta t)^2\bigr], \qquad \alpha = \pi \mathrm{lb}, \qquad \beta = \frac{-\alpha N}{2\,\mathrm{gb}\,\mathrm{sw}}\bigr)$$

Parameters

- data : *ndarray* FID to be apodized
- lb: float
 Lorentzian broadening, in Hz. 1b < 0
- gb : floatGaussian broadening, in Hz. gb > 0
- sw: float Spectral width in Hz, used for normalization.
- gc: float Gaussian center, relatively to the FID length: $0 \le gc \le 1$

Returns

• apod * data : ndarray Apodized FID.

3.2.21 processing.hilbert(f)

Computes the Hilbert transform of real vector f in order to retrieve its imaginary part. Make sure that the original spectrum was zero-filled to at least twice the original size of the FID. Taken f as a real array of N points, the algorithm computes the convolution by means of FT, as follows:

1. make the inverse Fourier transform of f:

$$a = \mathcal{F}^{-1} f$$

2. compute h:

$$h \in \mathbb{C} : h_k = \begin{cases} \mathbf{i} & 0 \le k < N/2 \\ -\mathbf{i} & N/2 \le k < N \end{cases}$$

- 3. Compute b = ha and make d = a + ib
- 4. make the Fourier transform of d:

$$F = \mathcal{F}d$$

5. replace the real part of F with the original data:

$$f^{\text{cplx}} = f + i \operatorname{Im} \{ F \}$$

Parameters:

• f: ndarray
Array of which you want to compute the imaginary part

Returns:

• f_cplx: ndarray Complex version of f

3.2.22 processing.ift(data, alt=False, fcor=0.5)

Inverse Fourier transform in NMR sense. This means that the spectrum is reversed before to be inverse-Fourier transformed.

Parameters

- data : *ndarray* FID to be inverse Fourier-transformed.
- alt: bool
 Negates the sign of the odd points, then takes the complex conjugate. Required for States-TPPI processing.
- fcor: float
 Weighting factor for FID 1-st point. Default value (0.5) prevents baseline offset

Returns

• dataft : ndarray
Inverse transformed FID.

3.2.23 processing.integral(fx, x=None, lims=None)

Calculates the primitive of fx. If fx is a multidimensional array, the integrals are computed along the last dimension.

Parameters:

- fx: *ndarray*Function (array) to integrate
- x: 1darray or None Independent variable. Determines the integration step. If None, it is set as the point scale
- lims: *tuple or None*Integration range. If None, the whole function is integrated

Returns:

• Fx: *ndarray* Integrated function.

Calculate the integral of a 2D peak. The idea is to extract the traces correspondent to the peak center and fit them with a gaussian function in each dimension. Then, once got the intensity of each of the two gaussians, multiply them together in order to obtain the 2D integral. This procedure should be equivalent to what CARA does.

Parameters:

- ppm_f1: *1darray* PPM scale of the indirect dimension
- t_f1: 1darray
 Trace of the indirect dimension, real part
- SFO1: float

 Larmor frequency of the nucleus in the indirect dimension
- ppm_f2: *1darray* PPM scale of the direct dimension
- t_f2: 1darray
 Trace of the direct dimension, real part
- SFO2: float

 Larmor frequency of the nucleus in the direct dimension
- u_1: float Chemical shift in F1 /ppm. Defaults to the center of the scale
- fwhm_1: float Starting FWHM /Hz in the indirect dimension
- utol_1: float
 Allowed tolerance for u_1 during the fit. (u_1-utol_1, u_1+utol_1)
- u_2: float Chemical shift in F2 /ppm. Defaults to the center of the scale
- fwhm_2: float Starting FWHM /Hz in the direct dimension
- utol_2: float
 Allowed tolerance for u_2 during the fit. (u_2-utol_2, u_2+utol_2)
- plot_result: bool

 True to show how the program fitted the traces.

Returns:

• I_tot: *float*Computed integral.

3.2.25 processing.integrate(fx, x=None, lims=None)

Calculates the definite integral of fx as I = F[-1] - F[0]. If fx is a multidimensional array, the integrals are computed along the last dimension.

Parameters:

- fx: *ndarray*Function (array) to integrate
- x: 1darray or None Independent variable. Determines the integration step. If None, it is the point scale
- lims: tuple or None Integration range. If None, the whole function is integrated.

Returns:

• I: float Integrated function.

3.2.26 processing.interactive basl windows(ppm, data)

Allows for interactive partitioning of a spectrum in windows. Double left click to add a bar, double right click to remove it. Returns the location of the red bars as a list.

Parameters:

• ppm: *1darray* PPM scale of the spectrum

• data: *1darray* Spectrum to be partitioned

Returns:

• coord: *list*List containing the coordinates of the windows, plus ppm[0] and ppm[-1]

3.2.27 processing.interactive echo param(data0)

Interactive plot that allows to select the parameters needed to process a CPMG-like FID. Use the TextBox or the arrow keys to adjust the values. You can call processing.sum_echo_train or processing.split_echo_train by starring the return statement of this function, i.e.:

processing.sum_echo_train(data0, *interactive_echo_train(data0))

as they are in the correct order to be used in this way.

Parameters:

• data0: ndarray CPMG FID

Returns:

- n: *int*Distance between one echo and the next one
- n_echoes: *int* Number of echoes to sum/split
- i_p: *int* Offset points from the start of the FID

3.2.28 processing.interactive fp(fid0, acqus, procs)

Perform the processing of a 1D NMR spectrum interactively. The GUI offers the opportunity to test different window functions, as well as different tdeff values and final sizes. The active parameters appear as blue text.

Parameters:

• fid0: *1darray* FID to process

• acqus: *dict*Dictionary of acquisition parameters

• procs: *dict*Dictionary of processing parameters

Returns:

• pdata: *1darray* Processed spectrum

• procs: *dict*Updated dictionary of processing parameters

3.2.29 processing.interactive_phase_1D(ppmscale, S)

Allows for interactive phase adjustment of 1D NMR spectra. Employs processing.ps for the actual phase correction. Press the **z** key on the keyboard to toggle the automatic adjustment of vertical scale on or off.

Parameters

• ppmscale: *1darray* PPM scale of the spectrum

• S: *1darray*The spectrum to be phased

Returns

• phased_data: *1darray* Phased spectrum.

3.2.30 processing interactive phase 2D(ppm f1, ppm f2, S)

Interactively adjust the phases of a 2D spectrum. S must be hypercomplex, therefore must be passed before to unpack it into the 4 real files. The phase correction is done using processing.ps as follows:

- 1. S = processing.ps(S, p0=p0_f2, p1=p1_f2, pivot=pivot_f2)
- 2. Transpose: normal if FnMODE='QF', hypercomplex otherwise
- 3. $S = phase(S, p0=p0_f1, p1=p1_f1, pivot=pivot_f1)$
- 4. Transpose back

Parameters

- ppm_f1: *1darray*Indirect dimension ppm scale
- ppm_f1: *1darray* Direct dimension ppm scale
- S: 2darray Hypercomplex spectrum

Returns

• S:2darray Phased spectrum

3.2.31 processing.interactive qfil(ppm, data in)

Interactive function to design a gaussian filter with the aim of suppressing signals in the spectrum. You can adjust position and width of the filter scrolling with the mouse.

Parameters:

• ppm: *1darray* Scale on which the filter will be built

• data_in: *1darray* Spectrum on which to apply the filter.

Returns:

• u: float
Position of the gaussian filter

• s: float
Width of the gaussian filter (Standard deviation)

$3.2.32 \quad \text{processing.interactive_xfb} \\ \text{(fid0, acqus, procs, lvl0=0.1, show_cnt=True)} \\$

Perform the processing of a 2D NMR spectrum interactively. The GUI offers the opportunity to test different window functions, as well as different tdeff values and final sizes. The active parameters appear as blue text. When changing the parameters, give it some time to compute. The figure panel is quite heavy.

Parameters:

- fid0: 2darray
 FID to process
- acqus: *dict*Dictionary of acquisition parameters
- procs: *dict*Dictionary of processing parameters
- lvl0: float
 Starting level of the contours
- show_cnt: bool
 Choose if to display data using contours (True) or heatmap (False)

Returns:

- pdata: *2darray*Processed spectrum
- procs: *dict*Updated dictionary of processing parameters

3.2.33 processing.inv_convolve(in1, in2)

Perform the inverse-convolution of the two array by dividing their inverse Fourier transform. The two arrays must have the same dimension.

Parameters:

• in1: ndarray First array

• in2: ndarray Second array

Returns:

• cnv: ndarray
Convolved array

3.2.34 processing.inv fp(data, wf=None, size=None, fcor=0.5)

Performs the full inverse processing of a 1D NMR spectrum (data). Required parameters are:

Parameters

- data: *1darray* Input data
- wf: dict {'mode': function to be used, 'parameters': different from each function}
- size: *int* initial size of the FID
- fcor: *float* weighting factor for the FID first point

Returns

• data: *1darray* Processed data

3.2.35 processing.inv_xfb(data, wf=[None, None], size=[None, None], fcor=[0.5, 0.5], FnMODE='States-TPPI')

Performs the full processing of a 2D NMR FID (data). Required parameters are:

Parameters

- data: *2darray*Input data
- wf: list of dict list of two entries [F1, F2]. Each entry is a dictionary of window functions
- zf: *list*list of two entries [zf F1, zf F2]
- fcor: *list* first fid point weighting factor [F1, F2]
- u: bool
 If True, unpacks the hypercomplex spectrum and returns the 4 real files, using processing.unpack_2D
- tdeff: list of int number of points of the FID to be used for the processing, [F1, F2]

Returns

• data: *2darray* Processed data

$3.2.36 \quad \text{processing.iterCadzow(data, n, nc, itermax=100, f=0.005, print_head=True)} \\ \quad \text{print_time=True)}$

This functions performs Cadzow denoising on \mathtt{data} , which is a 1D array of N points, in an iterative manner. The algorithm works as follows:

- 1. Transform data in a Hankel matrix \mathbb{H} of dimensions (N-n,n)
- 2. Make SVD on $\mathbb{H} = \mathbb{USV}^{\dagger}$
- 3. Keep only the first nc singular values, and put all the rest to $0 (S \to S')$
- 4. Rebuild $\mathbb{H}' = \mathbb{US}'\mathbb{V}^{\dagger}$
- 5. Average the antidiagonals to rebuild the Hankel-type structure, then make 1D array
- 6. Check arrest criterion: if it is not reached, go to step 1, otherwise exit from the cycle and return the processed data.

The arrest criterion is on the array of singular values S, which is the main diagonal of the matrix \mathbb{S} . At step k and Python indexing system:

$$\left|\frac{S^{(k-1)}[\text{nc}-1]}{S^{(k-1)}[\textbf{0}]} - \frac{S^{(k)}[\text{nc}-1]}{S^{(k)}[\textbf{0}]}\right| < f\frac{S^{(0)}[\text{nc}-1]}{S^{(0)}[\textbf{0}]}$$

Parameters

- data: *1darray* Input data
- n: *int*Number of columns of the Hankel matrix.
- nc: *int*Number of singular values to keep.
- itermax: *int*Maximum number of iterations allowed.
- f: float
 Factor for the arrest criterion.
- print_head: bool
 Set it to True to display the fancy heading.
- print_time: bool
 Set it to True to display the time spent.

Returns

• datap: *1darray* Denoised data

3.2.37 processing.load baseline(filename, ppm, data)

Read the baseline parameters from a file and builds the baseline itself.

Parameters:

 \bullet filename: str Location of the baseline file

• ppm: *1darray* PPM scale of the spectrum

• data: *1darray* Spectrum of which to correct the baseline

Returns:

• baseline: *1darray* Computed baseline

3.2.38 processing.make polynomion baseline(ppm, data, limits)

Interactive baseline correction with 4th degree polynomion.

Parameters:

- ppm: *1darray* PPM scale of the spectrum
- data: *1darray* spectrum
- limits: *tuple*Window limits (left, right).

Returns:

- mode: str Baseline correction mode: 'polynomion' as default, 'spline' if you press the button
- C_f: 1darray or str
 Baseline polynomion coefficients, or 'callintsmooth' if you press the spline button

3.2.39 processing.make scale(size, dw, rev=True)

Computes the frequency scale of the NMR spectrum, given the number of points and the employed dwell time (the REAL one, not the TopSpin one!). rev=True is required for the correct frequency arrangement in the NMR sense.

Parameters

• size: *int*Number of points of the frequency scale

• dw: *float*Time spacing in the time dimension

• rev: bool
Reverses the scale

Returns

• fqscale: *1darray*The computed frequency scale.

3.2.40 processing.new_MCR(input_data, nc, f=10, tol=1e-05, itermax=10000. H=True, oncols=True, our_function=None, fargs=[], our_function2=None f2args=[])

This is an implementation of Multivariate Curve Resolution # for the denoising of 2D NMR data. It requires: # - input_data: a tensor containing the set of 2D NMR datasets to be coprocessed # stacked along the first dimension; # - nc: number of purest components; # - f: percentage of allowed noise; # - tol: tolerance for the arrest criterion; # - itermax: maximum number of allowed iterations, default 10000 # - H: True for horizontal stacking of data (default), False for vertical; # - oncols: True to estimate S with purest components, False to estimate C # This function returns the denoised datasets, 'CS', and the 'C' and 'S' matrices.

 $3.2.41 \quad processing.new_MCR_ALS(D,~C,~S,~itermax=10000,~tol=1e-05,\\ reg_f=None,~reg_fargs=[])$

Modified function to do ALS

3.2.42 processing.pknl(data, grpdly=0, onfid=False)

Compensate for the Bruker group delay at the beginning of FID through a first-order phase correction of

$$\phi^{(1)} = 360 * \mathtt{GRPDLY}$$

This should be applied after apodization and zero-filling.

Parameters:

- data: *ndarray*Input data. Be sure it is complex!
- grpdly: *int*Number of points that make the group delay.
- onfid: bool

 If it is True, performs FT before to apply the phase correction, and IFT after.

Returns:

• datap: ndarray Corrected data

$3.2.43 \quad processing.ps(data, ppmscale=None, p0=None, p1=None, pivot=None, interactive=False)$

Applies phase correction on the last dimension of data. The pivot is set at the center of the spectrum by default. Missing parameters will be inserted interactively.

Being data a 1D array of N points, as well as ppmscale, the following parameters are defined:

$$p_V = (\text{index of pivot on ppmscale})/N$$
 $x = \text{np.arange}(N)/N - p_V$

Basically, p_V and x are pivot and ppmscale, normalized in order to fit a scale that ranges from 0 to 1. This is done with the aim to 'standardize' the behaviour of the function, making it nucleus-independent.

The following phase-correction function is applied:

$$\Phi = \exp \left[\mathrm{i} (\mathtt{p0} + \mathtt{p1} x) \right]$$

If data is a 2D array, the function Φ is applied row-wise.

Parameters:

- data: ndarray
 Input data
- ppmscale: 1darray or None PPM scale of the spectrum. Required for pivot and interactive phase correction
- p0: float
 Zero-order phase correction angle /degrees
- p1: *float*First-order phase correction angle /degrees
- pivot: *float or None*.

 First-order phase correction pivot /ppm. If None, it is set at the center of the spectrum.
- interactive: bool

 If True, all the parameters will be ignored and the interactive phase correction panel will be opened.

Returns:

- datap: ndarray
 Phased data
- final_values: tuple
 Employed values of the phase correction. (p0, p1, pivot)

3.2.44 processing.qfil(ppm, data, u, s)

Suppress signals in the spectrum using a gaussian filter.

Parameters:

- ppm: *1darray* Scale on which to build the filter
- data: *ndarray*Data to be processed. The filter is applied on the last dimension
- u: *float*Position of the filter
- s: *float*Width of the filter (standard deviation)

Returns:

• pdata: ndarray Filtered data

3.2.45 processing.qpol(fid)

Fits the FID with a 4-th degree polynomion, then subtracts it from the original FID. The real and imaginary channels are treated separately.

Parameters

• fid : ndarray Self-explanatory.

Returns

• fid : ndarray Processed FID.

3.2.46 processing.qsin(data, ssb)

Sine-squared apodization.

Being data an array of N points in its last dimension, and taken x = np.arange(N)/N, if ssb = 0 or ssb = 1:

$$\mathtt{apod} = \sin^2\!\left(\pi\,x\right)$$

else if $ssb \geq 2$:

$$\mathtt{apod} = \sin^2 \biggl(\pi \frac{1}{\mathtt{ssb}} + \pi \bigl(1 - \frac{1}{\mathtt{ssb}} \bigr) x \biggr)$$

Parameters

- data : *ndarray* FID to be apodized.
- ssb: *int* Shifting parameter for the sine bell.

- ssb = 0: from 0 to π

- ssb = 1 : same as ssb = 0

- ssb = 2: from $\pi/2$ to π

- ssb = 3: from $\pi/3$ to π

Returns

• apod * data : ndarray Apodized FID.

3.2.47 processing.quad(fid)

Subtracts from the FID the arithmetic mean of its last quarter. The real and imaginary channels are treated separately.

Parameters

• fid : ndarray Self-explanatory.

Returns

• fid : ndarray Processed FID.

3.2.48 processing.repack_2D(rr, ir, ri, ii)

Renconstruct hypercomplex 2D NMR data given the 4 real arrays. See $processing.unpack_2D$ for details.

Returns

• data

3.2.49 processing.rev(data)

Reverses the last dimension of data.

Parameters

• data : *ndarray* matrix to be reverted

Returns

 $\bullet \ \, \mathrm{data[...,::-1]}: \ \, ndarray \\ \mathrm{Self-explanatory}$

3.2.50 processing.rpbc(data, split_imag=False, n=5, basl_method='tq', basl_thresh=0.1, basl_itermax=500, **phase_kws)

Reversed Phase and Baseline Correction. Allows for the automatic phase correction and baseline subtraction of NMR spectra. It is called 'reversed' because the baseline is actually computed and subtracted before to perform the phase correction.

The baseline is computed using a low-order polynomion, built on a scale that goes from -1 to 1, whose coefficients are obtained minimizing a non-quadratic cost function. It is recommended to use either 'tq' (truncated quadratic, much faster) or 'huber' (Huber function, slower but sometimes more accurate). The user is requested to choose between separating the real and imaginary channel in this step. The order of the polynomion and the threshold value are the key parameters for obtaining a good baseline. The used function is processing polyn basl

The phase correction is computed on the baseline-subtracted complex data as described in the SINC algorithm (M. Sawall et al., *Journal of Magnetic Resonance* 289 (2018), 132-141). The default parameters are generally fine, but in case of data with poor SNR (approximately SNR < 10) better results can be obtained by increasing the value of the e1 parameter. The employed function is processing.SINC phase

Parameters:

- data: *1darray*Data to be processed, complex-valued
- split_imag: bool

 If True, computes the baseline on the real and imaginary part separately; else, the set of polynomion coefficients are forced to be the same for both
- \bullet n: intNumber of coefficients of the polynomion, i.e. it will be of degree n-1
- basl_method: str Cost function to be minimized for the baseline computation. Look for fit.CostFunc, 'method' attribute
- basl_thresh: float
 Relative threshold value for the non-quadratic behaviour of the cost function. Look for fit.CostFunc,
 's' attribute
- basl_itermax: int Maximun number of iterations allowed during the baseline fitting procedure
- phase_kws: keyworded arguments
 Optional arguments for the phase correction. Look for fit.SINC_phase keyworded arguments
 for details.

Returns:

- y: *1darray* Processed data
- p0: float
 Zero-order phase correction angle, in degrees
- p1: float
 First-order phase correction angle, in degrees

• c: 1darray

Set of coefficients to be used for the baseline computation, starting from the 0-order coefficient

3.2.51 processing.sin(data, ssb)

Sine apodization.

Being data an array of N points in its last dimension, and taken x = np.arange(N)/N, if ssb = 0 or ssb = 1:

$$\mathtt{apod} = \sin \biggl(\pi \, x \biggr)$$

else if $ssb \ge 2$:

$$apod = \sin\left(\pi \frac{1}{ssb} + \pi \left(1 - \frac{1}{ssb}\right)x\right)$$

Parameters

- data : *ndarray* FID to be apodized.
- ssb: *int*Shifting parameter for the sine bell.

- ssb = 0: from 0 to π

- ssb = 1 : same as ssb = 0

- ssb = 2: from $\pi/2$ to π

- ssb = 3: from $\pi/3$ to π

Returns

• apod * data : ndarray Apodized FID.

3.2.52 processing.split echo train(datao, n, n echoes, i p=0)

Separate a CPMG echo-train FID into echoes so to be processed separately. The first decay, i.e. the native FID, is extracted, and corresponds to echo number 0. Then, for each echo, the left side (reversed) is summed up to its right part. You can use processing.interactive_echo_param to calculate the parameters interactively.

Parameters:

- datao: *ndarray* FID with an echo train on its last dimension
- ullet n: int number of points that separate one echo from the next
- n_echoes: *int* number of echoes to extract. If it is 0, extracts only the first decay
- i_p: int Number of offset points

Returns:

• data_p: (n+1)darray Separated echoes

3.2.53 processing.stack MCR(input data, P='H')

Performs matrix augmentation by assembling input_data according to the positioning matrix \mathbb{P} . P has two default modes: 'H' = horizontal stacking; 'V' = vertical stacking. Otherwise, a custom \mathbb{P} matrix can be given as follows. The entries of the \mathbb{P} matrix are the indices of the data in input_data. The shape of the matrix determines the final arrangement. Example: if input_data is [a, b, c, d, e, f], and one wants to obtain

$$\begin{pmatrix} a & b \\ d & c \\ f & e \end{pmatrix}$$

the correspondant \mathbb{P} matrix is:

$$\begin{pmatrix} 0 & 1 \\ 3 & 2 \\ 5 & 4 \end{pmatrix}$$

If each dataset in input_data has dimensions (m, n) and \mathbb{P} has dimensions (u, v), then the returned data matrix will have dimensions (mu, nv).

Parameters:

- input_data: 3darray Contains the spectra to be stacked together. The index that runs on the datasets must be the first one.
- P: str or 2darray
 'H' for horizontal stacking, 'V' for vertical stacking, or custom matrix as explained in the description

Returns:

• data: *2darray*Augmented data matrix.

3.2.54 processing.stack fids(*fids, filename=None)

Stacks together FIDs in order to create a pseudo-2D experiment. This function can handle either arrays or Spectrum_1D objects.

Parameters:

- fids: sequence of 1darrays or Spectrum_1D objects Input data.
- \bullet filename: str Location for a .npy file to be saved. If None, no file is created.

Returns:

• p2d: 2darray Stacked FIDs.

3.2.55 processing.sum_echo_train(datao, n, n_echoes, i_p=0)

Sum up a CPMG echo-train FID into echoes so to enchance the SNR. This function calls processing.split_e with the same parameters. You can use processing.interactive_echo_param to calculate the parameters interactively.

Parameters:

- datao: *ndarray* FID with an echo train on its last dimension
- n: *int* number of points that separate one echo from the next
- n_echoes: *int* number of echoes to sum
- i_p: int Number of offset points

Returns:

• data_p: ndarray Summed echoes

3.2.56 processing.tabula rasa(data, lvl=0.05, cmap=cm.Blues r)

This function is to be used in SIFT algorithm. Allows interactive selection using a Lasso widget of the region of the spectrum which contain signal. Returns a masking matrix, of the same shape as data, whose entries are 1 inside the selection and 0 outside.

Parameters

• data : *2darray*The data to be plotted

• lvl: *float*Level of the contours, expressed as fraction of the maximum intensity

• cmap : matplotlib.cm Object Color of the contours

Returns

• mask: 2darray
Matrix that contains 1 inside the selection and 0 outside.

3.2.57 processing.td eff(data, tdeff)

Uses only the first tdeff points of data. It is applied before any other processing. The length of the list tdeff must match the dimension of data, if data is multidimensional.

Parameters

- data: *ndarray*The FID to be trimmed.
- tdeff: int or list

 The number of points to be used. If data is 1D, tdeff can be passed as integer, otherwise it has to be: [F1, F2, ..., Fn]. A 0 entry in the list means to not trim the corresponding dimension.

Returns

• data: *ndarray*Trimmed data according to tdeff.

3.2.58 processing.tp hyper(data)

Computes the hypercomplex transpose of data. Needed for the processing of data acquired in a phase-sensitive manner in the indirect dimension.

To explain how a hypercomplex transposition works, we will focus on the simpler example of a 4×6 matrix, \mathbb{A} , with complex coefficients $a_{i,j} = x_{i,j} + iy_{i,j}$.

$$\mathbb{A} = \begin{pmatrix} x_{1,1} + \mathrm{i}y_{1,1} & x_{1,2} + \mathrm{i}y_{1,2} & x_{1,3} + \mathrm{i}y_{1,3} & x_{1,4} + \mathrm{i}y_{1,4} \\ x_{2,1} + \mathrm{i}y_{2,1} & x_{2,2} + \mathrm{i}y_{2,2} & x_{2,3} + \mathrm{i}y_{2,3} & x_{2,4} + \mathrm{i}y_{2,4} \\ x_{3,1} + \mathrm{i}y_{3,1} & x_{3,2} + \mathrm{i}y_{3,2} & x_{3,3} + \mathrm{i}y_{3,3} & x_{3,4} + \mathrm{i}y_{3,4} \\ x_{4,1} + \mathrm{i}y_{4,1} & x_{4,2} + \mathrm{i}y_{4,2} & x_{4,3} + \mathrm{i}y_{4,3} & x_{4,4} + \mathrm{i}y_{4,4} \\ x_{5,1} + \mathrm{i}y_{5,1} & x_{5,2} + \mathrm{i}y_{5,2} & x_{5,3} + \mathrm{i}y_{5,3} & x_{5,4} + \mathrm{i}y_{5,4} \\ x_{6,1} + \mathrm{i}y_{6,1} & x_{6,2} + \mathrm{i}y_{6,2} & x_{6,3} + \mathrm{i}y_{6,3} & x_{6,4} + \mathrm{i}y_{6,4} \end{pmatrix}$$

The hypercomplex transpose of the matrix \mathbb{A} , here referred as \mathbb{B} , is:

$$\mathbb{B} = \begin{pmatrix} x_{1,1} + \mathrm{i} x_{2,1} & x_{3,1} + \mathrm{i} x_{4,1} & x_{5,1} + \mathrm{i} x_{6,1} \\ y_{1,1} + \mathrm{i} y_{2,1} & y_{3,1} + \mathrm{i} y_{4,1} & y_{5,1} + \mathrm{i} y_{6,1} \\ x_{1,2} + \mathrm{i} x_{2,2} & x_{3,2} + \mathrm{i} x_{4,2} & x_{5,2} + \mathrm{i} x_{6,2} \\ y_{1,2} + \mathrm{i} y_{2,2} & y_{3,2} + \mathrm{i} y_{4,2} & y_{5,2} + \mathrm{i} y_{6,2} \\ x_{1,3} + \mathrm{i} x_{2,3} & x_{3,3} + \mathrm{i} x_{4,3} & x_{5,3} + \mathrm{i} x_{6,3} \\ y_{1,3} + \mathrm{i} y_{2,3} & y_{3,3} + \mathrm{i} y_{4,3} & y_{5,3} + \mathrm{i} y_{6,3} \\ x_{1,4} + \mathrm{i} x_{2,4} & x_{3,4} + \mathrm{i} x_{4,4} & x_{5,4} + \mathrm{i} x_{6,4} \\ y_{1,4} + \mathrm{i} y_{2,4} & y_{3,4} + \mathrm{i} y_{4,4} & y_{5,4} + \mathrm{i} y_{6,4} \end{pmatrix}$$

Parameters

• data : *2darray*Complex data matrix.

Returns

• datatp: 2darray
Hypercomplex transpose of data.

3.2.59 processing.unpack 2D(data)

Separates fully processed 2D NMR data into 4 distinct ser files:

$$\begin{split} &\text{rr} = \operatorname{Re}\{\operatorname{\mathtt{data}}\}[::2] \\ &\text{ir} = \operatorname{Im}\{\operatorname{\mathtt{data}}\}[::2] \\ &\text{ri} = \operatorname{Re}\{\operatorname{\mathtt{data}}\}[1::2] \\ &\text{ii} = \operatorname{Im}\{\operatorname{\mathtt{data}}\}[1::2] \end{split}$$

Parameters

• data : *2darray* Complex data matrix.

Returns

• rr, ir, ri, ii: 2darray, 2darray, 2darray, 2darray See above.

3.2.60 processing.whittaker smoother(data, n=2, s f=1, w=None)

Adapted from P.H.C. Eilers, *Anal. Chem* 2003, 75, 3631-3636. Implementation of the smoothing algorithm proposed by Whittaker in 1923.

Parameters:

- data: *1darray*Data to be smoothed
- n: *int*Order of the difference to be computed
- s_f: *float* Smoothing factor
- w: 1darray or None
 Array of weights. If None, no weighting is applied.

Returns:

• z: 1darray Smoothed data

3.2.61 processing.write basl info(f, limits, mode, data)

Writes the baseline parameters of a certain window in a file.

- f: TextIO object
 File where to write the parameters
- limits: *tuple*Limits of the spectral window. (left, right)
- mode: str Baseline correction mode: 'polynomion' or 'spline'
- data: float or 1darray
 It can be either the spline smoothing factor or the polynomion coefficients

3.2.62 processing.xfb(data, wf=[None, None], zf=[None, None], fcor=[0.5,0.5], tdeff=[0,0], u=True, FnMODE='States-TPPI')

Performs the full processing of a 2D NMR FID.

Parameters

- data: *2darray* FID data matrix
- wf: list
 List of two entries [F1, F2]. Each entry is a dictionary: {'mode': function to be used,
 'parameters': different from each function}
- zf: *list*List of two entries [zf F1, zf F2]
- fcor: *list*Weighting factor for the first point of the FID. [F1, F2]
- tdeff: *list*Number of FID points to be employed for the processing. tdeff = [0,0] means whole FID.
 [F1, F2]
- u: bool if True, unpacks the hypercomplex spectrum and returns the 4 files.

Returns

• data : 2darray Processed data.

3.2.63 processing.zf(data, size)

Zero-filling of data up to size.

Parameters

• data : *ndarray* FID / Spectrum to be zero-filled

Returns

3.3 FIGURES package

This package contains a series of functions to make plots of various nature.

3.3.1 figures.ax1D(ax, ppm, datax, norm=False, xlims=None, ylims=None, c='tab:blue', lw=0.5, X_label=' $\frac{1}{\text{delta}}$ F1/ppm', Y_label='Intensity/a.u.', n xticks=10, n yticks=10, label=None, fontsize=10)

Makes the figure of a 1D NMR spectrum, placing it in a given figure panel. This allows the making of modular figures.

The plot can be customized in a very flexible manner by setting the function keywords properly.

- ax: matplotlib.subplot Object panel where to put the figure
- ppm: *1darray* ppm scale of the spectrum
- data: *1darray* spectrum to be plotted
- norm: bool if True, normalizes the intensity to 1.
- xlims: *list or tuple*Limits for the x-axis. If None, the whole scale is used.
- ylims: *list or tuple*Limits for the y-axis. If None, the whole scale is used.
- c: str Colour of the line.
- lw: float linewidth
- X_label: str text of the x-axis label;
- Y_label: str text of the y-axis label;
- n_xticks: *int*Number of numbered ticks on the x-axis of the figure
- n_yticks: *int* Number of numbered ticks on the x-axis of the figure
- label: str label to be put in the legend.
- fontsize: *float*Biggest font size in the figure.

Returns:

• line: Line2D Object
Line object returned by plt.plot.

3.3.2 figures.ax2D(ax, ppm_f2, ppm_f1, datax, xlims=None, ylims=None, cmap='Greys_r', c_fac=1.4, lvl=0.1, lw=0.5, X_label=' $\frac{1.4}{\text{ppm'}}$, Y_label=' $\frac{1.4}{\text{ppm'}}$, title=None, n_xticks=10, n_yticks=10, fontsize=10)

Makes a 2D contour plot like the one in figures.figure2D, but in a specified panel. Allows for the buildup of modular figures. The contours are drawn according to the formula:

```
cl = contour_start * contour_factor ** np.arange(contour_num)

where

contour_start = np.max(data) * lvl

contour_num = 16
contour_factor = c_fac.
```

Increasing the value of c_fac will decrease the number of contour lines, whereas decreasing the value of c_fac will increase the number of contour lines.

- ax: matplotlib.subplot Object panel where to put the figure
- ppm_f2: 1darray ppm scale of the direct dimension
- ppm_f1: *1darray* ppm scale of the indirect dimension
- datax: 2darray the 2D NMR spectrum to be plotted
- xlims: tuple limits for the x-axis (left, right). If None, the whole scale is used.
- ylims: *tuple* limits for the y-axis (left, right). If None, the whole scale is used.
- cmap: strColormap identifier for the contour
- c_fac: *float* Contour factor parameter
- lvl: float
 height with respect to maximum at which the contour are computed
- X_label: str text of the x-axis label;
- Y_label: str text of the y-axis label;
- lw: *float* linewidth of the contours

- title: str Figure title.
- \bullet n_yticks: int Number of numbered ticks on the x-axis of the figure
- fontsize: *float*Biggest font size in the figure.

Returns:

• cnt: matplotlib.QuadContour object
Drawn contour lines

3.3.3 figures.ax_heatmap(ax, data, zlim='auto', z_sym=True, cmap=None, xscale=None, yscale=None, rev=(False, False), n_xticks=10, n_yticks=1 n_zticks=10, fontsize=10)

Computes a heatmap of data on the given 'ax'

Parameters:

- ax: matplotlib.Subplot object
 Panel where to draw the heatmap
- data: 2darray Input data
- zlim: tuple or 'auto' or 'abs'

 Vertical limits of the heatmap, that determines the extent of the colorbar. 'auto' means (min(data), max(data)), 'abs' means (min(|data|), max(|data|)).
- z_sym: bool
 True to symmetrize the vertical scale around 0.
- cmap: matplotlib.cm object Colormap of the heatmap.
- xscale: *1darray or None* x-scale. None means np.arange(data.shape[1])
- yscale: *1darray or None* y-scale. None means np.arange(data.shape[0])
- rev: tuple of bool Reverse scale (x, y).
- n_xticks: *int*Number of ticks of the x axis
- n_yticks: *int*Number of ticks of the y axis
- n_zticks: *int* Number of ticks of the color bar
- fontsize: *float*Biggest font size to apply to the figure.

Returns:

- im: matplotlib.AxesImage
 The heatmap
- cax: figure panel where the colorbar is drawn

3.3.4 figures.dotmd(ppmscale, S, labels=None, lw=0.8, n xticks=10)

Interactive display of multiple 1D spectra.

Parameters:

- ppmscale: 1darray or list ppm scale of the spectra. If only one scale is supplied, all the spectra are plotted using the same scale. Otherwise, each spectrum is plotted using its scale.
- S: *list* spectra to be plotted
- labels: *list* labels to be put in the legend.
- n_xticks: *int* Number of numbered ticks on the x-axis of the figure

Returns:

• scale_factor: *list*Intensity of the spectra with respect to the original when the figure is closed

3.3.5 figures.dotmd_2D(ppm_f1, ppm_f2, S0, labels=None, name='dotmd_2I X_label=' $\$ T_ppm', Y_label=' $\$ T_ppm', Neg=False)

Interactive display of multiple 2D spectra. They have to share the same scales.

Parameters:

- ppm_f1: 1darray ppm scale of the indirect dimension. If only one scale is supplied, all the spectra are plotted using the same scale. Otherwise, each spectrum is plotted using its scale. There is a 1:1 correspondence between ppm f1 and S.
- ppm_f2: 1darray ppm scale of the direct dimension. If only one scale is supplied, all the spectra are plotted using the same scale. Otherwise, each spectrum is plotted using its scale. There is a 1:1 correspondance between ppm_f2 and S.
- S: *list* spectra to be plotted
- labels: *list* labels to be put in the legend.
- name: strIf you choose to save the figure, this is its filename.
- X_label: str text of the x-axis label;
- Y_label: str text of the y-axis label;
- n_xticks: *int* Number of numbered ticks on the x-axis of the figure
- n_yticks: *int*Number of numbered ticks on the x-axis of the figure
- Neg: bool

 If True, show the negative contours.

Returns:

• lvl: *list*Intensity factors when the figure is closed

 $\begin{array}{lll} 3.3.6 & \text{figures.figure1D(ppm, datax, norm=False, xlims=None, ylims=None,} \\ & \text{c='tab:blue', lw=0.5, X_label='\$\backslash falta\\$ F1/ppm', Y_label='Intensity} \\ & /\text{a.u.', n_xticks=10, n_yticks=10, fontsize=10, name=None, ext='png',} \\ & \text{dpi=600)} \end{array}$

Makes the figure of a 1D NMR spectrum.

The plot can be customized in a very flexible manner by setting the function keywords properly.

- ppm: *1darray* ppm scale of the spectrum
- datax: *1darray* spectrum to be plotted
- norm: bool if True, normalizes the intensity to 1.
- xlims: *list or tuple*Limits for the x-axis. If None, the whole scale is used.
- ylims: *list or tuple*Limits for the y-axis. If None, the whole scale is used.
- c: str Colour of the line.
- lw: float linewidth
- X_label: str text of the x-axis label;
- Y_label: str text of the y-axis label;
- n_xticks: *int* Number of numbered ticks on the x-axis of the figure
- n_yticks: *int* Number of numbered ticks on the x-axis of the figure
- fontsize: *float*Biggest font size in the figure.
- name: $str\ or\ None$ Filename for the figure to be saved. If None, the figure is shown instead.
- ext: strFormat of the image
- dpi: *int*Resolution of the image in dots per inches

3.3.7 figures.figure1D_multi(ppm0, data0, xlims=None, ylims=None, norm=Fac=None, X_label=' $\frac{1}{\text{delta}}$ F1 /ppm', Y_label='Intensity /a.u.', n_xticks=10, n_yticks=10, fontsize=10, labels=None, name=None, ext='png', dpi=600)

Creates the superimposed plot of a series of 1D NMR spectra.

- ppm0: sequence of 1darray or 1darray ppm scale of the spectra. If only one scale is supplied, it is assumed to be the same for all the spectra
- data0: sequence of 1darray
 List containing the spectra to be plotted
- xlims: tuple or None
 Limits for the x-axis. If None, the whole scale is used.
- ylims: tuple or None
 Limits for the y-axis. If None, they are automatically set.
- norm: False or float or str

 If it is False, it does nothing. If it is float, divides all spectra for that number. If it is str('#'), normalizes all the spectra to the '#' spectrum (python numbering). If it is whatever else string, normalizes all spectra to themselves.
- c: tuple or None
 List of the colors to use for the traces. None uses the default ones.
- X_label: str text of the x-axis label
- Y_label: str text of the y-axis label
- n_xticks: *int*Number of numbered ticks on the x-axis of the figure
- n_yticks: *int* Number of numbered ticks on the x-axis of the figure
- fontsize: float
 Biggest fontsize in the picture
- labels: list or None or False
 List of the labels to be shown in the legend. If it is None, the default entries are used (i.e., '1, 2, 3,...'). If it is False, the legend is not shown.
- name: str or None
 Filename of the figure, if it has to be saved. If it is None, the figure is shown instead.
- ext: str Format of the image
- dpi: *int*Resolution of the image in dots per inches

3.3.8 figures.figure2D(ppm_f2, ppm_f1, datax, xlims=None, ylims=None, cmap='Greys_r', c_fac=1.4, lvl=0.09, X_label=' $\$ \delta\\$ F2 /ppm', Y_label=' $\$ \delta\\$ F1 /ppm', lw=0.5, cmapneg=None, n_xticks=10, n_yticks=10, fontsize=10, name=None, ext='png', dpi=600)

Makes a 2D contour plot. Allows for the buildup of modular figures. The contours are drawn according to the formula:

```
cl = contour_start * contour_factor ** np.arange(contour_num)
where
contour_start = np.max(data) * lvl
contour_num = 16
contour_factor = c_fac.
```

Increasing the value of c_fac will decrease the number of contour lines, whereas decreasing the value of c_fac will increase the number of contour lines.

- ppm_f2: 1darray ppm scale of the direct dimension
- ppm_f1: *1darray* ppm scale of the indirect dimension
- datax: 2darray the 2D NMR spectrum to be plotted
- xlims: *tuple* limits for the x-axis (left, right). If None, the whole scale is used.
- ylims: *tuple* limits for the y-axis (left, right). If None, the whole scale is used.
- cmap: strColormap identifier for the contour
- c_fac: *float* Contour factor parameter
- lvl: *float* height with respect to maximum at which the contour are computed
- X_label: str text of the x-axis label;
- Y_label: str text of the y-axis label;
- lw: *float* linewidth of the contours
- cmapneg: str or None Colormap identifier for the negative contour. If None, they are not computed at all

- \bullet n_xticks: int Number of numbered ticks on the x-axis of the figure
- $\bullet\,$ n_yticks: int Number of numbered ticks on the x-axis of the figure
- fontsize: *float*Biggest font size in the figure.
- \bullet name: str Filename for the figure
- \bullet ext: str Format of the image
- dpi: *int*Resolution of the image in dots per inches

3.3.9 figures.figure2D_multi(ppm_f2, ppm_f1, datax, xlims=None, ylims=None lvl='default', c_fac=1.4, Negatives=False, X_label=' $\$ \delta\\$ F2 /ppm', Y_label=' $\$ \delta\\$ F1 /ppm', lw=0.5, n_xticks=10, n_yticks=10 labels=None, name=None, ext='png', dpi=600)

Generates the figure of multiple, superimposed spectra, using figures.ax2D.

Parameters:

- ppm_f2: 1darray ppm scale of the direct dimension
- ppm_f1: *1darray* ppm scale of the indirect dimension
- datax: sequence of 2darray the 2D NMR spectra to be plotted
- xlims: *tuple* limits for the x-axis (left, right). If None, the whole scale is used.
- ylims: *tuple* limits for the y-axis (left, right). If None, the whole scale is used.
- lvl: 'default' or list height with respect to maximum at which the contour are computed. If 'default', each spectrum is at 10% of maximum height. Otherwise, each entry of the list corresponds to the contour height of the respective spectrum.
- c_fac: *float*Contour factor
- Negatives: bool set it to True if you want to see the negative part of the spectrum
- X_label: str text of the x-axis label;
- Y_label: str text of the y-axis label;
- lw: *float* linewidth of the contours
- n_xticks: *int*Number of numbered ticks on the x-axis of the figure
- n_yticks: *int* Number of numbered ticks on the x-axis of the figure
- ullet labels: list entries of the legend. If None, the spectra are numbered.
- $\bullet\,$ name: str Filename for the figure. If None, it is shown instead of saved

 \bullet ext: str

Format of the image

ullet dpi: int

Resolution of the image in dots per inches

 $\begin{array}{ll} 3.3.10 & \text{figures.fitfigure}(S, ppm_scale, t_AQ, V, C=False, SFO1=701.125, \\ & o1p=0, limits=None, s_labels=None, X_label='\$\backslash ,\$ F1/ppm', \\ & n \ xticks=10, name=None) \end{array}$

Makes the figure to show the result of a quantitative fit.

Parameters:

- S: 1darray
 Spectrum to be fitted
- ppm_scale : 1darray Self-explanatory
- V : 2darray matrix (# signals, parameters)
- C: 1darray or False

 Coefficients of the polynomion to be used as baseline correction. If the 'baseline' checkbox in the interactive figure panel is not checked, C_f is False.
- limits: tuple or None
 Trim limits for the spectrum (left, right). If None, the whole spectrum is used.
- s_labels: list or None or False Legend entries for the single components. If None, they are computed automatically as 1, 2, 3, etc. If False, they are not shown in the legend.
- X_label : str label for the x-axis.
- n_xticks: int number of numbered ticks that will appear in the ppm scale. An oculated choice can be very satisfying.
- name: str or None Name with which to save the figure. If None, the picture is shown instead of being saved.

3.3.11 figures.heatmap(data, zlim='auto', z_sym=True, cmap=None, xs-cale=None, yscale=None, rev=(False, False), n_xticks=10, n_yticks=10 n_zticks=10, fontsize=10, name=None)

Computes a heatmap of data.

Parameters:

- data: 2darray Input data
- zlim: tuple or 'auto' or 'abs'
 Vertical limits of the heatmap, that determines the extent of the colorbar. 'auto' means (min(data), max(data)), 'abs' means(min(|data|), max(|data|)).
- z_sym: bool

 True to symmetrize the vertical scale around 0.
- cmap: matplotlib.cm object Colormap of the heatmap.
- xscale: *1darray or None* x-scale. None means np.arange(data.shape[1])
- yscale: *1darray or None* y-scale. None means np.arange(data.shape[0])
- rev: tuple of bool Reverse scale (x, y).
- n_xticks: *int*Number of ticks of the x axis
- n_yticks: *int*Number of ticks of the y axis
- n_zticks: *int* Number of ticks of the color bar
- fontsize: *float*Biggest font size to apply to the figure.
- name: str or None Filename for the figure. Set to None to show the figure.

3.3.12 figures.ongoing_fit(exp, calc, residual, ylims=None, filename=None, dpi=100)

Makes a figure of an ongoing fit. It displays the experimental data and the model, and the residuals in a separate window. The figure can be either saved or shown.

Parameters:

• exp: *1darray*Experimental data

• calc: *1darray* Current model

• residual: *1darray* Residuals of the fit

• ylims: *tuple* Optional limits for y-axis

• filename: $str\ or\ None$ Filename of the figure to be saved. If None, the figure is shown instead

• dpi: *int*Resolution of the figure in dots per inches

3.3.13 figures.plot_fid(fid, name=None, ext='png', dpi=600)

Makes a two-panel figure that shows on the left the real part of the FID, on the right the imaginary part. The x-scale and y-scale are automatically adjusted.

3.3.14 figures.plot_fid_re(fid, scale=None, c='b', lims=None, name=None, ext='png', dpi=600)

Makes a single-panel figure that shows either the real or the imaginary part of the FID. The x-scale and y-scale are automatically adjusted.

Parameters:

- fid: ndarray
 FID to be plotted
- scale: *1darray or None* x-scale of the figure
- $extbf{c:} str$ Color
- lims: tuple or None Limits
- name: strName of the figure
- ext: strFormat of the image
- dpi: *int*Resolution of the image in dots per inches

3.3.15 figures.redraw_contours(ax, ppm_f2, ppm_f1, S, lvl, cnt, Neg=False, Ncnt=None, lw=0.5, cmap=[None, None])

Redraws the contours in interactive 2D visualizations.

Parameters:

- ax: matplotlib.Subplot Object
 Panel of the figure where to draw the contours
- ppm_f2: 1darray ppm scale of the direct dimension
- ppm_f1: 1darray ppm scale of the indirect dimension
- S: 2darray Spectrum
- lvl: *float*Level at which to draw the contours
- ullet cnt: $matplotlib.contour.QuadContourSet\ object$ Pre-existing contours
- Neg: bool
 Choose if to draw the negative contours (True) or not (False)
- Ncnt: matplotlib.contour.QuadContourSet object Pre-existing negative contours
- lw: float Linewidth
- cmap: *list*Colour of the contours. Format: [cmap +, cmap -]

Returns:

- ullet cnt: matplotlib.contour.QuadContourSet object Updated contours
- Ncnt: matplotlib.contour.QuadContourSet object or None Updated negative contours if Neg is True, None otherwise

3.3.16 figures.sns heatmap(data, name=None, ext='png', dpi=600)

Computes a heatmap of data, which is a matrix. This function employs the *seaborn* package. Specify 'name' if you want to save the figure.

Parameters:

• data: 2darray

Data of which to compute the heatmap. Make sure the entries are real numbers.

• name: $str\ or\ None$ Filename of the figure to be saved. If None, the figure is shown instead.

• ext: strFormat of the image

• dpi: *int*Resolution of the image in dots per inches

3.3.17 figures.stacked_plot(ppmscale, S, xlims=None, lw=0.5, X_label=' $\frac{1}{ppm'}$, Y_label='Normalized intensity /a.u.', n_xticks=10, labels=None, name=None, ext='png', dpi=600)

Creates a stacked plot of all the spectra contained in the list 'S'. Note that 'S' MUST BE a list. All the spectra must share the same scale.

Parameters:

- ppmscale: *1darray* ppm scale of the spectrum
- S: *list* spectra to be plotted
- xlims: *list or tuple*Limits for the x-axis. If None, the whole scale is used.
- lw: float linewidth
- name: str filename of the figure, if it has to be saved;
- X_label: str text of the x-axis label;
- Y_label: str text of the y-axis label;
- n_xticks: *int*Number of numbered ticks on the x-axis of the figure
- labels: *list* labels to be put in the legend.

3.4 SIM package

This package contains function for the simulation of various features of NMR spectra, being them monodimensional or bidimensional. Functions for the simulation of whole spectra are also provided.

3.4.1 sim.calc splitting(u0, I0, m=1, J=0)

Calculate the frequency and the intensities of a NMR signal splitted by scalar coupling.

Parameters:

- u0: float
 Frequency of the non-splitted signal (Hz)
- I0: *float*Total intensity of the non-splitted signal.
- m: *int*Multiplicity, i.e. number of expected signals after the splitting
- J: float Scalar coupling constant (Hz)

Returns:

- u_s: 1darray
 Frequencies of the splitted signal (Hz)
- I_s: 1darray
 Intensities of the splitted signal

$3.4.2 \quad sim.f_gaussian(x, u, s, A=1)$

Gaussian function in the frequency domain:

$$G(x) = \frac{A}{\sqrt{2\pi s}} \exp\left[-\frac{1}{2} \left(\frac{x-u}{s}\right)^2\right]$$

Parameters

- x: 1darray
 Independent variable
- u: float Peak position
- s: *float* Standard deviation
- A: float Intensity

Returns

• f: *1darray*Gaussian function.

$3.4.3 \quad sim.f_lorentzian(x, u, fwhm, A=1)$

Lorentzian function in the frequency domain:

$$\mathcal{L}(x) = \frac{A}{\pi} \frac{\gamma}{(x-u)^2 + \gamma^2}$$

Parameters

- x: 1darray Independent variable
- u: float Peak position
- fwhm: float Full-width at half-maximum, $\Gamma = 2\gamma$
- A: float Intensity

Returns

• f: *1darray* Lorentzian function.

$3.4.4 \quad sim.f_pvoigt(x, u, fwhm, A=1, x_g=0)$

Pseudo-Voigt function in the frequency domain:

$$S(x) = x_g \mathcal{G}(x) + (1 - x_g) \mathcal{L}(x)$$

This is practically done by:

```
s = fwhm / 2.355

S = A* (sim.f_gaussian(x, u, s, A=x_g) + sim.f_lorentzian(x, u, fwhm, A=1-x_g))
```

Parameters

- x: 1darray Independent variable
- u: float
 Peak position
- \bullet fwhm: float Full-width at half-maximum
- A: float Intensity
- x_g: *float* Fraction of gaussianity

Returns

• S: 1darray Pseudo-Voigt function.

3.4.5 sim.gaussian_filter(ppm, u, s)

Compute a gaussian filter to be used in order to suppress signals in the spectrum.

Parameters:

- ppm: *1darray* Scale on which to build the filter
- u: *float* Position of the filter
- s: *float*Width of the filter (standard deviation)

Returns:

• G: *1darray*Computed gaussian filter

3.4.6 sim.load sim 1D(File)

Creates a dictionary from the spectral parameters listed in the input file. Template of the input file:

```
BO 16.4
                      # Magnetic field strength /Tesla
                      # Observed nucleus
nuc 1H
o1p 4.7
                      # Pulse carrier frequency /ppm
                      # Spectral width /ppm
SWp 30
TD 4096
                      # Number of sampled complex points
shifts 0, 4.5, 3
                      # Peak shifts /ppm, separated by commas
       100, 100, 100 # Full-width at half maximum of the peaks /Hz, separated by commas
amplitudes 1, 4, 3
                      # Amplitudes of the peaks, separated by commas
                      # Fraction of qaussianity of the peaks (1 = 100% qaussian, 0 = 100%
x_g 0.0, 0.5, 1.0
    lorentzian)
```

Use the tab character to separate the variable from its value. Comments are placed here to explain what the variables stand for, they are not needed in a real input file. However, if you want to put them, use the # character to denote them. Note that the variable names CANNOT be changed for any reason: the penalty is a massive sequence of errors. If only one value is supplied for the fields shifts, fwhm, amplitudes and x_g, that value must be followed by a comma in order to allow the program to recognize the list as a tuple.

Parameters

• File: strPath to the input file location

Returns

• dic: dict
Dictionary of the parameters, ready to be read from the simulation functions.

3.4.7 sim.load sim 2D(File, states=True)

Creates a dictionary from the spectral parameters listed in the input file. Template of the input file:

```
B0 28.2
                  # Magnetic field strength /Tesla
                  # Observed nucleus in indirect dimension (F1)
nuc1
       15N
nuc2
                  # Observed nucleus in direct dimension (F2)
o1p 115
                  # Pulse carrier frequency /ppm in F1
o2p 5
                  # Pulse carrier frequency /ppm in F2
                  # F1 Spectral width /ppm
SW1p
       40
                  # F2 Spectral width /ppm
SW2p
       20
TD1 64
                  # Number of t1 increment in indirect dimension
TD2 256
                  # Number of sampled complex points for each transient
shifts_f1 130.0, 105.0, 120.0
                                     # Peak F1 shifts /ppm, separated by commas
shifts_f2 0.0, 0.0, 7.0
                                     # Peak F2 shifts /ppm, separated by commas
fwhm_f1 100, 100, 100
                                     # Full-width at half maximum of the peaks in F1
    (/Hz), separated by commas
                                     # Full-width at half maximum of the peaks in F2
fwhm_f2 500, 500, 500
    (/Hz), separated by commas
amplitudes 100.0, 200.0, 100.0
                                     # Intensity of the peaks, separated by commas
                                     # # Fraction of gaussianity of the peaks (1 = 100%
x_g 0.0, 0.5, 1.0
   gaussian, 0 = 100% lorentzian)
```

Use the tab character to separate the variable from its value. Comments are placed here to explain what the variables stand for, they are not needed in a real input file. However, if you want to put them, use the # character to denote them. Note that the variable names **CANNOT** be changed for any reason: the penalty is a massive sequence of errors. If only one value is supplied for the fields shifts, fwhm, amplitudes and x_g, that value must be followed by a comma in order to allow the program to recognize the list as a tuple.

Parameters

- File: strPath to the input file location
- states: bool

 If FnMODE is States or States-TPPI, set it to True to get the correct timescale.

Returns

• dic: dict

Dictionary of the parameters, ready to be read from the simulation functions.

3.4.8 sim.mult_noise(data_size, mean, s_n)

Multiplicative noise model.

3.4.9 $\operatorname{sim.multiplet}(u, I, m='s', J=[])$

Split a given signal according to a scalar coupling pattern.

Parameters:

- u: float
 Frequency of the non-splitted signal (Hz)
- I: *float*Intensity of the non-splitted signal
- \bullet m: str Organic chemistry-like multiplet, i.e. s, d, dqt, etc.
- J: float or list
 Scalar coupling constants. The number of constants should match the number of coupling branches

Returns:

- u_in: *list*List of the splitted frequencies (Hz)
- I_in: *list*Intensities of the splitted signal

$3.4.10 \quad \text{sim.noisegen(size, o2, t2, s n=1)}$

Simulates additive noise in the time domain, in the form of a matrix of dimensions size.

This model for the noise depicts it as a white noise vector (i.e. random number that fit a gaussian distribution with 0 mean and standard deviation equal to s_n), modulated for the carrier frequency o2.

We consider the noise as the sum of a correlated contribution, due to the fact that the signal in a real spectrometer travels through the same cables until the ADC, and of a non-correlated contribution, which arises from the separation into real channel and imaginary channel.

This translates in the following code:

```
# correlated part of noise until ADC
white_corr = np.random.normal(0, s_n, size)
# white noise in FID has to be centered on the offset frequency
noise_corr = white_corr * np.exp(1j* 2 * np.pi * o2 * t2)

# uncorrelated part of noise: quadrature detection
white_re = np.random.normal(0, s_n, size)
white_im = np.random.normal(0, s_n, size)
# cosine-modulated in the real channel and sine-modulated in the imaginary channel
noise_re = white_re * np.cos( 2* np.pi * o2 * t2)
noise_im = white_im * np.sin( 2* np.pi * o2 * t2)

# final noise is sum of the two parts
noise = noise_corr + (noise_re + 1j*noise_im)
```

Parameters

- size: int or tuple

 Dimension of the noise matrix
- o2: float Carrier frequency, in Hz.
- t2: *1darray*Time scale of the last temporal dimension.
- s_n: *float*Standard deviation of the noise.

Returns

• noise: 2darray
Noise matrix, of dimensions size.

3.4.11 sim.sim 1D(File, pv=False)

Simulates a 1D NMR spectrum from the instructions written in File.

The instructions on how to write the input file are reported in the caption of sim.load_sim_1D.

Parameters

• File: strPath to the input file location

• pv: bool

True for pseudo-Voigt model, False for Voigt model.

Returns

• fid: *1darray* FID of the simulated spectrum.

3.4.12 sim.sim 2D(File, states=True, alt=True, pv=False)

Simulates a 2D NMR spectrum from the instructions written in File. The indirect dimension is sampled with FnMODE=States-TPPI as default.

The instructions on how to write the input file are reported in the caption of sim.load_sim_2D.

Parameters

• File: strPath to the input file location

• states: bool
Set it to True to allow for correct spectral arrangement in the indirect dimension.

• alt: bool
Set it to True to allow for correct spectral arrangement in the indirect dimension.

• pv: bool

True for pseudo-Voigt model, False for Voigt model.

Returns

• fid: 2darray
FID of the simulated spectrum.

3.4.13 sim.t 2Dgaussian(t1, t2, v1, v2, s1, s2, A=1, states=True, alt=True)

Bidimensional gaussian peak in the time domain. The working code requires states=True and alt=True.

The signal is generated as follows:

```
# States acquires twice the same point of the indirect dimension time domain
t1[1::2] = t1[::2]
# TPPI cycles the receiver phase of 90 degrees at each transient acquisition
freq_1 = np.zeros(len(t1), dtype="complex64")
for k in range(4):
    t1t = t1[k::4]
    freq_1[k::4] = np.cos( (2 * np.pi * v1 * t1t) - (0.5 * np.pi * np.mod(k,4) ))

# NMR signal in the direct dimension
F2 = np.exp(1j*2*np.pi*v2*t2) * np.exp(-(s2**2 * t2**2)/2)
# NMR signal in the indirect dimension
F1 = freq_1 * np.exp(-(s1**2 * t1**2)/2)

# The full FID is reconstructed by doing the external product between the two vectors
S = A * F1.reshape(-1,1) @ F2.reshape(1,-1)
```

Parameters

- t1: *1darray*Indirect evolution timescale
- t2: *1darray*Timescale of the direct dimension
- v1: float
 Peak position in the indirect dimension, in Hz
- v2: *float*Peak position in the direct dimension, in Hz
- s1: *float*Standard deviation in the indirect dimension, in rad/s
- s2: float
 Standard deviation in the direct dimension, in rad/s
- A: float Intensity
- states: bool
 Set to True for FnMODE = States-TPPI
- alt: bool
 Set to True for FnMODE = States-TPPI

Returns

• S: 2darray
2D Gaussian function.

$3.4.14 \quad sim.t_2Dlorentzian(t1, t2, v1, v2, fwhm1, fwhm2, A=1, states=True, alt=True)$

Bidimensional Lorentzian peak. The working code requires states=True and alt=True. The signal is generated as follows:

```
hwhm1 = fwhm1 / 2
hwhm2 = fwhm2 / 2

# States acquires twice the same point of the indirect dimension time domain
t1[1::2] = t1[::2]

# TPPI cycles the receiver phase of 90 degrees at each transient acquisition
freq_1 = np.zeros(len(t1), dtype="complex64")
for k in range(4):
    t1t = t1[k::4]
    freq_1[k::4] = np.cos( (2 * np.pi * v1 * t1t) - (0.5 * np.pi * np.mod(k,4) ))

# NMR signal in the direct dimension
F2 = np.exp(1j*2*np.pi*v2*t2) * np.exp(-(hwhm2 * t2))
# NMR signal in the indirect dimension
F1 = freq_1 * np.exp(-(hwhm1 * t1))

# The full FID is reconstructed by doing the external product between the two vectors
S = A * F1.reshape(-1,1) @ F2.reshape(1,-1)
```

Parameters

- t1: *1darray* Indirect evolution timescale
- t2: *1darray*Timescale of the direct dimension
- v1: float
 Peak position in the indirect dimension, in Hz
- v2: float
 Peak position in the direct dimension, in Hz
- fwhm1: float
 Full-width at half maximum in the indirect dimension, in rad/s
- fwhm2: float
 Full-width at half maximum in the direct dimension, in rad/s
- A: float Intensity
- states: bool Set to True for 'FnMODE': 'States-TPPI
- alt: bool
 Set to True for 'FnMODE': 'States-TPPI

Returns

• S: *2darray* Lorentzian function.

3.4.15 $\operatorname{sim.t}_2\operatorname{Dpvoigt}(t1,\ t2,\ v1,\ v2,\ \operatorname{fwhm1},\ \operatorname{fwhm2},\ A=1,\ x_g=0.5,\ \operatorname{states=True},\ \operatorname{alt=True})$

Generates a 2D pseudo-voigt signal in the time domain. x_g states for the fraction of gaussianity, whereas A defines the overall amplitude of the total peak. Indexes '1' and '2' on the variables stand for 'F1' and 'F2', respectively.

```
# stdev computed for the gaussian part.
s1 = fwhm1 / 2.355
s2 = fwhm2 / 2.355
# Passing "s" to "gaussian" and "fwhm" to "lorentzian" makes the two parts of the pseudo-voigt signal to have the same width and allow proper summation
G = sim.t_2Dgaussian(t1, t2, v1, v2, s1, s2, A=x_g, states=states, alt=alt)
L = sim.t_2Dlorentzian(t1, t2, v1, v2, fwhm1, fwhm2, A=(1-x_g), states=states, alt=alt)
fid = A * (G + L)
```

Parameters

- t1: *1darray*Indirect evolution timescale
- t2: *1darray*Timescale of the direct dimension
- v1: *float*Peak position in the indirect dimension, in Hz
- v2: float
 Peak position in the direct dimension, in Hz
- fwhm1: float
 Full-width at half maximum in the indirect dimension, in rad/s
- fwhm2: float
 Full-width at half maximum in the direct dimension, in rad/s
- A: float Intensity
- x_g: *float* Fraction of gaussianity
- states: bool Set to True for FnMODE=States-TPPI
- alt: bool
 Set to True for FnMODE=States-TPPI

Returns

• fid: 2darray
2D Pseudo-Voigt function.

$3.4.16 \quad sim.t_2Dvoigt(t1, t2, v1, v2, fwhm1, fwhm2, A=1, x_g=0.5, states=True)$

Generates a 2D Voigt signal in the time domain. x_g states for the fraction of gaussianity, whereas A defines the overall amplitude of the total peak. Indexes '1' and '2' on the variables stand for 'F1' and 'F2', respectively.

```
# stdev computed for the gaussian part.
s1 = fwhm1 / 2.355
s2 = fwhm2 / 2.355
# hwhm computed for the lorentzian part.
hwhm1 = fwhm1 / 2
hwhm2 = fwhm2 / 2
# States acquires twice the same point of the indirect dimension time domain
t1[1::2] = t1[::2]
# direct dimension
   frequency
freq_2 = np.exp(1j * 2 * np.pi * v2 * t2)
   Add line-broadening, fist lorentzian then gaussian, using:
   hwhm'' = (1 - x_g) * hwhm
                                for L
   s'' = x_q * s
                                 for G
F2 = freq_2 * np.exp(-(1-x_g)*hwhm2 * t2) * np.exp(-((x_g*s2)**2 * t2**2)/2)
# indirect dimension
# Redfield cycles the receiver phase of 90 degrees at each transient acquisition
freq_1 = np.zeros(len(t1), dtype="complex64")
for k in range(4):
   t1t = t1[k::4]
   freq_1[k::4] = np.cos((2 * np.pi * v1 * t1t) - (0.5 * np.pi * np.mod(k,4)))
   Add line-broadening, fist lorentzian then gaussian, using:
   hwhm'' = (1 - x_g) * hwhm
                                 for L
   s'' = x_g * s
                                 for G
F1 = freq_1 * np.exp(-(1-x_g) * hwhm1 * t1) * np.exp(-((x_g*s1)**2 * t1**2)/2)
# The full FID is reconstructed by doing the external product between the two vectors
S = A * F1.reshape(-1,1) @ F2.reshape(1,-1)
return S
```

Parameters

- t1: *1darray*Indirect evolution timescale
- t2: 1darray
 Timescale of the direct dimension
- v1: float
 Peak position in the indirect dimension, in Hz
- v2: float
 Peak position in the direct dimension, in Hz

- \bullet fwhm 1: float Full-width at half maximum in the indirect dimension, in rad/s
- \bullet fwhm2: float Full-width at half maximum in the direct dimension, in rad/s
- A: float Intensity
- x_g: *float* Fraction of gaussianity
- states: bool Set to True for 'FnMODE': 'States-TPPI
- alt: bool Set to True for 'FnMODE': 'States-TPPI

Returns

• S: 2darray Voigt function.

3.4.17 sim.t_gaussian(t, u, s, A=1, phi=0)

Gaussian function in the time domain.

$$g(x) = Ae^{i\phi} e^{i2\pi ut} e^{-s^2t^2/2}$$

Parameters

- t: *1darray* Independent variable
- u: float Peak position, in Hz
- s: *float* Standard deviation, in rad/s
- A: float Intensity
- phi: *float* Phase, in radians

Returns

• S: *1darray* Gaussian function.

3.4.18 sim.t_lorentzian(t, u, fwhm, A=1, phi=0)

Lorentzian function in the time domain.

$$\ell(x) = Ae^{i\phi} e^{i2\pi ut} e^{-\gamma t}$$

Parameters

- t: *1darray* Independent variable
- u: float
 Peak position, in Hz
- fwhm: float Full-width at half-maximum, $\Gamma=2\gamma$, in rad/s
- A: float Intensity
- phi: *float* Phase, in radians

Returns

• S: *1darray*Lorentzian function.

$3.4.19 \quad sim.t_pvoigt(t, u, fwhm, A=1, x_g=0, phi=0)$

Pseudo-Voigt function in the time domain:

$$s(x) = x_g g(x) + (1 - x_g)\ell(x)$$

- s = fwhm / 2.355
- S = A * (sim.t_gaussian(t, u, s, A=x_g, phi=phi) + sim.t_lorentzian(t, u, fwhm, A=1-x_g, phi=phi))

Parameters

- t: *1darray*Independent variable
- u: float
 Peak position, in Hz
- ullet fwhm: float Full-width at half-maximum, in rad/s
- A: float Intensity
- x_g: *float* Fraction of gaussianity
- phi: float
 Phase, in radians

Returns

• S: *1darray* Pseudo-Voigt function.

$3.4.20 \quad sim.t_voigt(t, u, fwhm, A=1, x_g=0, phi=0)$

Voigt function in the time domain. The parameter x_g affects the linewidth of the lorentzian and gaussian contributions.

```
s = fwhm / 2.355
S = A * np.exp(1j*phi) * sim.t_gaussian(t, u/2, s*x_g) * sim.t_lorentzian(t, u/2, fwhm*(1-x_g))
```

Parameters

- t: 1darray
 Independent variable
- u: float Peak position, in Hz
- fwhm: float Full-width at half-maximum, in rad/s
- A: float Intensity
- x_g: *float* Fraction of gaussianity
- phi: float
 Phase, in radians

Returns

• S: *1darray* Voigt function.

3.4.21 sim.water7(N, t2, vW, fwhm=300, A=1, spread=701.125)

Simulates a feature like the water ridge in HSQC spectra, in the time domain.

This signal is modelled as a gaussian signal which does not encode for any frequency in the indirect dimension, and whose chemical shift moves due to field drifts through the various transients according to a gaussian distribution. This signal is on-phase in the even transients and 90°-dephased in the odd transients.

Parameters

- N: *int*Number of transients
- t2: *1darray*Time scale of the last temporal dimension.
- vW: *float*Nominal peak position, in Hz.
- fwhm: float
 Nominal full-width at half maximum of the peak, in rad/s
- A: float
 Signal intensity.
- spread: *float*Standard deviation of the peak position distribution, in Hz.

Returns

• ridge: *2darray*Matrix of the ridge.

3.5 FIT package

Functions for performing fits.

3.5.1 fit.CostFunc class

Class that groups several ways to compute the target of the minimization in a fitting procedure. It includes the classic squared sum of the residuals, as well as some other non-quadratic cost functions. Let x be the residuals and s the chosen threshold value. Then the objective value R is computed as:

$$R = \sum_{i} f(x_i)$$

where f(x) can be chosen between the following options:

• Quadratic:

$$f(x) = x^2$$

• Truncated Quadratic:

$$f(x) = \begin{cases} x^2 & \text{if}|x| < s \\ s^2 & \text{otherwise} \end{cases}$$

• Huber function:

$$f(x) = \begin{cases} x^2 & \text{if } |x| < s \\ 2s|x| - s^2 & \text{otherwise} \end{cases}$$

• Asymmetric Truncated Quadratic:

$$f(x) = \begin{cases} x^2 & \text{if } x < s \\ s^2 & \text{otherwise} \end{cases}$$

• Asymmetric Huber function:

$$f(x) = \begin{cases} x^2 & \text{if } x < s \\ 2sx - s^2 & \text{otherwise} \end{cases}$$

Attributes:

- method: function
 Function to be used for the computation of the objective value. It must take as input the array of the residuals and the threshold, no matter if the latter is actually used or not.
- s: float
 Threshold value

Methods:

__init__(self, method='q', s=None)

Initialize the method according to your choice, then stores the threshold value in the attribute 's'. Allowed choices are:

- 'q': Quadratic
- 'tq': Truncated Quadratic
- 'huber': Huber function
- 'atq': Asymmetric Truncated Quadratic
- 'ahuber': Asymmetric Huber function

Parameters:

- method: str Label for the method selection
- s: float
 Threshold value

$_$ call $_$ (self, x)

Computes the objective value according to the chosen method and the residuals array x.

Parameters:

• x: 1darray
Array of the residuals

Returns:

• R: float
Computed objective value

asymm huber(r, s)

Linear behaviour above s, penalizes negative entries

asymm truncated quadratic(r, s)

Constant behaviour above s, penalizes negative entries

huber(r, s)

Linear behaviour above s

method selector(self, method)

Performs the selection of the method according to the identifier string.

P	a	r	ล	m	e	t.e	r	S
1	а	1	а	11.	ı	υt	21	Э.

• method: str Method label

Returns:

• f: function Selected model

 $squared_sum(r,\,s{=}0)$

Quadratic everywhere

 $truncated_quadratic(r, s)$

Constant behaviour above s

3.5.2 fit.LR(y, x=None)

Performs a linear regression of y with a model $y_c = mx + q$.

Parameters:

- y: 1darray
 Data to be fitted
- \bullet x: 1darray Independent variable. If None, the point indexes are used.

- y_c: 1darray Fitted trend
- values: tuple (m, q)

3.5.3 fit.LSP(y, x, n=5)

Linear-System Polynomion Make a polynomial fit on the experimental data y by solving the linear system

$$\vec{y} = \mathbb{T}\vec{c}$$

where \mathbb{T} is the Vandermonde matrix of the x-scale and \vec{c} is the set of coefficients that minimize the problem in the least-squares sense.

Parameters:

- y: *1darray* Experimental data
- x: 1darray
 Independent variable (better if normalized)
- n: intOrder of the polynomion + 1, i.e. number of coefficients

Returns:

• c: 1darray
Set of minimized coefficients

3.5.4 fit.Peak class

Class to represent the characteristic parameters of an NMR peak, and to compute it.

Attributes:

- t: 1darray
 Timescale for the FID
- SFO1: *float*Nucleus Larmor frequency
- olp: float
 Carrier position
- N: *int*Number of points of the spectrum, i.e. after eventual zero-filling
- u: float Chemical shift /ppm
- fwhm: float Linewidth /Hz
- k: *float*Intensity, relative
- x_g: float
 Fraction of gaussianity (x_g=0 equals pure lorentzian)
- phi: *float*Phase /degrees
- group: *int* Identifier for the component of a multiplet

Methods:

 $__init__(self, acqus, u=None, fwhm=5, k=1, x_g=0, phi=0, N=None, group=0)$

Initialize the class with the configuration parameters, and with defauls values, if not given.

Parameters:

- acqus: dict It should contain 't', 'SFO1', 'o1p', and 'N'
- u: float Chemical shift /ppm
- fwhm: float Linewidth /Hz
- k: float
 Intensity, relative

- x_g: float
 Fraction of gaussianity (x g=0 equals pure lorentzian)
- phi: float
 Phase /degrees
- N: int
 Number of points of the spectrum, i.e. after eventual zero-filling. None means to not zero-fill
- group: *int* Identifier for the component of a multiplet

$__call__(self, A{=}1, cplx{=}False)$

Generates a voigt signal on the basis of the stored attributes, in the time domain. Then, makes the Fourier transform and returns it after the eventual zero-filling.

Parameters:

- A: *float*Absolute intensity value
- cplx: bool
 Returns the complex (True) or only the real part (False) of the signal

Returns:

• sgn : *1darray* generated signal in the frequency domain

par(self)

Creates a dictionary with the currently stored attributes and returns it.

Returns:

• dic: dict
Dictionary of parameters

$3.5.5 \quad {\rm fit.SINC_ObjFunc}$

class

Computes the objective function as explained in M. Sawall et al., *Journal of Magnetic Resonance* 289 (2018), 132-141. The cost function is computed as:

$$f(d) = \sum_{i=1}^{3} \gamma_i g_i(d|e_i)$$

where d is the real part of the NMR spectrum.

Attributes:

- gamma1: float
 Weighting factor for function g₁
- gamma2: floatWeighting factor for function g_2
- gamma3: floatWeighting factor for function g_3
- e1: floatTolerance value for function g_1
- e2: float
 Tolerance value for function g₂

Methods:

 $__init__(self, gamma1=10, gamma2=0.01, gamma3=0, e1=0, e2=0)$

Initialize the coefficients used to weigh the objective function.

Parameters:

- gamma1: float
 Weighting factor for function g1
- gamma2: float
 Weighting factor for function g2
- gamma3: float
 Weighting factor for function g3
- e1: float
 Tolerance value for function g1
- e2: float
 Tolerance value for function g2

$$_$$
call $_$ (self, d)

Computes the objective function f as explained in the paper

g1(d, e1=0)

Penalty function for negative entries of the spectrum

Parameters:

- d: *1darray* Spectrum
- e1: *float*Tolerance for negative entries

g2(d, e2=0)

Regularization function that favours the smallest integral.

Parameters:

- d: *1darray* Spectrum
- e2: *float*Tolerance for ideal baseline

g3(d)

Regularization function for the smoothing.

Parameters:

• d: *1darray* Spectrum

3.5.6 fit.SINC_phase(data, gamma1=10, gamma2=0.01, gamma3=0, e1=0, e2=0, **fit kws)

Perform automatic phase correction according to the SINC algorithm, as described in M. Sawall et. al., Journal of Magnetic Resonance 289 (2018), 132–141. The fitting method defaults to 'least_squares'.

Parameters:

- data: *1darray* Spectrum to phase-correct
- gamma1: float
 Weighting factor for function g1: non-negativity constraint
- gamma2: *float*Weighting factor for function g2: smallest-integral constraint
- gamma3: float
 Weighting factor for function g3: smoothing constraint
- e1: *float*Tolerance factor for function g1: adjustment for noise
- e2: float
 Tolerance factor for function g2: adjustment for non-ideal baseline
- fit_kws: keyworded arguments additional parameters for the fit function. See lmfit.Minimizer.minimize for details. Do not use 'leastsq' because the cost function returns a scalar value!

- p0: float
 Fitted zero-order phase correction angle, in degrees
- p1: float
 Fitted first-order phase correction angle, in degrees

3.5.7 fit.Voigt Fit

class

This class offers an 'interface' to fit a 1D NMR spectrum.

Attributes:

- ppm_scale: 1darray Self-explanatory
- S: *1darray* Spectrum to fit. Only real part
- t_AQ: 1darray acquisition timescale of the spectrum
- SW: float Spectral width /Hz
- SFO1: *float*Larmor frequency of the nucleus
- olp: float
 Pulse carrier frequency
- filename: strRoot of the names of the files that will be saved
- X_label: str Label for the chemical shift axis in the figures
- i_guess: *list*Initial guess for the fit, read by a .ivf file with fit.read_vf
- result: *list*Result the fit, read by a .fvf file with fit.read vf

Methods:

__init__(self, ppm_scale, S, t_AQ, SFO1, o1p, nuc=None, filename='fit')

Initialize the class with common values.

Parameters:

- ppm_scale: *1darray* ppm scale of the spectrum
- S: *1darray* Spectrum to be fitted
- t_AQ: 1darray
 Acquisition timescale
- SFO1: *float*Larmor frequency of the observed nucleus, in MHz

- o1p: float
 Carrier position, in ppm
- nuc: str
 Observed nucleus. Used to customize the x-scale of the figures.
- filename: str or None
 Root of the name of the files that will be saved

dofit(self, indep=True, u_tol=1, f_tol=10, vary_phase=False, vary_xg=True, itermax=10000, filename=None)

Perform a lineshape deconvolution fitting. The initial guess is read from the attribute self.i_guess. The components can be considered to be all independent from one to another by setting 'indep' to True: this means that the fit will be done using fit.voigt_fit_indep. The indep=False option has not been implemented yet.

Parameters:

- indep: bool

 True to consider all the components to be independent
- u_tol: *float*Determines the displacement of the chemical shift (in ppm) from the starting value.
- f_tol: *float*Determines the displacement of the linewidth (in Hz) from the starting value.
- vary_phase: bool
 Allow the peaks to change phase (True) or not (False)
- vary_xg: bool
 Allow the peaks to change Lorentzian/Gaussian ratio
- itermax: *int*Maximum number of allowed iterations
- filename: strPath to the output file. If None, '<self.filename>.fvf' is used

get_fit_lines(self, what='result')

Calculates the components, and the total fit curve used as initial guess, or as fit results.. The components will be returned as a list, not split by region.

Parameters:

• what: *str* 'iguess' or 'result'

Returns:

• signals: *list of 1darray*Components used for the fit

• total: *1darray*Sum of all the signals

• limits_list: *list*

List of region delimiters, in ppm

iguess(self, input file=None, n=-1, auto=False)

Reads, or computes, the initial guess for the fit. If the file is there already, it just reads it with fit.read vf. Otherwise, it calls fit.make iguess to make it.

Parameters:

- input_file: str or None
 Path to the input file. If None, '<self.filename>.ivf' is used
- n: *int*Index of the initial guess to be read (default: last one)
- auto: bool

 If True, uses the GUI for automatic peak picking, if False, the manual one

load fit(self, output file=None, n=-1)

Reads a file with fit.read_vf and stores the result in self.result.

Parameters:

- output_file: strPath to the .fvf file to be read. If None, '<self.filename>.fvf' is used.
- n: *int*Index of the fit to be read (default: last one)

plot(self, what='result', show_total=True, show_res=False, res_offset=0, labels=None, filename=None, ext='tiff', dpi=600)

Plots either the initial guess or the result of the fit, and saves all the figures. Calls fit.plot_fit. The figure <filename>_full will show the whole model and the whole spectrum. The figures labelled with _R<k> will depict a detail of the fit in the k-th fitting region. Optional labels for the components can be given: in this case, the structure of 'labels' should match the structure of self.result (or self.i_guess). This means that the length of the outer list must be equal to the number of fitting region, and the length of the inner lists must be equal to the number of peaks in that region.

Parameters:

• what: str
'iguess' to plot the initial guess, 'result' to plot the fitted data

• show_total: bool Show the total trace (i.e. sum of all the components) or not

• show_res: bool
Show the plot of the residuals

• res_offset: float
Displacement of the residuals plot from 0, to be given as a fraction of the height of the experimental spectrum. res_offset > 0 will move the residuals BELOW the zero-line!

• labels: list of list
Optional labels for the components. The structure of this parameter must match the structure
of self.result

 \bullet filename: strRoot of the name of the figures that will be saved. If None, <self.filename> is used

• ext: strFormat of the saved figures

• dpi: *int*Resolution of the figures, in dots per inches

 $\label{lem:condition} $$\operatorname{res_histogram}(self, what='result', nbins=500, density=True, f_lims=None, xlabel='Residuals x_symm=True, barcolor='tab:green', fontsize=20, filename=None, ext='tiff', dpi=300)$

Computes the histogram of the residuals and saves it. Employs fit.histogram to make the figure.

Parameters:

• what: *str* 'iguess' or 'result'

• nbins : *int* number of bins to be calculated

• density : bool

True for normalize data

• f_lims: tuple or None limits for the x axis of the figure

• xlabel : str or None

Text to be displayed under the x axis

• x_symm : bool set it to True to make symmetric x-axis with respect to 0

• barcolor: strColor of the bins

 \bullet fontsize: float

Biggest fontsize in the figure

 \bullet name : str

name for the figure to be saved

 \bullet ext: str

Format of the image

 \bullet dpi: int

Resolution of the image in dots per inches

3.5.8 fit.Voigt Fit P2D

class

This class offers an 'interface' to fit a pseudo 2D NMR spectrum.

Attributes:

- ppm_scale: 1darray Self-explanatory
- S: 2darray Spectrum to fit. Only real part
- t_AQ: 1darray acquisition timescale of the spectrum
- SFO1: *float*Larmor frequency of the nucleus
- o1p : float
 Pulse carrier frequency
- filename: strRoot of the names of the files that will be saved
- X_label: str Label for the chemical shift axis in the figures
- i_guess: *list*Initial guess for the fit, read by a .ivf file with fit.read_vf_P2D
- result: *list*Result the fit, read by a .fvf file with fit.read_vf_P2D

Methods:

__init__(self, ppm_scale, S, t_AQ, SFO1, o1p, nuc=None, filename='fit')

Initialize the class with common values.

Parameters:

- ppm_scale: *1darray* ppm scale of the spectrum
- S: 2darray
 Spectrum to be fitted
- t_AQ: 1darray
 Acquisition timescale
- SFO1: float Larmor frequency of the observed nucleus, in MHz
- o1p: float
 Carrier position, in ppm

• nuc: str

Observed nucleus. Used to customize the x-scale of the figures.

• filename: str or None

Root of the name of the files that will be saved

$$\label{local_state} \begin{split} & dofit(self,\,u_tol=1,\,f_tol=10,\,vary_phase=False,\,vary_xg=True,\,itermax=10000,\,file-name=None) \end{split}$$

Perform a lineshape deconvolution fitting by calling fit.voigt_fit_P2D. The initial guess is read from the attribute self.i guess.

Parameters:

• u_tol: float

Determines the displacement of the chemical shift (in ppm) from the starting value.

• f_tol: float

Determines the displacement of the linewidth (in Hz) from the starting value.

• vary_phase: bool

Allow the peaks to change phase (True) or not (False)

• vary xg: bool

Allow the peaks to change Lorentzian/Gaussian ratio

 \bullet itermax: int

Maximum number of allowed iterations

 \bullet filename: str

Path to the output file. If None, '<self.filename>.fvf' is used

get_fit_lines(self, what='result')

Calculates the components, and the total fit curve used as initial guess, or as fit results. The components will be returned as a list, not split by region.

Parameters:

 \bullet what: str

'iguess' or 'result'

Returns:

• signals: list of list of 1darray

Components used for the fit

• total: 2darray

Sum of all the signals

 \bullet limits list: list

List of the region delimiters, in ppm

iguess(self, input file=None, expno=0, n=-1)

Reads, or computes, the initial guess for the fit. If the file is there already, it just reads it with fit.read vf. Otherwise, it calls fit.make iguess to make it.

Parameters:

- input_file: str or None
 Path to the input file. If None, '<self.filename>.ivf' is used
- ullet expno: int Number of the experiment on which to compute the initial guess, in python numbering
- n: *int*Index of the initial guess to be read (default: last one)

load fit(self, output file=None, n=-1)

Reads a file with fit.read vf P2D and stores the result in self.result.

Parameters:

- output_file: strPath to the .fvf file to be read. If None, '<self.filename>.fvf' is used.
- n: *int*Index of the fit to be read (default: last one)

 $plot(self, what='result', show_total=True, show_res=False, res_offset=0, labels=None, filename=None, ext='tiff', dpi=600)$

Plots either the initial guess or the result of the fit, and saves all the figures. Calls fit.plot_fit_P2D. The figures <filename>_full will show the whole model and the whole spectrum. The figures labelled with _R<k> will depict a detail of the fit in the k-th fitting region. Optional labels for the components can be given: in this case, the structure of 'labels' should match the structure of self.result (or self.i_guess). This means that the length of the outer list must be equal to the number of fitting region, and the length of the inner lists must be equal to the number of peaks in that region.

Parameters:

- what: str 'iguess' to plot the initial guess, 'result' to plot the fitted data
- show_total: bool Show the total trace (i.e. sum of all the components) or not
- show_res: *bool*Show the plot of the residuals
- res_offset: float
 Displacement of the residuals plot from 0, to be given as a fraction of the height of the experimental spectrum. res_offset > 0 will move the residuals BELOW the zero-line!

• labels: list of list

Optional labels for the components. The structure of this parameter must match the structure of self-result

• filename: str

Root of the name of the figures that will be saved. If None, <self.filename> is used

 \bullet ext: str

Format of the saved figures

• dpi: *int*

Resolution of the figures, in dots per inches

 $\label{lem:condition} $$\operatorname{res_histogram}(self, what='result', nbins=500, density=True, f_lims=None, xlabel='Residuals x_symm=True, barcolor='tab:green', fontsize=20, filename=None, ext='tiff', dpi=300)$

Computes the histogram of the residuals and saves it in the same folder of the fit figures. Employs fit.histogram to make the figure.

Parameters:

 \bullet what: str

'iguess' or 'result'

 \bullet nbins : int

number of bins to be calculated

• density: bool

True for normalize data

• f lims: tuple or None

limits for the x axis of the figure

• xlabel : str or None

Text to be displayed under the x axis

 \bullet x symm : bool

set it to True to make symmetric x-axis with respect to 0

 \bullet barcolor: str

Color of the bins

• fontsize: *float*

Biggest fontsize in the figure

 \bullet name : str

name for the figure to be saved

 \bullet ext: str

Format of the image

• dpi: int

Resolution of the image in dots per inches

3.5.9 fit.ax_histogram(ax, data0, nbins=100, density=True, f_lims=None, xlabel=None, x symm=False, barcolor='tab:blue', fontsize=10)

Computes an histogram of 'data' and tries to fit it with a gaussian lineshape. The parameters of the gaussian function are calculated analytically directly from 'data' using 'scipy.stats.norm'

Parameters:

- ax : matplotlib.subplot Object panel of the figure where to put the histogram
- data0 : ndarray the data to be binned
- nbins : *int* number of bins to be calculated
- density : *bool*True for normalize data
- f_lims: tuple or None limits for the x axis of the figure
- xlabel : str or None
 Text to be displayed under the x axis
- x_symm : bool set it to True to make symmetric x-axis with respect to 0
- barcolor: strColor of the bins
- fontsize: *float*Biggest fontsize in the figure

- m : float Mean of data
- s : float
 Standard deviation of data.

3.5.10 fit.bin data(data0, nbins=100, density=True, x symm=False)

Computes the histogram of data, sampling it into nbins bins.

Parameters:

• data : ndarray the data to be binned

• nbins : *int* number of bins to be calculated

 \bullet density : boolTrue for normalize data

• x_symm : bool set it to True to make symmetric x-axis with respect to 0

Returns:

• hist: *1darray*The bin intensity

• bin_scale: *1darray*Scale built with the mean value of the bin widths.

3.5.11 fit.build 2D sgn(parameters, acqus, N=None, procs=None)

Create a 2D signal according to the final parameters returned by make_iguess_2D. Process it according to procs.

Parameters:

- parameters: *list or 2darray* sequence of the parameters: u1, u2, fwhm1, fwhm2, I, x g. Multiple components are allowed
- acqus: dict 2D-like acqus dictionary containing the acquisition timescales (keys t1 and t2)
- N: tuple of int Zero-filling values (F1, F2). Read only if procs is None
- procs: dict
 2D-like procs dictionary.

Returns:

• peak: 2darray rr part of the generated signal

3.5.12 fit.build baseline(ppm scale, C, L=None)

Builds the baseline calculating the polynomion with the given coefficients, and summing up to the right position.

Parameters:

- ppm_scale: *1darray* ppm scale of the spectrum
- C: *list*Parameters coefficients. No baseline corresponds to False.
- \bullet L: list List of window regions. If it is None, the baseline is built on the whole ppm_scale

Returns:

• baseline: *1darray* Self-explanatory.

$3.5.13 \quad fit.calc_R2(y, y_c)$

Computes the R-squared coefficient of a linear regression as:

$$R^{2} = 1 - \frac{\sum (y - \langle y \rangle)^{2}}{\sum (y - y_{c})^{2}}$$

Parameters:

- y: 1darray Experimental data
- y_c: *1darray* Calculated data

Returns:

• R2: float
R-squared coefficient

3.5.14 fit.calc fit lines(ppm scale, limits, t AQ, SFO1, o1p, N, V, C=False)

Given the values extracted from a fit input/output file, calculates the signals, the total fit function, and the baseline.

Parameters:

- ppm_scale: 1darray
 PPM scale of the spectrum
- limits: *tuple* (left, right) in ppm
- t_AQ: 1darray
 Acquisition timescale
- SFO1: *float*Larmor frequency of the nucleus /ppm
- o1p: float
 Pulse carrier frequency /ppm
- N: *int* Size of the final spectrum.
- V: 2darray
 Matrix containing the values to build the signals.
- C: *1darray*Baseline polynomion coefficients. False to not use the baseline

- sgn: *list* Voigt signals built using V
- Total: *1darray* sum of all the sgn
- baseline: *1darray*Polynomion built using C. False if C is False.

3.5.15 fit.dic2mat(dic, peak names, ns, A=None)

This is used to make the matrix of the parameters starting from a dictionary like the one produced by l. The column of the total intensity is not added, unless the parameter 'A' is passed. In this case, the third column (which is the one with the relative intesities) is corrected using the function molfrac.

Parameters:

• dic : dict input dictionary

• peak_names : *list* list of the parameter entries to be looked for

• ns: int number of signals to unpack

• A: float or None Total intensity.

Returns:

• V : 2darray
Matrix containing the parameters.

3.5.16 fit.f_t1(t, A, B, T1)

Function that models the buildup of magnetization due to T1 relaxation:

$$f(t) = A(1 - e^{-t/T_1}) + B$$

3.5.17 fit.f_t2(t, A, B, T2)

Function that models the decay of magnetization due to T2 relaxation

$$f(t) = Ae^{-t/T_2} + B$$

3.5.18 fit.fit_int(y, y_c)

Computes the optimal intensity and intercept of a linear model in the least squares sense. Let y be the experimental data and y_c the model, and let $\langle w \rangle$ the mean of variable w. Then:

$$A = \frac{\langle y_c y \rangle - \langle y_c \rangle \langle y \rangle}{\langle y_c^2 \rangle - \langle y_c \rangle^2}$$

$$q = \frac{\langle y_c \rangle^2 \langle y \rangle - \langle y_c \rangle \langle y_c y \rangle}{\langle y_c^2 \rangle - \langle y_c \rangle^2}$$

Parameters:

- y: 1darray Experimental data
- y_c: *1darray* Model data

- A: float
 Optimized intensity
- q: *float* Optimized intercept

$3.5.19 \quad fit.gaussian_fit(x,\,y,\,s_in{=}None)$

Fit 'y' with a gaussian function, built using 'x' as independent variable

Parameters:

- x : 1darray x-scale
- y : 1darray data to be fitted

- ullet u : float mean
- s : *float* standard deviation
- A : float Integral

$3.5.20 \quad \text{fit.gen_iguess} (x, experimental, param, model, model_args=[], sens0=1)$

GUI for the interactive setup of a Parameters object to be used in a fitting procedure. Once you initialized the Parameters object with the name of the parameters and a dummy value, you are allowed to set the value, minimum, maximum and vary status through the textboxes given in the right column, and see their effects in real time. Upon closure of the figure, the Parameters object with the updated entries is returned.

Keybinding:

- '>': increase sensitivity
- '<': decrease sensitivity
- 'up': increase value
- 'down': decrease value
- 'left': change parameter
- 'right': change parameter
- 'v': change 'vary' status
- 'z': toggle automatic zoom adjustment

Parameters:

- x: 1darray
 Independent variable
- experimental: *1darray*The objective values you are trying to fit
- param: *lmfit.Parameters Object* Initialized parameters object
- model: function Function to be used for the generation of the fit model. Param must be the first argument.
- model_args: *list*List of args to be passed to model, after param
- sens0: *float*Default sensitivity for the change of the parameters with the mouse

Returns:

• param: *lmfit.Parameters Object* Updated Parameters Object

$3.5.21 \quad \text{fit.gen_iguess_2D(ppm_f1, ppm_f2, tr1, tr2, u1, u2, acqus, fwhm0=100 procs=None)}$

Generate the initial guess for the fit of a 2D signal. The employed model is the one of a 2D Voigt signal, acquired with the States-TPPI scheme in the indirect dimension (i.e. sim.t_2DVoigt). The program allows for the inclusion of up to 10 components for the signal, in order to improve the fit. The acqus dictionary must contain the following keys:

- t1: acquisition timescale in the indirect dimension (States)
- t2: acquisition timescale in the direct dimension
- SFO1: Larmor frequency of the nucleus in the indirect dimension
- SFO2: Larmor frequency of the nucleus in the direct dimension
- o1p: carrier position in the indirect dimension /ppm
- o2p: carrier position in the direct dimension /ppm

The signals will be processed according to the values in the procs dictionary, if given; otherwise, they will be just zero-filled up to the data size (i.e. (len(ppm_f1), len(ppm_f2))).

Parameters:

- ppm_f1: *1darray* ppm scale for the indirect dimension
- ppm_f2: *1darray* ppm scale for the direct dimension
- tr1: 1darray
 Trace of the original 2D peak in the indirect dimension
- tr2: 1darray
 Trace of the original 2D peak in the direct dimension
- u1: float
 Chemical shift of the original 2D peak in the indirect dimension /ppm
- u2: float
 Chemical shift of the original 2D peak in the direct dimension /ppm
- acqus: *dict*Dictionary of acquisition parameters
- fwhm0: float
 Initial value for FWHM in both dimensions
- procs: *dict*Dictionary of processing parameters

- final_parameters: 2darray
 Matrix of dimension (# signals, 6) that contains, for each row: v1(Hz), v2(Hz), fwhm1(Hz),
 fwhm2(Hz), A, x_g
- fit_interval: tuple of tuple Fitting window. ((left_f1, right_f1), (left_f2, right_f2))

3.5.22 fit.get region(ppmscale, S, rev=True)

Interactively select the spectral region to be fitted. Returns the border ppm values.

Parameters:

- ppmscale: *1darray*The ppm scale of the spectrum
- S: *1darray*The spectrum to be trimmed
- rev: bool
 Choose if to reverse the ppm scale and data (True) or not (False).

- left: *float*Left border of the selected spectral window
- right: *float*Right border of the selected spectral window

3.5.23 fit.histogram(data, nbins=100, density=True, f_lims=None, xla-bel=None, x_symm=False, barcolor='tab:blue', fontsize=10, name=Nonext='tiff', dpi=600)

Computes an histogram of 'data' and tries to fit it with a gaussian lineshape. The parameters of the gaussian function are calculated analytically directly from 'data' using 'scipy.stats.norm'

Parameters:

• data : ndarray the data to be binned

• nbins : *int* number of bins to be calculated

• density : bool

True for normalize data

• f_lims: tuple or None limits for the x axis of the figure

• xlabel : str or None
Text to be displayed under the x axis

• x_symm : bool set it to True to make symmetric x-axis with respect to 0

• barcolor: strColor of the bins

• fontsize: *float*Biggest fontsize in the figure

• name : str name for the figure to be saved

• ext: strFormat of the image

• dpi: *int*Resolution of the image in dots per inches

Returns:

• m : float Mean of data

• s: float
Standard deviation of data.

3.5.24 fit.integrate(ppm0, data0,
$$X_label='\$$$
 delta $,\$F1/ppm')$

Allows interactive integration of a NMR spectrum through a dedicated GUI. Returns the values as a dictionary, where the keys are the selected regions truncated to the 2nd decimal figure. The returned dictionary contains pre-defined keys, as follows:

- total: total integrated area
- ref pos: location of the reference peak /ppm1:ppm2
- ref int: absolute integral of the reference peak
- ref_val: for how many nuclei the reference peak integrates

The absolute integral of the x-th peak, I_x , must be calculated according to the formula:

$$I_x = I_x^{(\text{relative})} \cdot \text{ref_int/ref_val}$$

Parameters:

- ppm: *1darray* PPM scale of the spectrum
- data: *1darray* Spectrum to be integrated.
- X_label: strLabel of the x-axis

Returns:

• f_vals: dict
Dictionary containing the values of the integrated peaks.

3.5.25 fit.integrate_2D(ppm_f1, ppm_f2, data, SFO1, SFO2, fwhm_1=200, fwhm_2=200, utol_1=0.5, utol_2=0.5, plot_result=False)

Function to select and integrate 2D peaks of a spectrum, using dedicated GUIs. Calls integral_2D to do the dirty job.

Parameters:

- ppm_f1: *1darray* PPM scale of the indirect dimension
- ppm_f2: *1darray* PPM scale of the direct dimension
- data: 2darray real part of the spectrum
- SFO1: float
 Larmor frequency of the nucleus in the indirect dimension
- SFO2: float
 Larmor frequency of the nucleus in the direct dimension
- fwhm_1: float Starting FWHM /Hz in the indirect dimension
- fwhm_2: float Starting FWHM /Hz in the direct dimension
- utol_1: float
 Allowed tolerance for u_1 during the fit. (u_1-utol_1, u_1+utol_1)
- utol_2: float Allowed tolerance for u_2 during the fit. (u_2-utol_2, u_2+utol_2)
- plot_result: bool

 True to show how the program fitted the traces.

Returns:

• I: dict Computed integrals. The keys are '<ppm f1>:<ppm f2>' with 2 decimal figures.

3.5.26 fit.interactive smoothing(x, y, cmap='RdBu')

Interpolate the given data with a 3rd-degree spline. Type the desired smoothing factor in the box and see the outcome directly on the figure. When the panel is closed, the smoothed function is returned.

Parameters:

- x: 1darray
 Scale of the data
- y: *1darray*Data to be smoothed
- \bullet cmap: strName of the colormap to be used to represent the weights

- sx: *1darray*Location of the spline points
- sy: 1darray
 Smoothed y
- s_f: *float*Employed smoothing factor for the spline
- weights: *1darray* Weights vector

3.5.27 fit.join par(filenames, ppm scale, joined name=None)

Load a series of parameters fit files. Join them together, returning a unique array of signal parameters, a list of coefficients for the baseline, and a list of tuples for the regions. Also, uses the coefficients and the regions to directly build the baseline according to the ppm windows.

Parameters:

• filenames: *list*List of directories of the input files.

• ppm_scale: *1darray* ppm scale of the spectrum. Used to build the baseline

• joined_name: str or None

If it is not None, concatenates the files in the list 'filenames' and saves them in a single file
named 'joined name'.

Returns:

• V: 2darray
Array of joined signal parameters

• C: *list*Parameters coefficients. No baseline corresponds to False.

• L: *list*List of window regions.

• baseline: *1darray*Baseline built from C and L.

3.5.28 fit.make_iguess(S_in, ppm_scale, t_AQ, SFO1=701.125, o1p=0, filename='i guess')

Creates the initial guess for a lineshape deconvolution fitting procedure, using a dedicated GUI. The GUI displays the experimental spectrum in black and the total function in blue. First, select the region of the spectrum you want to fit by focusing the zoom on it using the lens button. Then, use the '+' button to add components to the spectrum. The black column of text under the textbox will be colored with the same color of the active peak. Use the mouse scroll to adjust the parameters of the active peak. Write a number in the 'Group' textbox to mark the components of the same multiplet. Group 0 identifies independent peaks, not part of a multiplet (default). The sensitivity of the mouse scroll can be regulated using the 'up arrow' and 'down arrow' buttons. The active peak can be changed in any moment using the slider.

When you are satisfied with your fit, press 'SAVE' to write the information in the output file. Then, the GUI is brought back to the initial situation, and the region you were working on will be marked with a green rectangle. You can repeat the procedure as many times as you wish, to prepare the guess on multiple spectral windows.

Keyboard shortcuts:

- 'increase sensitivity' : '>'
- 'decrease sensitivity' : '<'
- mouse scroll up: 'up arrow key'
- mouse scroll down: 'down arrow key'
- 'add a component': '+'
- 'remove the active component': '-'
- 'change component, forward': 'page up'
- 'change component, backward': 'page down'

- S_in: 1darray Experimental spectrum
- ppm_scale: 1darray
 PPM scale of the spectrum
- t_AQ: 1darray
 Acquisition timescale
- SFO1: float Nucleus Larmor frequency /MHz
- o1p: float
 Carrier frequency /ppm
- filename: strPath to the filename where to save the information. The '.ivf' extension is added automatically.

3.5.29 fit.make_iguess_P2D(S_in, ppm_scale, expno, t_AQ, SFO1=701.125, o1p=0, filename='i guess')

Creates the initial guess for a lineshape deconvolution fitting procedure of a pseudo-2D experiment, using a dedicated GUI. It will be done on only one experiment of the whole pseudo-2D. The GUI displays the experimental spectrum in black and the total function in blue. First, select the region of the spectrum you want to fit by focusing the zoom on it using the lens button. Then, use the '+' button to add components to the spectrum. The black column of text under the textbox will be colored with the same color of the active peak. Use the mouse scroll to adjust the parameters of the active peak. Write a number in the 'Group' textbox to mark the components of the same multiplet. Group 0 identifies independent peaks, not part of a multiplet (default). The sensitivity of the mouse scroll can be regulated using the 'up arrow' and 'down arrow' buttons. The active peak can be changed in any moment using the slider.

When you are satisfied with your fit, press 'SAVE' to write the information in the output file. Then, the GUI is brought back to the initial situation, and the region you were working on will be marked with a green rectangle. You can repeat the procedure as many times as you wish, to prepare the guess on multiple spectral windows.

Keyboard shortcuts:

- 'increase sensitivity' : '>'
- \bullet 'decrease sensitivity' : '<'
- mouse scroll up: 'up arrow key'
- mouse scroll down: 'down arrow key'
- 'add a component': '+'
- 'remove the active component': '-'
- 'change component, forward': 'page up'
- 'change component, backward': 'page down'

- S_in: 2darray Experimental spectrum
- ppm_scale: 1darray PPM scale of the spectrum
- \bullet expno: int Index of experiment of the pseudo 2D on which to compute the initial guess, in python numbering
- t_AQ: 1darray Acquisition timescale
- SFO1: float
 Nucleus Larmor frequency /MHz
- o1p: float Carrier frequency /ppm
- filename: strPath to the filename where to save the information. The '.ivf' extension is added automatically.

3.5.30 fit.make iguess auto(ppm, data, SW, SFO1, o1p, filename='iguess')

GUI to create a .ivf file, used as initial guess for Voigt_Fit. The computation of the peak positions and linewidths employs scipy.signal.find_peaks and scipy.signal.peak_widths, respectively. In addition, peak features may be added manually by clicking with the left button twice. Unwanted features can be removed with right clicks. If the FWHM of a peak cannot be computed automatically, a dummy FWHM of 1 Hz is assigned automatically. The file <filename>.ivf is written upon pressing the SAVE button. Press Z to activate/deactivate the cursor snap.

Parameters:

• ppm: *1darray* PPM scale of the spectrum

• data: *1darray* real part of the spectrum to fit

• SW: float Spectral width /Hz

• SFO1: float
Nucleus Larmor Frequency /MHz

• o1p: float Carrier position /ppm

 \bullet filename: str Path to the file where to save the initial guess. The .ivf extension is added automatically.

3.5.31 fit.make_signal(t, u, s, k, x_g, phi, A, SFO1=701.125, o1p=0, N=None)

Generates a voigt signal on the basis of the passed parameters in the time domain. Then, makes the Fourier transform and returns it.

Parameters:

- t : ndarray acquisition timescale
- u : *float* chemical shift /ppm
- s : *float* full-width at half-maximum /Hz
- k : float relative intensity
- x_g : *float* fraction of gaussianity
- phi : *float* phase of the signal, in degrees
- A: float total intensity
- SFO1 : float Larmor frequency /MHz
- o1p : float pulse carrier frequency /ppm
- N: int or None length of the final signal. If None, signal is not zero-filled before to be transformed.

Returns:

• sgn : *1darray* generated signal in the frequency domain

3.5.32 fit.peak pick(ppm f1, ppm f2, data, coord filename='coord.tmp')

Make interactive peak_picking. The position of the selected signals are saved in coord_filename. If coord_filename already exists, the new signals are appended at its bottom: nothing is overwritten. Calls misc.select_traces for the selection.

Parameters:

- ppm_f1: *1darray* ppm scale for the indirect dimension
- ppm_f2: *1darray* ppm scale for the direct dimension
- data: 2darray Spectrum to peak-pick. The dimension should match the scale sizes.
- coord_filename: str
 Path to the file where to save the peak coordinates

Returns:

• coord: *list*List of (u2, u1) for each peak

3.5.33 fit.plot_fit(S, ppm_scale, regions, t_AQ, SFO1, o1p, show_total=False, show_res=False, res_offset=0, X_label='\$ delta\$ /ppm', labels=None, filename='fit', ext='tiff', dpi=600)

Plots either the initial guess or the result of the fit, and saves all the figures. Calls fit.plot_fit. The figure <filename>_full will show the whole model and the whole spectrum. The figures labelled with $_R< k>$ will depict a detail of the fit in the k-th fitting region. Optional labels for the components can be given: in this case, the structure of 'labels' should match the structure of 'regions'. This means that the length of the outer list must be equal to the number of fitting region, and the length of the inner lists must be equal to the number of peaks in that region.

- S: *1darray*Spectrum to be fitted
- ppm_scale: *1darray* ppm scale of the spectrum
- regions: dict Generated by fit.read_vf
- t_AQ: 1darray Acquisition timescale
- SFO1: *float*Larmor frequency of the observed nucleus, in MHz
- o1p: float
 Carrier position, in ppm
- nuc: str Observed nucleus. Used to customize the x-scale of the figures.
- show_total: bool Show the total trace (i.e. sum of all the components) or not
- show_res: bool
 Show the plot of the residuals
- res_offset: float
 Displacement of the residuals plot from 0, to be given as a fraction of the height of the experimental spectrum. res_offset > 0 will move the residuals BELOW the zero-line!
- X_label: str Text to show as label for the chemical shift axis
- labels: list of list
 Optional labels for the components. The structure of this parameter must match the structure
 of self.result
- filename: strRoot of the name of the figures that will be saved. If None, \langle self.filename \rangle is used
- ext: strFormat of the saved figures

 3.5.34 fit.plot_fit_P2D(S, ppm_scale, regions, t_AQ, SFO1, o1p, show_total= show_res=False, res_offset=0, X_label='\$ delta\$ /ppm', labels=None, filename='fit', ext='tiff', dpi=600)

Plots either the initial guess or the result of the fit, and saves all the figures. A new folder named ${\tt filename}_{\tt fit}$ will be created. The figures ${\tt filename}_{\tt full}$ will show the whole model and the whole spectrum. The figures labelled with ${\tt R}<\tt k>$ will depict a detail of the fit in the k-th fitting region. Optional labels for the components can be given: in this case, the structure of 'labels' should match the structure of 'regions'. This means that the length of the outer list must be equal to the number of fitting region, and the length of the inner lists must be equal to the number of peaks in that region.

- S: 2darray
 Spectrum to be fitted
- ppm_scale: *1darray* ppm scale of the spectrum
- regions: *list of dict*Generated by fit.read vf P2D
- t_AQ: 1darray
 Acquisition timescale
- SFO1: float
 Larmor frequency of the observed nucleus, in MHz
- o1p: float
 Carrier position, in ppm
- \bullet nuc: str Observed nucleus. Used to customize the x-scale of the figures.
- show_total: bool
 Show the total trace (i.e. sum of all the components) or not
- show_res: bool
 Show the plot of the residuals
- res_offset: float
 Displacement of the residuals plot from 0, to be given as a fraction of the height of the experimental spectrum. res_offset> 0 will move the residuals BELOW the zero-line!
- X_label: str
 Text to show as label for the chemical shift axis
- labels: list of list
 Optional labels for the components. The structure of this parameter must match the structure
 of self.result
- filename: strRoot of the name of the figures that will be saved.

 \bullet ext: str

Format of the saved figures

 \bullet dpi: int

Resolution of the figures, in dots per inches

3.5.35 fit.polyn_basl(y, n=5, method='huber', s=0.2, c_i=None, itermax=1000)

Fit the baseline of a spectrum with a low-order polynomion using a non-quadratic objective function. Let y be an array of N points. The polynomion is generated on a normalized scale that goes from -1 to 1 in N steps, and the coefficients are initialized either from outside through the parameter $\mathtt{c_i}$ or with the ordinary least squares fit. Then, the guess is refined using the objective function of choice employing the trust-region reflective least-squares algorithm.

Parameters:

- y: 1darray
 Experimental data
- n: intOrder of the polynomion + 1, i.e. number of coefficients
- method: str Objective function of choice. 'q': quadratic, 'tq': truncated quadratic, 'huber': Huber, 'atq': asymmetric truncated quadratic, 'ahuber': asymmetric huber
- s: float
 Relative threshold value for the non-quadratic behaviour of the objective function
- c_i: sequence or None Initial guess for the polynomion coefficient. If None, the least-squares fit is used
- itermax: *int*Number of maximum iterations

Returns:

- px: *1darray*Fitted polynomion
- c: *list* Set of coefficients of the polynomion

3.5.36 fit.print_par(V, C, limits=[None, None])

Prints on screen the same thing that write par writes in a file.

- V : 2darray matrix (# signals, parameters)
- C: 1darray or False

 Coefficients of the polynomion to be used as baseline correction. If the 'baseline' checkbox in the interactive figure panel is not checked, C_f is False.
- limits: tuple or None
 Trim limits for the spectrum (left, right). If None, the whole spectrum is used.

3.5.37 fit.read par(filename)

Reads the input file of the fit and returns the values.

Parameters:

 \bullet filename: str directory and name of the input file to be read

Returns:

- V : 2darray matrix (# signals, parameters)
- C: 1darray or False

 Coefficients of the polynomion to be used as baseline correction. If the 'baseline' checkbox in the interactive figure panel is not checked, C f is False.
- limits: tuple or None
 Trim limits for the spectrum (left, right). If None, the whole spectrum is used.

3.5.38 fit.read vf(filename, n=-1)

Reads a .ivf (initial guess) or .fvf (final fit) file, containing the parameters for a lineshape deconvolution fitting procedure. The file is separated and unpacked into a list of dictionaries, each of which contains the limits of the fitting window, the total intensity value, and a dictionary for each peak with the characteristic values to compute it with a Voigt line.

Parameters:

- filename: strPath to the filename to be read
- n: *int*Number of performed fit to be read. Default: last one. The breakpoints are lines that start with '!'. For this reason, n=0 returns an empty dictionary, hence the first fit is n=1.

Returns:

• regions: *list*List of dictionaries for running the fit.

3.5.39 fit.read vf P2D(filename, n=-1)

Reads a .ivf (initial guess) or .fvf (final fit) file, containing the parameters for a lineshape deconvolution fitting procedure of a Pseudo-2D experiment. The file is separated and unpacked into a list of list of dictionaries, each of which contains the limits of the fitting window, and a dictionary for each peak with the characteristic values to compute it with a Voigt line.

Parameters:

- filename: strPath to the filename to be read
- n: *int*Number of performed fit to be read. Default: last one. The breakpoints are lines that start with '!'. For this reason, n=0 returns an empty dictionary, hence the first fit is n=1.

Returns:

• regions: *list of list of dict*List of dictionaries for running the fit.

3.5.40 fit.smooth_spl(x, y, s_f=1, size=0, weights=None)

Fit the input data with a 3rd-order spline, given the smoothing factor to be applied.

Parameters:

- x: 1darray
 Location of the experimental points
- y: 1darray Input data to be fitted
- s_f: float Smoothing factor of the spline. 0=best straight line, 1=native spline.
- size: *int*Size of the spline. If size=0, the same dimension as y is chosen.

Returns:

- x_s: 1darray Location of the spline data points.
- y_s: 1darray
 Spline that fits the data.

3.5.41 fit.test correl(data, subtract mean=True)

Tests an array of residuals for their correlation. It compares the unit-lag autocorrelation P of the data (see below) with the theoretical value for non-correlated data T_P :

$$P = \sum_{i=1}^{N-1} r_i r_{i+1} \quad ; \quad T_P = \frac{1}{\sqrt{N-1}} \sum_{i=1}^{N-1} r_i^2$$

If $P < T_P$, the residuals are not correlated, and the result is True.

Parameters:

- data: *1darray*Residuals to be test
- subtract_mean: bool
 If True, subtracts from the residuals their mean.

Returns:

• test: bool

True if the residuals are non correlated, False otherwise

3.5.42 fit.test ks(data, thresh=0.05)

Performs the Kolmogorov-Smirnov test on the residuals to check if they are drawn from a normal distribution. The implementation is scipy.stats.kstest. The result is True if the residuals are Gaussian.

Parameters:

• data: *1darray* Residuals to test

• thresh: float Significance level for the test. Default is 5%

Returns:

• test: bool

True if the residuals are Gaussian, False otherwise

3.5.43 fit.test randomsign(data, thresh=1.96)

Test an array of residuals for the randomness of the sign changes. The result it True if the sequence is recognized as random.

Parameters:

• data: *1darray* Residuals to test

• thresh: float Significance level. The default is 1.96, which corresponds to 5% significance level.

Returns:

• test: bool

True if the signs are random, False otherwise

3.5.44 fit.test residuals(res, alpha=0.05)

Tests an array of residuals for their randomness, correlation, and underlying distribution. To do this, it uses the functions 'fit.test_randomsign', 'fit.test_correl', 'fit.test_ks'. The results of the tests will be print in standard output and returned.

Parameters:

• res: *ndarray*Residuals to be tested

• alpha: *float* Significance level

Returns:

• test_random: bool
Randomness of the residuals (True = random)

• test_correlation: bool Correlation of the residuals (True = non-correlated)

• test_gaussian: bool Normal-distribution of the residuals (True = normally-distributed) 3.5.45 fit.voigt_fit(S, ppm_scale, V, C, t_AQ, limits=None, SFO1=701.125, o1p=0, utol=0.5, vary_phi=False, vary_xg=True, hist_name=None, write out='fit.out', test_res=True)

Fits an NMR spectrum with a set of signals, whose parameters are specified in the V matrix. There is the possibility to use a baseline through the parameter C. The signals are computed in the time domain and then Fourier transformed.

Parameters:

- S: 1darray
 Spectrum to be fitted
- ppm_scale : 1darray Self-explanatory
- V : 2darray matrix (# signals, parameters)
- C: 1darray or False
 Coefficients of the polynomion to be used as baseline correction. If it is False, the baseline correction is not used.
- t_AQ : 1darray
 Acquisition timescale
- limits: tuple or None
 Trim limits for the spectrum (left, right). If None, the whole spectrum is used.
- SFO1: float Larmor frequency /MHz
- o1p: float pulse carrier frequency /ppm
- utol: float tolerance for the chemical shift. The peak center can move in the range $[\mu utol, \mu + utol]$.
- vary_xg: bool

 If it is False, the parameter x_g cannot be varied during the fitting procedure. Useful when fitting with pure Gaussians or pure Lorentzians.
- vary_basl: bool

 If it is False, the baseline is kept fixed at the initial parameters.

Returns:

- C_f: 1darray or False
 Coefficients of the polynomion to be used as baseline correction, or just False if not used.
- V_f: 2darray matrix (# signals, parameters) after the fit
- result : $lmfit.fit_result\ Object$ container of all information on the fit

 $3.5.46 \quad \text{fit.voigt_fit_2D}(x_scale, y_scale, data, parameters, \lim_f1, \lim_f2, \\ \quad \text{acqus}, N=None, \text{procs}=None, \text{utol}=(1,1), \text{s1tol}=(0,500), \text{s2tol}=(0,500), \\ \quad \text{vary_xg}=\text{False}, \text{logfile}=\text{None})$

Function that performs the fit of a 2D peak using multiple components. The program reads a parameter matrix, that contains:

u1 /ppm, u2 /ppm, fwhm1 /Hz, fwhm2 /Hz, I /a.u., x_g

in each row. The number of rows corresponds to the number of components used for the computation of the final signal. The function returns the analogue version of the parameters matrix, but with the optimized values.

- x_scale: 1darray ppm f2 of the spectrum, full
- y_scale: 1darray ppm_f1 of the spectrum, full
- data: 2darray spectrum, full
- parameters: 1darray or 2darray
 Matrix (# signals, 6). Read main caption.
- lim_f2: tuple
 Trimming limits for x scale
- lim_f1: tuple
 Trimming limits for y scale
- acqus: *dict*Dictionary of acquisition parameters.
- N: tuple of ints len(x_scale). Used only if procs is None
- procs: *dict*Dictionary of processing parameters.
- utol: tuple of floats
 Tolerance for the chemical shifts (utol_f1, utol_f2). Values will be set to $u_1 \pm utol_f1$, $u_2 \pm utol_f2$.
- s1tol: tuple of floats
 Range of variations for the fwhm in f1, in Hz
- s2tol: tuple of floats
 Range of variations for the fwhm in f2, in Hz
- vary_xg: boolChoose if to fix the x_q value or not
- logfile: $str\ or\ None$ Path to a file where to write the fit information. If it is None, they will be printed into standard output.

Returns:

• out_parameters: 2darray parameters, but with the optimized values.

3.5.47 fit.voigt_fit_P2D(S, ppm_scale, regions, t_AQ, SFO1, o1p, u_tol=1, f_tol=10, vary_phase=False, vary_xg=False, itermax=10000, file-name='fit')

Performs a lineshape deconvolution fit on a Pseudo-2D experiment using a Voigt model. The initial guess must be read from a .ivf file. All components are treated as independent, regardless from the value of the 'group' attribute. The fitting procedure operates iteratively one window at the time. During the fit routine, the peak positions and lineshapes will be varied consistently on all the experiments; only the intensities are allowed to change in a different way.

Parameters:

• S: 2darray Experimental spectrum

• ppm_scale: 1darray
PPM scale of the spectrum

• regions: *list of dict* Generated by fit.read vf P2D

• t_AQ: 1darray
Acquisition timescale

• SFO1: float Nucleus Larmor frequency /MHz

• o1p: float Carrier frequency /ppm

• u_tol: *float*Maximum allowed displacement of the chemical shift from the initial value /ppm

• f_tol: *float*Maximum allowed displacement of the linewidth from the initial value /ppm

• vary_phase: bool
Allow the peaks to change phase

• vary_xg: bool
Allow the peaks to change Lorentzian/Gaussian ratio

• itermax: *int*Maximum number of allowed iterations

• filename: strName of the file where the fitted values will be saved. The .fvf extension is added automatically

3.5.48 fit.voigt_fit_indep(S, ppm_scale, regions, t_AQ, SFO1, o1p, u_tol=1, f_tol=10, vary_phase=False, vary_xg=True, filename='fit')

Performs a lineshape deconvolution fit using a Voigt model. The initial guess must be read from a .ivf file. All components are treated as independent, regardless from the value of the 'group' attribute. The fitting procedure operates iteratively one window at the time.

- S: *1darray*Experimental spectrum
- ppm_scale: 1darray PPM scale of the spectrum
- regions: dict Generated by fit.read vf
- t_AQ: 1darray
 Acquisition timescale
- SFO1: float Nucleus Larmor frequency /MHz
- o1p: float
 Carrier frequency /ppm
- u_tol: *float*Maximum allowed displacement of the chemical shift from the initial value /ppm
- f_tol: *float*Maximum allowed displacement of the linewidth from the initial value /ppm
- vary_phase: bool
 Allow the peaks to change phase
- vary_xg: bool Allow the peaks to change Lorentzian/Gaussian ratio
- ullet filename: strName of the file where the fitted values will be saved. The .fvf extension is added automatically

3.5.49 fit.write_log(input_file, output_file, limits, V_i, C_i, V_f, C_f, result, runtime, test_res=True, log_file='fit.log')

Write a log file with all the information of the fit.

- input_file: str Location and filename of the input file
- output_file: strLocation and filename of the output file
- limits: *tuple*Delimiters of the spectral region that was fitted. (left, right)
- V_i: 2darray Initial parameters of the fit
- C_i: 1darray or False
 Coefficients of the starting polynomion used for baseline correction. If False, it was not used.
- V_f: 2darray Final parameters of the fit
- C_f: 1darray or False
 Coefficients of the final polynomion used for baseline correction. If False, it was not used.
- result: *lmfit.FitResult Object*Object returned by lmfit after the fit.
- runtime: datetime.datetime Object Time taken for the fit
- test_res: bool
 Choose if to test the residual with the fit.test residual function (True) or not (False)
- log_file: strFilename of the log file to be saved.

3.5.50 fit.write par(V, C, limits, filename='i guess.inp')

Write the parameters of the fit, whether they are input or output.

- V : 2darray matrix (# signals, parameters)
- C: 1darray or False
 Coefficients of the polynomion to be used as baseline correction. If the 'baseline' checkbox in the interactive figure panel is not checked, C_f is False.
- limits: *tuple*Trim limits for the spectrum (left, right).
- filename: str directory and name of the file to be written

3.5.51 fit.write_vf(filename, peaks, lims, I)

Write a section in a fit report file, which shows the fitting region and the parameters of the peaks to feed into a Voigt lineshape model.

Parameters:

 \bullet filename: strPath to the file to be written

• peaks: *dict* Dictionary of fit.Peak objects

• lims: *tuple* (left limit /ppm, right limit /ppm)

• I: *float*Absolute intensity value

3.5.52 fit.write vf P2D(filename, peaks, lims, prev=0)

Write a section in a fit report file, which shows the fitting region and the parameters of the peaks to feed into a Voigt lineshape model.

Parameters:

• filename: strPath to the file to be written

• peaks: *list of dict*list of dictionares of fit.Peak objects, one per experiment

• lims: tuple (left limit /ppm, right limit /ppm)

• prev: *int*Number of previous peaks already saved. Increases the peak index

3.6 SPECTRA package

All the classes in the Spectra module are automatically imported together with klassez itself. Refer to the examples reported in the *User guide* section to understand how to use them, or use the functions help(), vars(), dir() to get detailed info on how they exactly work.

3.6.1 Spectra.Pseudo 2D

class

Subclass of Spectrum_2D to simulate and handle pseudo-2D experiments. Basically, they share more or less the same attributes, but some methods were adapted in order to suit well with a not-Fourier-transformed indirect dimension.

Attributes:

- datadir: *str*Path to the input file/dataset directory
- \bullet filename: str Base of the name of the file, without extensions
- fid: 2darray
 FID. For simulated data, this must be explicitely set!
- acqus: *dict*Dictionary of acqusition parameters
- ngdic: dict Created only if it is an experimental spectrum. Generated by nmrglue.bruker.read, contains all the information on the spectrometer and on the spectrum.
- procs: *dict*Dictionary of processing parameters
- S: 2darray
 Complex spectrum
- rr: 2darray Real part F2, real part F1
- ii: 2darray Imaginary part F2, imaginary part F1
- freq_f1: 1darray
 Indeces of the experiments, works as placeholder
- freq_f2: 1darray
 Frequency scale of the direct dimension, in Hz
- ppm_f1: *1darray*Indeces of the experiments, works as placeholder
- ppm_f2: *1darray* ppm scale of the direct dimension
- trf1: dict
 Projections of the indirect dimension, as 1darrays. Keys: 'ppm f2' where they were taken

- trf2: dict
 Projections of the direct dimension, as 1darrays. Keys: 'ppm f1' where they were taken
- Trf1: dict Projections of the indirect dimension, as pSpectrum_1D objects. Keys: 'ppm_f2' where they were taken
- Trf2: dict Projections of the direct dimension, as pSpectrum_1D objects. Keys: 'ppm_f1' where they were taken
- integrals: *dict*Dictionary where to save the regions and values of the integrals.
- F: fit. Voigt_Fit_P2D object Interface for lineshape deconvolution.

Methods:

__init__(self, in_file, pv=False, isexp=True)

Initialize the class.

Parameters:

- in_file: str
 path to file to read, or to the folder of the spectrum
- pv: bool

 True if you want to use pseudo-voigt lineshapes for simulation, False for Voigt
- isexp: bool

 True if this is an experimental dataset, False if it is simulated

add noise(self, s n=1)

Adds noise to the FID, using the function sim.noisegen.

Parameters:

• s_n: *float* Standard deviation of the noise

adjph(self, expno=0, p0=None, p1=None, pv=None, update=True)

Adjusts the phases of the spectrum according to the given parameters, or interactively if they are left as default.

- expno: *int*Index of the experiment (python numbering) to use in the interactive panel
- p0: float or None 0-th order phase correction /°
- p1: float or None 1-st order phase correction /°
- pv: float or None 1-st order pivot /ppm
- update: *bool*Choose if to upload the procs dictionary or not

align(self, lims=None, u off=0.5, ref idx=0)

Aligns the spectrum to a reference signal in the reference spectrum (default: first one).

Parameters:

- lims: tuple or None
 Reference signal region, in ppm. If None, you can select it interactively.
- u_off: *float*Maximum displacement allowed, in ppm
- ref_idx: int
 Index of the spectrum to be used as a reference (python numbering)

basl(self, from procs=False, phase=True)

Apply baseline correction to the whole pseudo-2D by subtracting self.baseline from self.S. Then, self.S is unpacked in self.rr and self.ii.

Parameters:

- from _procs: bool If True, computes the baseline using the polynomion model reading self.procs['basl_c'] as coefficients
- phase: bool
 Choose if to apply the same phase correction of the spectrum to the baseline. This should be
 done if the baseline was computed before the phase adjustment!

cal(self, offset=None, isHz=False, update=True)

Calibration of the ppm and frequency scales according to a given value, or interactively. In this latter case, a reference peak must be chosen. Calls processing.calibration

• offset: float scale shift F2

• isHz: tuple of bool

True if offset is in frequency units, False if offset is in ppm

• update: bool

Choose if to update the procs dictionary or not

calf1(self, value=None, isHz=False)

Calibrates the ppm and frequency scale of the indirect dimension according to a given value, or interactively. Calls self.cal on F1 only.

Parameters:

• value: float or None scale shift value

• isHz: bool

True if offset is in frequency units, False if offset is in ppm

calf2(self, value=None, isHz=False)

Calibrates the ppm and frequency scale of the direct dimension according to a given value, or interactively. Calls self.cal on F2 only

Parameters:

• value: float or None scale shift value

• isHz: bool

True if offset is in frequency units, False if offset is in ppm

convdta(self, scaling=1)

Calls processing.convdta

eae(self)

Calls processing. EAE to shuffle the data and make a States-like FID. Sets self.eaeflag to 0.

integrate(self, which=0, lims=None)

Integrate the spectrum with a dedicated GUI. Calls processing.integral on each experiment, then saves the results in self.integrals. Therefore, the entries of self.integrals are sequences! If lims is not given, calls fit.integrate on the trace to select the regions to integrate.

• which: int

Experiment index to show in interactive panel

• lims: tuple

Region of the spectrum to integrate (ppm1, ppm2)

inv process(self)

Performs the inverse processing of the spectrum according to the given parameters. Overwrites the S attribute!! Calls inv xfb.

mc(self)

Computes the magnitude of the spectrum on self.S. Then, updates rr, ri, ir, ii.

mount(self, fids=[], filename=None, newacqus=None)

Replaces the FID of the experiment with a custom one, made by stacking 1D experiments. If the default filename exists (i.e. '<self.filename>.npy'), the function loads it, otherwise calls processing.stack_fids to create it. The 'fid' attribute is overwritten. The key 'TD1' of the acqus dictionary is updated to match the first dimension of the new FID.

Parameters:

- fids: sequence of 1darray or Spectrum_1D objects
 FIDs to be stacked. It can be empty if the .npy file already exists.
- filename: str or None
 Path to the filename, without the .npy extension. If it is None, the default filename is used.
- newacqus: dict
 New acqus dictionary that replaces the actual one. If it is not a dictionary, no actions are performed.

pknl(self)

Reverses the effect of the digital filter by applying a first order phase correction. To be called after having processed the data by 'self.process()'

Plots the real part of the spectrum as a 2D contour plot.

- Neg: bool
 Plot (True) or not (False) the negative contours.
- lvl0: *float* Starting contour value.
- Y_label: str Custom label for vertical axis.

plot md(self, which=None, lims=None)

Plot a number of experiments, superimposed.

Parameters:

- which: str or None List of experiment indexes, so that eval(which) is meaningful. None plots all of them
- lims: tuple
 Region of the spectrum to show (ppm1, ppm2)

plot stacked(self, which=None, lims=None)

Plot a number of experiments, stacked.

Parameters:

- which: str or None List of experiment indexes, so that eval(which) is meaningful. None plots all of them.
- lims: tuple
 Region of the spectrum to show (ppm1, ppm2)

process(self)

Process only the direct dimension. Calls processing.fp on each transient. The parameters are read from the procs dictionary

projf1(self, a, b=None)

Calculates the sum trace of the indirect dimension, from a to b in F2. Store the trace in the dictionary trf1 and as 1D spectrum in Trf1. The key is 'a' or 'a:b' Updates the Trf1[label].freq and Trf1[label].ppm with self.freq f1 and self.ppm f1 respectively.

Parameters:

- a: float ppm F2 value where to extract the trace.
- b: float or None.

 If it is None, extract the trace in a. Else, sum from a to b in F2.

projf2(self, a, b=None)

Calculates the sum trace of the direct dimension, from a to b in F1. Store the trace in the dictionary trf2 and as 1D spectrum in Trf2. The key is 'a' or 'a:b'

- a: *float* ppm F1 value where to extract the trace.
- b: float or None.

 If it is None, extract the trace in a. Else, sum from a to b in F1.

qfil(self, which=None, u=None, s=None)

Gaussian filter to suppress signals. Tries to read self.procs['qfil'], which is { 'u': u, 's': s } Otherwise, these are set interactively by processing.interactive_qfil and then added to self.procs. Calls processing.qfil

Parameters:

- which: int or None Index of the F2 trace to be used for interactive_qfil. If None, a suitable trace can be selected using misc.select traces.
- u: float
 Position /ppm
- s: float
 Width (standard deviation) /ppm

read_procs(self, other_dir=None)

Reads the procs dictionary from a file named 'filename.procs' in the same directory of the input file.

Parameters:

• other_dir: str or None
Different location for the procs dictionary to look into. If None, self.datadir is used instead.
W! Do not put the trailing slash!

Returns:

• procs: *dict*Dictionary of processing parameters

rpbc(self, ref_exp=0, **rpbc_kws)

Computes the phase angles and the baseline using processing.rpbc on a reference spectrum taken from self.S. Then applies the phase correction and subtracts the baseline, automatically, to all experiments of the pseudo-2D. The procs dictionary is then updated and saved. The polynomial baseline is computed according to the given coefficients and stored in self.baseline

- ref_exp: int
 Index of the reference experiment on which to apply the algorithm
- rpbc_kws: keyworded arguments See processing.RPBC for details.

scan(self, ns=1, s n=1)

Simulates the acquisition of ns scans, by adding a different realization of noise at each iteration. The function is supposed to start with the FID without noise at all. If not, the results will be biased.

Parameters:

- ns: *int*Number of scans to accumulate
- s_n: *float* Standard deviation of the noise

to wav(self, filename=None, cutoff=None, rate=44100)

Converts the FID in an audio file by using misc.data2wav.

Parameters:

- filename: strPath where to save the file. If None, self.filename is used
- cutoff: *float* Clipping limits for the FID
- rate: *int* Sampling rate in samples/sec

write acqus(self, other dir=None)

Write the acqus dictionary in a file named 'filename.acqus'. Calls misc.write acqus 1D

Parameters:

• other_dir: str or None
Different location for the acqus dictionary to write into. If None, self.datadir is used instead.

write integrals(self, filename='integrals.dat')

Write the integrals in a file named filename.

• filename: str name of the file where to write the integrals.

write procs(self, other dir=None)

Writes the actual procs dictionary in a file named 'filename.procs' in the same directory of the input file.

Parameters:

• other_dir: str or None
Different location for the procs dictionary to write into. If None, self.datadir is used instead.
W! Do not put the trailing slash!

write ser(ser, acqus, path=None)

Writes a real/complex array in binary format. Calls misc.write_ser. Be sure that acqus contains the BYTORDA and DTYPA keys. See misc.write_ser to understand the meaning of these values.

Parameters:

- ser: *ndarray*Array that you want to convert in binary format.
- acqus: dict
 Dictionary of acquisition parameters. It must contain BYTORDA and DTYPA.
- path: strPath where to save the binary file.

xf1(self)

Process only the indirect dimension. Transposes the spectrum in hypermode or normally if FnMODE!= QF, then calls for processing.fp using self.procs[keys][0], finally transposes it back. The result is stored in self.S, then self.rr and self.ii are written. freq_fl and ppm_fl are assigned with the indexes of the transients.

xf2(self)

Process only the direct dimension. Calls processing.fp using procs[keys][1] The result is stored in self.S, then self.rr and self.ii are written. freq_f1 and ppm_f1 are assigned with the indexes of the transients.

3.6.2 Spectra. Spectrum 1D

class

Class: 1D NMR spectrum

Attributes:

 \bullet datadir: str

Path to the input file/dataset directory

 \bullet filename: str

Base of the name of the file, without extensions

• fid: 1darray

FID

• acqus: dict

Dictionary of acquiition parameters

• ngdic: dict

Created only if it is an experimental spectrum. Generated by nmrglue.bruker.read, contains all the information on the spectrometer and on the spectrum.

• procs: dict

Dictionary of processing parameters

• S: 1darray

Complex spectrum

• r: 1darray

Real part of the spectrum

• i: 1darray

Imaginary part of the spectrum

• freq: 1darray

Frequency scale of the spectrum, in Hz

• ppm: 1darray

ppm scale of the spectrum

• F: fit. Voigt Fit object

Used for deconvolution. See fit. Voigt fit.

• baseline: 1darray

Baseline of the spectrum.

• integrals: dict

Dictionary where to save the regions and values of the integrals.

Methods:

```
__init__(self, in_file, pv=False, isexp=True, spect='bruker')
```

Initialize the class. Simulation of the dataset (i.e. isexp=False) employs sim.sim 1D.

- in_file: str path to file to read, or to the folder of the spectrum
- pv: bool

 True if you want to use pseudo-voigt lineshapes for simulation, False for Voigt
- isexp: bool

 True if this is an experimental dataset, False if it is simulated
- spect: strData file format. Allowed: 'bruker', 'varian', 'magritek', 'oxford'

acme(self, **method_kws)

Automatic phase correction based on entropy minimization It calculates the phase angles using the algorithm specified in method, then calls self.adjph with those values.

Parameters:

• method_kws: keyworded arguments
Additional parameters for the chosen method.

add noise(self, s n=1)

Adds noise to the FID, using the function sim.noisegen.

Parameters:

• s_n: *float* Standard deviation of the noise

adjph(self, p0=None, p1=None, pv=None, update=True)

Adjusts the phases of the spectrum according to the given parameters, or interactively if they are left as default. Calls for processing.ps

- p0: float or None 0-th order phase correction /°
- p1: float or None 1-st order phase correction /°
- pv: float or None 1-st order pivot /ppm
- update: bool
 Choose if you want to update the procs dictionary or not

baseline correction(self, basl file='spectrum.basl', winlim=None)

Correct the baseline of the spectrum, according to a pre-existing file or interactively. Calls processing.baseline correction or processing.load baseline

Parameters:

- basl_file: str
 Path to the baseline file. If it already exists, the baseline will be built according to this file; otherwise this will be the destination file of the baseline.
- winlim: tuple or None Limits of the baseline. If it is None, it will be interactively set. If basl_file exists, it will be read from there. Else, (ppm1, ppm2).

basl(self, from procs=False, phase=True)

Apply the baseline correction by subtracting self.baseline from self.S. Then, self.S is unpacked in self.r and self.i

Parameters:

- from_procs: bool

 If True, computes the baseline using the polynomion model reading self.procs['basl_c'] as coefficients
- phase: bool
 Choose if to apply the same phase correction of the spectrum to the baseline. This should be done if the baseline was computed before the phase adjustment!

blp(self, pred=8, order=8, N=2048)

Call processing.blp on self.fid for the application of backward linear prediction to the data. Important for Oxford benchtop data, where you have to predict 8 points to have a usable spectrum.

Parameters:

- pred: *int*Number of points to be predicted
- order: *int*Number of coefficients to be used for the prediction
- N: int
 Number of FID points to be used for calculation; used to decrease computation time

cal(self, offset=None, isHz=False, update=True)

Calibrates the ppm and frequency scale according to a given value, or interactively. Calls processing.calibration

- offset: float or None scale shift value
- isHz: bool

True if offset is in frequency units, False if offset is in ppm

• update: bool

Choose if to update the procs dictionary or not

convdta(self, scaling=1)

Call processing.convdta using self.acqus['GRPDLY']

integrate(self, lims=None)

Integrate the spectrum with a dedicated GUI. Calls fit.integrate and writes in self.integrals with keys [ppm1:ppm2]

Parameters:

• lims: tuple
Integrates from lims[0] to lims[1]. If it is None, calls for interactive integration.

inv process(self)

Performs the inverse processing of the spectrum according to the given parameters. Overwrites the S attribute!! Calls processing.inv_fp

mc(self)

Calculates the magnitude of the spectrum and overwrites self.S, self.r, self.i

plot(self, name=None, ext='png', dpi=600)

Plots the real part of the spectrum.

Parameters:

- \bullet name: str
 - Filename for the figure. If None, it is shown instead.
- \bullet ext: str

Format of the image

 \bullet dpi: int

Resolution of the image in dots per inches

process(self, interactive=False)

Performs the processing of the FID. The parameters are read from self.procs. Calls processing.interactive_fp or processing.fp using self.acqus and self.procs Writes the result is self.S, then unpacks it in self.r and self.i Calculates frequency and ppm scales. Also initializes self.F with fit.Voigt_Fit class using the current parameters

Parameters:

• interactive: bool

True if you want to open the interactive panel, False to read the parameters from self.procs.

qfil(self, u=None, s=None)

Gaussian filter to suppress signals. Tries to read self.procs['qfil'], which is { 'u': u, 's': s } Otherwise, these are set interactively by processing.interactive_qfil and then added to self.procs. Calls processing.qfil

Parameters:

- u: *float*Position of the filter /ppm
- s: float
 Width (standard deviation) of the filter /ppm

read procs(self, other dir=None)

Reads the procs dictionary from a file named 'filename.procs' in the same directory of the input file.

Parameters:

• other_dir: str or None
Different location for the procs dictionary to look into. If None, self.datadir is used instead.
W! Do not put the trailing slash!

Returns:

• procs: *dict*Dictionary of processing parameters

rpbc(self, **rpbc kws)

Computes the phase angles and the baseline using processing.RPBC on self.S. Then applies the phase correction and subtracts the baseline, automatically. The procs dictionary is then updated and saved. The polynomial baseline is computed according to the given coefficients and stored in self.baseline

• rpbc_kws: keyworded arguments See processing.RPBC for details.

scan(self, ns=1, s n=1)

Simulates the acquisition of ns scans, by adding a different realization of noise at each iteration. The function is supposed to start with the FID without noise at all. If not, the results will be biased.

Parameters:

- ns: *int*Number of scans to accumulate
- s_n: *float* Standard deviation of the noise

to_vf(self, filename=None, Hs=None, fvf=True)

Transform a simulated spectrum in a .ivf or .fvf file to be used in a deconvolution procedure. To do this, it reads the peak parameters saved in acqus. The number of signals is determined by acqus['amplitudes']. Multiplets are splitted according to their Js, and saved as components.

Parameters:

- filename: str or None
 Path to the filename to be saved, without extension. If None, self.filename is used
- Hs: int or None

 Number of nuclei the spectrum integrates for. If None, the sum of the amplitudes is used.
- fvf: bool

 If True, adds the '.fvf' extension to the filename, if False, adds '.ivf'

to wav(self, filename=None, cutoff=None, rate=44100)

Converts the FID in an audio file by using misc.data2wav.

- filename: strPath where to save the file. If None, self.filename is used
- cutoff: *float*Clipping limits for the FID
- rate: *int* Sampling rate in samples/sec

write acqus(self, other dir=None)

Write the acqus dictionary in a file named 'filename.acqus'. Calls misc.write acqus 1D

Parameters:

• other_dir: str or None
Different location for the acqus dictionary to write into. If None, self.datadir is used instead.

write integrals(self, other dir=None)

Write the integrals in a file named '{self.filename}.int'.

Parameters:

• other_dir: str or None

Different location for the integrals file to write into. If None, self.datadir is used instead.

write procs(self, other dir=None)

Writes the actual procs dictionary in a file named 'filename.procs' in the same directory of the input file.

Parameters:

• other_dir: str or None
Different location for the procs dictionary to write into. If None, self.datadir is used instead.
W! Do not put the trailing slash!

write ser(ser, acqus, path=None)

Writes a real/complex array in binary format. Calls misc.write_ser. Be sure that acqus contains the BYTORDA and DTYPA keys. See misc.write_ser to understand the meaning of these values.

- ser: *ndarray*Array that you want to convert in binary format.
- acqus: dict
 Dictionary of acquisition parameters. It must contain BYTORDA and DTYPA.
- path: strPath where to save the binary file.

class

3.6.3 Spectra.Spectrum 2D

Class: 2D NMR spectrum

Attributes:

 \bullet datadir: str

Path to the input file/dataset directory

 \bullet filename: str

Base of the name of the file, without extensions

• fid: 2darray

FID

• acqus: dict

Dictionary of acqusition parameters

• ngdic: dict

Created only if it is an experimental spectrum. Generated by nmrglue.bruker.read, contains all the information on the spectrometer and on the spectrum.

• procs: dict

Dictionary of processing parameters

• eaeflag: int

If FnMODE is Echo-Antiecho, keeps track of the manipulation of the data so to not repeat the same process twice

• S: 2darray

Complex (or hypercomplex, depending on FnMODE) spectrum

• rr: 2darray

Real part F2, real part F1

• ii: 2darray

Imaginary part F2, imaginary part F1

• ir: 2darray

Real part F2, imaginary part F1. Only exist if F1 is acquired in phase-sensitive mode

• ri: 2darray

Imaginary part F2, real part F1. Only exist if F1 is acquired in phase-sensitive mode

• freq f1: 1darray

Frequency scale of the indirect dimension, in Hz

• freq f2: 1darray

Frequency scale of the direct dimension, in Hz

• ppm f1: 1darray

ppm scale of the indirect dimension

• ppm f2: 1darray

ppm scale of the direct dimension

• trf1: dict

Projections of the indirect dimension, as 1darrays. Keys: 'ppm f2' where they were taken

- trf2: dict
 Projections of the direct dimension, as 1darrays. Keys: 'ppm f1' where they were taken
- Trf1: dict Projections of the indirect dimension, as pSpectrum_1D objects. Keys: 'ppm_f2' where they were taken
- Trf2: dict Projections of the direct dimension, as pSpectrum_1D objects. Keys: 'ppm_f1' where they were taken
- integrals: *dict*Dictionary where to save the regions and values of the integrals.

Methods:

__init__(self, in_file, pv=False, isexp=True, is_pseudo=False)

Initialize the class.

Parameters:

- in_file: str
 path to file to read, or to the folder of the spectrum
- pv: bool

 True if you want to use pseudo-voigt lineshapes for simulation, False for Voigt
- isexp: bool

 True if this is an experimental dataset, False if it is simulated
- is_pseudo: bool True if it is a pseudo-2D. Legacy option

add noise(self, s n=1)

Adds noise to the FID, using the function sim.noisegen.

Parameters:

• s_n: *float* Standard deviation of the noise

adjph(self, p01=None, p11=None, pv1=None, p02=None, p12=None, pv2=None, update=True)

Adjusts the phases of the spectrum according to the given parameters, or interactively if they are left as default. The non-interactive workflow is to apply processing.ps on F2, transpose according to FnMODE, apply processing.ps on F1, transpose back. If FnMODE is 'No', the phase correction is applied only on F2, as it should be done in a pseudo-2D experiment. Once self.S was updated and unpacked, the phase values are added to the procs dictionary to keep track of multiple phase adjustments.

- p01: float or None 0-th order phase correction /° of the indirect dimension
- p11: float or None 1-st order phase correction /° of the indirect dimension
- pv1: float or None
 1-st order pivot /ppm of the indirect dimension
- p02: float or None 0-th order phase correction /° of the direct dimension
- p12: float or None 1-st order phase correction /° of the direct dimension
- pv2: float or None 1-st order pivot /ppm of the direct dimension
- update: bool Choose if to update the procs dictionary or not

cal(self, offset=[None, None], isHz=False, update=True)

Calibration of the ppm and frequency scales according to a given value, or interactively. In this latter case, a reference peak must be chosen. Calls processing.calibration

Parameters:

- offset: tuple (scale shift F1, scale shift F2)
- isHz: tuple of bool

 True if offset is in frequency units, False if offset is in ppm
- update: bool
 Choose if to update the procs dictionary or not

calf1(self, value=None, isHz=False)

Calibrates the ppm and frequency scale of the indirect dimension according to a given value, or interactively. Calls self.cal on F1 only.

- value: float or None scale shift value
- isHz: bool

 True if offset is in frequency units, False if offset is in ppm

calf2(self, value=None, isHz=False)

Calibrates the ppm and frequency scale of the direct dimension according to a given value, or interactively. Calls self.cal on F2 only

Parameters:

- value: float or None scale shift value
- isHz: bool

 True if offset is in frequency units, False if offset is in ppm

convdta(self, scaling=1)

Calls processing.convdta to compensate for the group delay. It does not always work, depends on TopSpin version and planets alignment.

Parameters:

• scaling: *float*Scaling factor for processing convolta.

eae(self)

Calls processing. EAE to shuffle the data and make a States-like FID. Sets self.eaeflag to 0.

integrate(self, **kwargs)

Integrates the spectrum with a dedicated GUI. Calls fit.integrate 2D

Parameters:

• kwargs: keyworded arguments
Additional parameters for fit.integrate 2D

inv process(self)

Performs the inverse processing of the spectrum according to the given parameters. Overwrites the S attribute!! Calls inv xfb.

mc(self)

Computes the magnitude of the spectrum on self.S. Then, updates rr, ri, ir, ii.

pknl(self)

Reverses the effect of the digital filter by applying a first order phase correction. To be called after having processed the data by 'self.process()'

plot(self, Neg=True, lvl0=0.2)

Plots the real part of the spectrum. Use the mouse scroll to adjust the contour starting level.

Parameters:

- Neg: bool
 Plot (True) or not (False) the negative contours.
- lvl0: float
 Starting contour value with respect to the maximum of the spectrum

process(self, interactive=False, **int kwargs)

Performs the full processing of the FID on both dimensions. The parameters are read from self.procs. If FnMODE is Echo-Antiecho and you did not call self.eae before, the FID is converted to States with processing.EAE before to start. If interactive is True, calls processing.interactive_xfb with int_kwargs, else calls processing.xfb. The complex/hypercomplex spectrum is stored in self.S, then unpacked into self.rr, self.ri, self.ii. If FnMODE is Echo-Antiecho, a phase correction of -90 degrees is applied on the indirect dimension.

Parameters:

- interactive: bool

 True if you want to open the interactive panel, False to read the parameters from self.procs.
- int_kwargs: keyworded arguments
 Additional parameters for processing.interactive xfb, if interactive=True.

projf1(self, a, b=None)

Calculates the sum trace of the indirect dimension, from a ppm to b ppm in F2. Store the trace in the dictionary trf1 and as 1D spectrum in Trf1. The key is 'a' or 'a:b' Calls misc.get_trace on self.rr with column=True

Parameters:

- a: float ppm F2 value where to extract the trace.
- b: float or None.

 If it is None, extract the trace in a. Else, sum from a to b in F2.

projf2(self, a, b=None)

Calculates the sum trace of the direct dimension, from a ppm to b ppm in F1. Store the trace in the dictionary trf2 and as 1D spectrum in Trf2. The key is 'a' or 'a:b' Calls misc.get_trace on self.rr with column=False

- a: *float* ppm F1 value where to extract the trace.
- b: float or None.

 If it is None, extract the trace in a. Else, sum from a to b in F1.

qfil(self, which=None, u=None, s=None)

Gaussian filter to suppress signals. Tries to read self.procs['qfil'], which is { 'u': u, 's': s } Otherwise, these are set interactively by processing.interactive_qfil and then added to self.procs. Calls processing.qfil

Parameters:

- which: int or None Index of the F2 trace to be used for interactive_qfil. If None, a suitable trace can be selected using misc.select traces.
- u: float
 Position /ppm
- s: float
 Width (standard deviation) /ppm

read procs(self, other dir=None)

Reads the procs dictionary from a file named 'filename.procs' in the same directory of the input file.

Parameters:

• other_dir: str or None
Different location for the procs dictionary to look into. If None, self.datadir is used instead.
W! Do not put the trailing slash!

Returns:

• procs: *dict*Dictionary of processing parameters

$scan(self, ns=1, s_n=1)$

Simulates the acquisition of ns scans, by adding a different realization of noise at each iteration. The function is supposed to start with the FID without noise at all. If not, the results will be biased.

- ns: *int*Number of scans to accumulate
- s_n: *float* Standard deviation of the noise

to wav(self, filename=None, cutoff=None, rate=44100)

Converts the FID in an audio file by using misc.data2wav.

Parameters:

- filename: strPath where to save the file. If None, self.filename is used
- cutoff: *float* Clipping limits for the FID
- rate: *int*Sampling rate in samples/sec

write acqus(self, other dir=None)

Write the acqus dictionary in a file named 'filename.acqus'. Calls misc.write acqus 1D

Parameters:

• other_dir: str or None
Different location for the acqus dictionary to write into. If None, self.datadir is used instead.

write_integrals(self, other_dir=None)

Write the integrals in a file named '{self.filename}.int'.

Parameters:

• other_dir: str or None
Different location for the integrals file to write into. If None, self.datadir is used instead.

write procs(self, other dir=None)

Writes the actual procs dictionary in a file named 'filename.procs' in the same directory of the input file.

Parameters:

• other_dir: str or None
Different location for the procs dictionary to write into. If None, self.datadir is used instead.
W! Do not put the trailing slash!

write ser(ser, acqus, path=None)

Writes a real/complex array in binary format. Calls misc.write_ser. Be sure that acqus contains the BYTORDA and DTYPA keys. See misc.write_ser to understand the meaning of these values.

• ser: *ndarray*Array that you want to convert in binary format.

• acqus: dict Dictionary of acquisition parameters. It must contain BYTORDA and DTYPA.

• path: strPath where to save the binary file.

xf1(self)

Process only the indirect dimension. Transposes the spectrum in hypermode or normally if FnMODE!= QF, then calls for processing.fp using self.procs[keys][0], finally transposes it back. The result is stored in self.S, then self.rr and self.ii are written. freq_fl and ppm_fl are assigned with the indexes of the transients.

xf2(self)

Process only the direct dimension. Calls processing.fp using procs[keys][1] The result is stored in self.S, then self.rr and self.ii are written. freq_f1 and ppm_f1 are assigned with the indexes of the transients.

3.6.4 Spectra.pSpectrum 1D

class

Subclass of Spectrum_1D that allows to handle processed 1D NMR spectra. Useful when dealing with traces of 2D spectra. Shares the same attributes with Spectrum 1D.

Attributes:

• datadir: *str*Path to the input file/dataset directory

• filename: strBase of the name of the file, without extensions

• acqus: *dict*Dictionary of acqusition parameters

• ngdic: dict Created only if it is an experimental spectrum. Generated by nmrglue.bruker.read, contains all the information on the spectrometer and on the spectrum.

• procs: *dict*Dictionary of processing parameters

• S: *1darray*Complex spectrum

• r: *1darray*Real part of the spectrum

• i: *1darray*Imaginary part of the spectrum

• freq: *1darray*Frequency scale of the spectrum, in Hz

• ppm: *1darray* ppm scale of the spectrum

• F: fit. Voigt_Fit object Used for deconvolution. See fit. Voigt fit.

• baseline: *1darray*Baseline of the spectrum.

• integrals: *dict*Dictionary where to save the regions and values of the integrals.

Methods:

__init__(self, in_file, acqus=None, procs=None, istrace=False, filename='T')

Initialize the class.

- in_file: str or 1darray
 If istrace is True, in_file is the NMR spectrum. Else, it is the directory of the processed data.
- acqus: dict or None

 If istrace is True, you must supply the associated 'acqus' dictionary. Else, it is not necessary as it is read from the input directory
- procs: dict or None
 You can pass the dictionary of processing parameters, if you want. Otherwise, it is initialized with standard values.
- istrace: bool

 Declare the object as trace extracted from a 2D (True) or as true experimental spectrum (False)
- filename: strIf istrace is True, this will be the filename of self.acqus and self.procs

acme(self, **method kws)

Automatic phase correction based on entropy minimization It calculates the phase angles using the algorithm specified in method, then calls self-adjph with those values.

Parameters:

• method_kws: keyworded arguments
Additional parameters for the chosen method.

adjph(self, p0=None, p1=None, pv=None, update=True)

Adjusts the phases of the spectrum according to the given parameters, or interactively if they are left as default. Calls for processing.ps

Parameters:

- p0: float or None 0-th order phase correction /°
- p1: float or None 1-st order phase correction /°
- pv: float or None 1-st order pivot /ppm
- update: bool
 Choose if you want to update the procs dictionary or not

baseline correction(self, basl file='spectrum.basl', winlim=None)

Correct the baseline of the spectrum, according to a pre-existing file or interactively. Calls processing.baseline correction or processing.load baseline

- basl_file: str
 Path to the baseline file. If it already exists, the baseline will be built according to this file;
 otherwise this will be the destination file of the baseline.
- winlim: tuple or None Limits of the baseline. If it is None, it will be interactively set. If basl_file exists, it will be read from there. Else, (ppm1, ppm2).

basl(self, from procs=False, phase=True)

Apply the baseline correction by subtracting self.baseline from self.S. Then, self.S is unpacked in self.r and self.i

Parameters:

- from_procs: bool

 If True, computes the baseline using the polynomion model reading self.procs['basl_c'] as coefficients
- phase: bool
 Choose if to apply the same phase correction of the spectrum to the baseline. This should be done if the baseline was computed before the phase adjustment!

cal(self, offset=None, isHz=False, update=True)

Calibrates the ppm and frequency scale according to a given value, or interactively. Calls processing.calibration

Parameters:

- offset: float or None scale shift value
- isHz: bool

 True if offset is in frequency units, False if offset is in ppm
- update: bool
 Choose if to update the procs dictionary or not

convdta(self, scaling=1)

Call processing.convdta using self.acqus['GRPDLY']

integrate(self, lims=None)

Integrate the spectrum with a dedicated GUI. Calls fit.integrate and writes in self.integrals with keys [ppm1:ppm2]

• lims: tuple
Integrates from lims[0] to lims[1]. If it is None, calls for interactive integration.

inv process(self)

Performs the inverse processing of the spectrum according to the given parameters. Overwrites the S attribute!! Calls processing.inv fp

mc(self)

Calculates the magnitude of the spectrum and overwrites self.S, self.r, self.i

plot(self, name=None, ext='png', dpi=600)

Plots the real part of the spectrum.

Parameters:

• name: *str*Filename for the figure. If None, it is shown instead.

• ext: strFormat of the image

• dpi: *int*Resolution of the image in dots per inches

process(self, interactive=False)

Performs the processing of the FID. The parameters are read from self.procs. Calls processing.interactive_fp or processing.fp using self.acqus and self.procs Writes the result is self.S, then unpacks it in self.r and self.i Calculates frequency and ppm scales. Also initializes self.F with fit.Voigt Fit class using the current parameters

Parameters:

• interactive: bool

True if you want to open the interactive panel, False to read the parameters from self.procs.

qfil(self, u=None, s=None)

Gaussian filter to suppress signals. Tries to read self.procs['qfil'], which is { 'u': u, 's': s } Otherwise, these are set interactively by processing.interactive_qfil and then added to self.procs. Calls processing.qfil

- u: *float*Position of the filter /ppm
- s: float
 Width (standard deviation) of the filter /ppm

read procs(self, other dir=None)

Reads the procs dictionary from a file named 'filename.procs' in the same directory of the input file.

Parameters:

• other_dir: str or None
Different location for the procs dictionary to look into. If None, self.datadir is used instead.
W! Do not put the trailing slash!

Returns:

• procs: *dict*Dictionary of processing parameters

rpbc(self, **rpbc kws)

Computes the phase angles and the baseline using processing.RPBC on self.S. Then applies the phase correction and subtracts the baseline, automatically. The procs dictionary is then updated and saved. The polynomial baseline is computed according to the given coefficients and stored in self.baseline

Parameters:

• rpbc_kws: keyworded arguments See processing.RPBC for details.

write acqus(self, other dir=None)

Write the acqus dictionary in a file named 'filename.acqus'. Calls misc.write acqus 1D

Parameters:

• other_dir: str or None Different location for the acqus dictionary to write into. If None, self.datadir is used instead.

write_integrals(self, other_dir=None)

Write the integrals in a file named '{self.filename}.int'.

• other_dir: str or None Different location for the integrals file to write into. If None, self.datadir is used instead.

write procs(self, other dir=None)

Writes the actual procs dictionary in a file named 'filename.procs' in the same directory of the input file.

Parameters:

• other_dir: str or None Different location for the procs dictionary to write into. If None, self.datadir is used instead. W! Do not put the trailing slash!

write_ser(ser, acqus, path=None)

Writes a real/complex array in binary format. Calls misc.write_ser. Be sure that acqus contains the BYTORDA and DTYPA keys. See misc.write_ser to understand the meaning of these values.

- ser: *ndarray*Array that you want to convert in binary format.
- acqus: dict
 Dictionary of acquisition parameters. It must contain BYTORDA and DTYPA.
- path: strPath where to save the binary file.

3.6.5 Spectra.pSpectrum 2D

class

Subclass of Spectrum_2D that allows to handle processed 2D NMR spectra. Reads the processed spectrum from Bruker.

Attributes:

• datadir: *str*Path to the input file/dataset directory

• filename: strBase of the name of the file, without extensions

• acqus: *dict*Dictionary of acqusition parameters

• ngdic: dict Generated by nmrglue.bruker.read, contains all the information on the spectrometer and on the spectrum.

• procs: *dict*Dictionary of processing parameters

• S: 2darray Complex (or hypercomplex, depending on FnMODE) spectrum

• rr: 2darray Real part F2, real part F1

• ii: 2darray Imaginary part F2, imaginary part F1

• ir: 2darray
Real part F2, imaginary part F1. Only exist if F1 is acquired in phase-sensitive mode

• ri: 2darray
Imaginary part F2, real part F1. Only exist if F1 is acquired in phase-sensitive mode

• freq_f1: 1darray
Frequency scale of the indirect dimension, in Hz

• freq_f2: 1darray
Frequency scale of the direct dimension, in Hz

• ppm_f1: 1darray ppm scale of the indirect dimension

• ppm_f2: 1darray ppm scale of the direct dimension

• trf1: dict
Projections of the indirect dimension, as 1darrays. Keys: 'ppm f2' where they were taken

• trf2: dict
Projections of the direct dimension, as 1darrays. Keys: 'ppm f1' where they were taken

- Trf1: dict Projections of the indirect dimension, as pSpectrum_1D objects. Keys: 'ppm_f2' where they were taken
- Trf2: dict
 Projections of the direct dimension, as pSpectrum_1D objects. Keys: 'ppm_f1' where they
 were taken
- integrals: *dict*Dictionary where to save the regions and values of the integrals.

Methods:

init (self, in file)

Initialize the class.

Parameters:

• in_file: str
Path to the spectrum. Here, the 'pdata/#' folder must be specified.

Adjusts the phases of the spectrum according to the given parameters, or interactively if they are left as default. The non-interactive workflow is to apply processing.ps on F2, transpose according to FnMODE, apply processing.ps on F1, transpose back. If FnMODE is 'No', the phase correction is applied only on F2, as it should be done in a pseudo-2D experiment. Once self.S was updated and unpacked, the phase values are added to the procs dictionary to keep track of multiple phase adjustments.

- p01: float or None 0-th order phase correction /° of the indirect dimension
- p11: float or None 1-st order phase correction /° of the indirect dimension
- pv1: float or None
 1-st order pivot /ppm of the indirect dimension
- p02: float or None 0-th order phase correction /° of the direct dimension
- p12: float or None 1-st order phase correction /° of the direct dimension
- pv2: float or None
 1-st order pivot /ppm of the direct dimension
- update: bool Choose if to update the procs dictionary or not

cal(self, offset=[None, None], isHz=False, update=True)

Calibration of the ppm and frequency scales according to a given value, or interactively. In this latter case, a reference peak must be chosen. Calls processing.calibration

Parameters:

- offset: tuple (scale shift F1, scale shift F2)
- isHz: tuple of bool

 True if offset is in frequency units, False if offset is in ppm
- update: bool
 Choose if to update the procs dictionary or not

calf1(self, value=None, isHz=False)

Calibrates the ppm and frequency scale of the indirect dimension according to a given value, or interactively. Calls self.cal on F1 only.

Parameters:

- value: float or None scale shift value
- isHz: bool

 True if offset is in frequency units, False if offset is in ppm

calf2(self, value=None, isHz=False)

Calibrates the ppm and frequency scale of the direct dimension according to a given value, or interactively. Calls self.cal on F2 only

Parameters:

- value: float or None scale shift value
- isHz: bool

 True if offset is in frequency units, False if offset is in ppm

convdta(self, scaling=1)

Calls processing.convdta to compensate for the group delay. It does not always work, depends on TopSpin version and planets alignment.

Parameters:

• scaling: *float* Scaling factor for processing convdta.

eae(self)

Calls processing. EAE to shuffle the data and make a States-like FID. Sets self.eaeflag to 0.

integrate(self, **kwargs)

Integrates the spectrum with a dedicated GUI. Calls fit.integrate 2D

Parameters:

• kwargs: keyworded arguments
Additional parameters for fit.integrate 2D

inv process(self)

Performs the inverse processing of the spectrum according to the given parameters. Overwrites the S attribute!! Calls inv xfb.

mc(self)

Computes the magnitude of the spectrum on self.S. Then, updates rr, ri, ir, ii.

pknl(self)

Reverses the effect of the digital filter by applying a first order phase correction. To be called after having processed the data by 'self.process()'

plot(self, Neg=True, lvl0=0.2)

Plots the real part of the spectrum. Use the mouse scroll to adjust the contour starting level.

Parameters:

- Neg: bool
 Plot (True) or not (False) the negative contours.
- lvl0: float
 Starting contour value with respect to the maximum of the spectrum

process(self, interactive=False, **int kwargs)

Performs the full processing of the FID on both dimensions. The parameters are read from self.procs. If FnMODE is Echo-Antiecho and you did not call self.eae before, the FID is converted to States with processing.EAE before to start. If interactive is True, calls processing.interactive_xfb with int_kwargs, else calls processing.xfb. The complex/hypercomplex spectrum is stored in self.S, then unpacked into self.rr, self.ri, self.ii. If FnMODE is Echo-Antiecho, a phase correction of -90 degrees is applied on the indirect dimension.

- interactive: bool

 True if you want to open the interactive panel, False to read the parameters from self.procs.
- int_kwargs: keyworded arguments
 Additional parameters for processing.interactive_xfb, if interactive=True.

projf1(self, a, b=None)

Calculates the sum trace of the indirect dimension, from a ppm to b ppm in F2. Store the trace in the dictionary trf1 and as 1D spectrum in Trf1. The key is 'a' or 'a:b' Calls misc.get_trace on self.rr with column=True

Parameters:

- a: float ppm F2 value where to extract the trace.
- b: float or None.

 If it is None, extract the trace in a. Else, sum from a to b in F2.

projf2(self, a, b=None)

Calculates the sum trace of the direct dimension, from a ppm to b ppm in F1. Store the trace in the dictionary trf2 and as 1D spectrum in Trf2. The key is 'a' or 'a:b' Calls misc.get_trace on self.rr with column=False

Parameters:

- a: *float* ppm F1 value where to extract the trace.
- b: float or None.

 If it is None, extract the trace in a. Else, sum from a to b in F1.

qfil(self, which=None, u=None, s=None)

Gaussian filter to suppress signals. Tries to read self.procs['qfil'], which is { 'u': u, 's': s } Otherwise, these are set interactively by processing.interactive_qfil and then added to self.procs. Calls processing.qfil

- which: int or None Index of the F2 trace to be used for interactive_qfil. If None, a suitable trace can be selected using misc.select traces.
- u: *float* Position /ppm
- s: float
 Width (standard deviation) /ppm

read procs(self, other dir=None)

Reads the procs dictionary from a file named 'filename.procs' in the same directory of the input file.

Parameters:

• other_dir: str or None
Different location for the procs dictionary to look into. If None, self.datadir is used instead.
W! Do not put the trailing slash!

Returns:

• procs: dict
Dictionary of processing parameters

write_acqus(self, other_dir=None)

Write the acqus dictionary in a file named 'filename.acqus'. Calls misc.write acqus 1D

Parameters:

• other_dir: str or None

Different location for the acqus dictionary to write into. If None, self.datadir is used instead.

write_integrals(self, other_dir=None)

Write the integrals in a file named '{self.filename}.int'.

Parameters:

• other_dir: str or None

Different location for the integrals file to write into. If None, self.datadir is used instead.

write procs(self, other dir=None)

Writes the actual procs dictionary in a file named 'filename.procs' in the same directory of the input file.

Parameters:

• other_dir: str or None
Different location for the procs dictionary to write into. If None, self.datadir is used instead.
W! Do not put the trailing slash!

write ser(ser, acqus, path=None)

Writes a real/complex array in binary format. Calls misc.write_ser. Be sure that acqus contains the BYTORDA and DTYPA keys. See misc.write_ser to understand the meaning of these values.

• ser: *ndarray*Array that you want to convert in binary format.

• acqus: dict
Dictionary of acquisition parameters. It must contain BYTORDA and DTYPA.

• path: strPath where to save the binary file.

xf1(self)

Process only the indirect dimension. Transposes the spectrum in hypermode or normally if FnMODE!= QF, then calls for processing.fp using self.procs[keys][0], finally transposes it back. The result is stored in self.S, then self.rr and self.ii are written. freq_fl and ppm_fl are assigned with the indexes of the transients.

xf2(self)

Process only the direct dimension. Calls processing.fp using procs[keys][1] The result is stored in self.S, then self.rr and self.ii are written. freq_f1 and ppm_f1 are assigned with the indexes of the transients.