

NAME

ecx – library for electrochemistry

LIBRARY

ecx library (*libecx*, *-lexc*)

SYNOPSIS

Fortran	use ecx
C	#include "ecx.h"
Python	import pyecx

DESCRIPTION

ecx is a Fortran library for providing a collection of routines for electrochemistry. A C API allows usage from C, or can be used as a basis for other wrappers. A Python wrapper allows easy usage from Python.

It covers:

o kinetics

Nernst, Butler-Volmer

o electrochemical

Impedance, Admittance, Circuit Elements, Equivalent Circuits

o photoelectrochemistry

Photocurrent, Band-gap, space charge.

The C API is defined by adding a prefix to the functions from the Fortran API due to the lack of module/namespace feature in the C language. The functions are therefore following this template: (c_prefix)fortran_func.

NOTES

- [1] H. Gerischer, "Electrochemical Behavior of Semiconductors under Illumination," Journal of The Electrochemical Society, vol. 113, no. 11, pp. 1174–1182, 1966.
- [2] W. P. Gomes and F. Cardon, "On the Electrochemical Behaviour of the Hexacyanoferrate RedOx System at Different Semiconductor Electrodes," Zeitschrift für Physikalische Chemie Neue Folge, vol. 86, pp. 330–334, 1973.
- [3] R. A. L. Vanden Berghe, F. Cardon, and W. P. Gomes, "On the Electrochemical Reactivity of the Redox Couple Fe(CN) at the Single Crystal Zinc Oxide Electrode," Surface Science, vol. 39, pp. 368–384, 1973.
- [4] B. A. Boukamp, "A Nonlinear Least Squares Fit Procedure for Analysis of Immittance Data of Electrochemical Systems," Solid State Ionics, pp. 31–44, 1986.
- [5] C. Sunseri, S. Piazza, and F. Di Quarto, "A Photoelectrochemical Study of Passivating Layers on Nickel," Materials Science Forum, vol. 185–188, pp. 435–446, 1995.
- [6] J.-P. Diard, B. Le Gorrec, and C. Montella, Cinétique Électrochimique. Paris: Hermann, 1996.
- [7] A. Goossens, M. Vazquez, and D. D. Macdonald, "The Nature of Electronic States in Anodic Zirconium Oxide Films Part 2: Photoelectrochemical Characterization," Electrochimica Acta, vol. 41, no. 1, pp. 47–55, 1996.

- [8] A. J. Bard and L. R. Faulkner, *Electrochemical Methods: Fundamentals and Applications*, 2 ed. New York: John Wiley & Sons, Inc., 2001.
- [9] C. H. Hsu and F. Mansfeld, "Technical Note: Concerning the Conversion of the Constant Phase Element Parameter Y into a Capacitance," *Corrosion*, vol. 57, no. 9, pp. 747–748, Sep. 2001, doi: 10.5006/1.3280607.
- [10] M. Bojinov, P. Kinnunen, T. Laitinen, K. Mäkelä, T. Saario, and P. Sirkiä, "Photocurrent Response of the Passive Film on Iron in a High-Temperature Aqueous Electrolyte," *Electrochemistry Communications*, vol. 4, pp. 222–226, 2002.
- [11] J. J. Vermoyal, A. Hammou, L. Dessemond, and A. Frichet, "Electrical Characterization of Water-side Corrosion Films Formed on ZrNb(1%)O(0.13%)," *Electrochimica Acta*, vol. 47, no. 17, pp. 2679–2695, 2002, doi: 10.1016/S0013-4686(02)00133-0.
- [12] R. G. Kelly, J. R. Scully, D. W. Shoesmith, and R. G. Buchheit, *Electrochemical Techniques in Corrosion Science and Engineering*. 2003.
- [13] N. Perez, *Electrochemistry and Corrosion Science*. Boston: Kluwer Academic Publishers, 2004.
- [14] N. Ramasubramanian, "Shadow Corrosion," *Journal of Nuclear Materials*, vol. 328, no. 2–3, pp. 249–252, 2004.
- [15] E. Barsoukov and J. R. Macdonald, *Impedance Spectroscopy: Theory, Experiment, and Applications*, 2 ed. Hoboken, NJ, USA: John Wiley & Sons, Inc., 2005.
- [16] a. Conde, a. B. Cristóbal, G. Fuentes, T. Tate, and family, "Surface Analysis of Electrochemically Stripped CrN Coatings," *Surface and Coatings Technology*, vol. 201, pp. 3588–3595, 2006, doi: 10.1016/j.surfcoat.2006.08.110.
- [17] K. Amezawa et al., "Morphologic and Crystallographic Studies on Electrochemically Formed Chromium Nitride Films," *Electrochimica Acta*, vol. 53, pp. 122–126, 2007, doi: 10.1016/j.electacta.2007.06.013.
- [18] M. E. Orazem and B. Tribollet, *Electrochemical Impedance Spectroscopy*. Wiley, 2008. doi: 10.1002/9780470381588.
- [19] B. Hirschorn, M. E. Orazem, B. Tribollet, V. Vivier, I. Frateur, and M. Musiani, "Determination of effective capacitance and film thickness from constant-phase-element parameters," *Electrochimica Acta*, vol. 55, no. 21, pp. 6218–6227, Aug. 2010, doi: 10.1016/j.electacta.2009.10.065.
- [20] C. GABRIELLI and H. TAKENOUTI, "Méthodes électrochimiques appliquées à la corrosion - Techniques dynamiques," *Corrosion Vieillessement*, Jun. 2010, doi: 10.51257/a-v1-cor811.
- [21] C. GABRIELLI and H. TAKENOUTI, "Méthodes électrochimiques appliquées à la corrosion - Techniques stationnaires," *Corrosion Vieillessement*, Jun. 2010, doi: 10.51257/a-v1-cor810.
- [22] M. Skocic, D. Kaczorowski, D. Perche, and J.-C. Nuguet, "Paper Number 83: High Temperature (Photo-)Electrochemical Setup for Studying Zr-based and Ni-based Alloys in Simulated LWR Conditions," in *NPC 2016*, Brighton, UK: Nuclear Institute, Oct. 2016.
- [23] S. El Euch, "Recherche d'une Corrélation Entre Caractéristiques Électrochimiques et Relâchement En Nickel de l'alliage 690 En Milieu Primaire d'un Réacteur à Eau Pressurisée." Université Sorbonne, Paris, 2019.
- [24] S. EL. Euch et al., "Temperature Dependence of the Electrochemical Behavior of the 690 Ni-base Alloy between 25 and 325°"
- [25] D. Peyret, D. Kaczorowski, M. Skocic, B. Tribollet, and V. Vivier, "Electrochemical and Modeling Study of ZrNbO Alloys Aged under High Temperature and High Pressure PWR Simulated Conditions," *Corrosion Science*, p. 111505, Sep. 2023, doi: 10.1016/j.corsci.2023.111505.
- [26] A. Ch. Lazanas and M. I. Prodromidis, "Electrochemical Impedance Spectroscopy – A Tutorial," *ACS Meas. Sci. Au*, vol. 3, no. 3, pp. 162–193, Jun. 2023, doi: 10.1021/acsmeasuresciau.2c00070.

- [27] N. Ribière et al., “Electrical Properties of the Oxide Layers Formed in Simulated Primary Water Environment on Steam Generator Tubes Made in Ni Based Alloy: An EIS Analysis,” Corrosion Science, p. 113206, Jul. 2025, doi: 10.1016/j.corsci.2025.113206.

EXAMPLES

Example in Fortran:

```

program example_in_f
use iso_fortran_env
use ecx
implicit none

real(real64) :: w(3) = [1.0d0, 1.0d0, 100.0d0]
real(real64) :: r = 100.0d0
real(real64) :: p(3) = 0.0d0
character(len=1) :: e
integer :: errstat
complex(real64) :: zout(3)
character(len=:), pointer :: errmsg

p(1) = r
e = "R"
call z(p, w, zout, e, errstat, errmsg)
print *, zout
print *, errstat, errmsg

end program

```

Example in C

```

#include <stdio.h>
#include <stdlib.h>
#include "ecx.h"

int main(void){

    int errstat, i;
    double w[3] = {1.0, 1.0, 1.0};
    double p[3] = {100.00, 0.0, 0.0};
    ecx_cdouble z[3] = {ecx_cbuild(0.0,0.0),
                        ecx_cbuild(0.0, 0.0),
                        ecx_cbuild(0.0, 0.0)};

    char *errmsg;

    ecx_eis_z(p, w, z, 'R', 3, 3, &errstat, &errmsg);

    for(i=0; i<3;i++){
        printf("%f %f 0, creal(z[i]), cimag(z[i]));
    }
    printf("%d %s0, errstat, errmsg);
    return EXIT_SUCCESS;
}

```

Example in Python

```
import sys
sys.path.insert(0, "../py/src/")
import numpy as np
import pyecx
import matplotlib.pyplot as plt

R = 100
C = 1e-6
w = np.logspace(6, -3, 100)

p = np.asarray([R, 0.0, 0.0])
zr = np.asarray(pyecx.z("R", w, p))
p = np.asarray([C, 0.0, 0.0])
zc = np.asarray(pyecx.z("C", w, p))
zrc = zr*zc / (zr+zc)
print("finish")

fig = plt.figure()
ax = fig.add_subplot(111)

ax.set_aspect("equal")
ax.plot(zrc.real, zrc.imag, "g.", label="R/C")

ax.invert_yaxis()

plt.show()
```

SEE ALSO

ecx(1) **ecx_lib(3)**