Measuring the half-life of ²⁸Al

KDSMIL001 — June 2021

1 Introduction

In this report we aim to determine the half-life of 28 Al. This isotope is not naturally occurring so in order to produce it we bombarded a cylinder of 27 Al with neutrons from a 2.2GBq americium-beryllium (AmBe) neutron source. These neutrons were moderated by water, hopefully slowing them enough to be thermal neutrons ($\lesssim 1$ MeV) at which point they have a larger interaction cross section with the 27 Al nucleus. Once the 27 Al has been 'activated', i.e. a large proportion of the nuclei have absorbed a nucleus, (about 30 minutes in our case) we then placed a NaI(Tl) scintillator detector, connected to a high voltage power supply, pre-amplifier, amplifier, and multi-channel analyser with data acquisition software USX, inside the cylinder and recorded 180 10 second runs using the Multiple Runs feature.

Taking 180 10 second runs as opposed to 1 30 minute run allows us to observe the change in total counts for a specific portion of the gamma ray spectrum for each time step and this should, provided we choose our portion properly, tell us about the half-life of ²⁸Al. This assumes that the number of ²⁸Al atoms in the cylinder is proportional to the number of gamma rays detected.

2 Results and Analysis

Our first step in determining the half-life of 28 Al was determining which region to consider when trying to observe the decay of 28 Al in the source. Figure 2.1 shows the gamma ray spectrum for our activated 27 Al cylinder.




Figure 2.1: Gamma ray spectrum for activated 27 Al made using a NaI scintillator detector at experimental station 1 in PHYLAB3. Energy calibration done using the same set-up by examining the primary photopeaks of 137 Cs [1], 22 Na [2], and 60 Co [3]. The 1778.987 keV photopeak is from the β^- decay of 28 Al [5]. The 843.76 and 1014.52 keV photopeaks both most likely come from a 27 Al(n, p) 27 Mg interaction [6], where the neutrons are too high energy to simply be absorbed and rather knock a proton out the nucleus and replace it. This 27 Mg then emits these two principle gamma rays when it decays through β^- decay [4]. More details on Bremsstrahlung in Gilmore (2008).

There are many features in the spectrum that aren't directly related to the decay of 28 Al, so they are not useful for measuring the half-life. What we did was fit a Gaussian function to the photopeak at 1778.987 keV, as we expect it to have a Gaussian form, and thus found σ for the peak. We then chose the data within $\mu \pm 3\sigma$ for the peak as that is very unlikely to include contributions from anything other

than ²⁸Al and background [6]. We considered including contributions from the Compton continuum but in this case it isn't very well defined so we chose to leave it out.

We summed up the counts from all the channels within our range of interest for each 10 second run to find a decay curve. Now we expect that this decay curve will have the form of exponential decay, described by

$$R(t) = R(0)e^{-\lambda t} + B [7]$$
(2.1)

where B is the level of background radiation. An initial approximation of the half-life by inspection found that it was around 2 minutes, which means that after 20 minutes, or 2/3 of the total experiment time, the 28 Al would be down to about 0.1% of its original concentration, so by averaging the last 1/3 of the decay curve we can estimate the level of background radiation and subtract it from our data.

Linearising the data and performing a weighted linear least squares fit [8] on the first 1/3 of the data to avoid dealing with negative or NaN values from when we subtracted background, we found $\lambda = (526.7 \pm 8.9) \times 10^{-5}$.

Using $t_{1/2}=\ln 2/\lambda$ [7] we find a half life of $t_{1/2}=(131.6\pm3.2)\,\mathrm{s}=(2.193\pm0.053)\,\mathrm{min}$. This does in fact agree with the value of $(2.245\pm0.002)\,\mathrm{min}$ stated in [5] but in the interest of repeating measurements we used data taken by BNTVIC003 and ALMMOH008 and performed precisely the same analysis on it. Combining the results we get a half-life of $t_{1/2}=(2.202\pm0.046)\,\mathrm{min}$.

3 Conclusion

The χ^2/dof in Figure 2.2, as well as similar values—linear least squares fit from Kirkup (2019). for the other two datasets we analysed, give us




Figure 2.2: The linearised decay curve for 28 Al for 600s, data from between $\mu \pm 3\sigma$ for the 1778.987 keV photopeak in Figure 2.1. Best Fit Line calculated using a weighted linear least squares fit from Kirkup (2019).

confidence that the result $t_{1/2} = (2.202 \pm 0.046)$ min is accurate. This is again confirmed by its agreement within experimental uncertainty with the value in [5]. The most notable improvement that could be made to the precision of our final result would be making sure the source contains as much ²⁸Al as possible through a longer time left exposed to the AmBe source. This, combined with better shielding against background radiation, is recommended.

References

- [1] E. Browne, J. K. Tuli, Nuclear Data Sheets 108, p2173 (2007)
- [2] M. Shamsuzzoha Basunia, Nuclear Data Sheets 127, p69 (2015)
- [3] E. Browne, J. K. Tuli, Nuclear Data Sheets 114, p1849 (2013)
- [4] M. Shamsuzzoha Basunia, Nuclear Data Sheets 112, p1875 (2011)
- [5] M. Shamsuzzoha Basunia, Nuclear Data Sheets 114, p1189 (2013)
- [6] Nuclear Physics, Gamma Ray Spectra, https://www.geneseo.edu/nuclear/gamma-ray-spectra
- [7] T. Hutton, PHY3004W Laboratory: Half-life experiment, UCT Physics, 2021.
- [8] L. Kirkup, Experimental methods for science and engineering students, (2019)