

LOG OF BORING No. OW-27/3

PROJECT : MRT Orange Line Project Bang Khun Non -

LOCATION : Bangkok

Min Buri (Suwinthawong) Section Public - Private Partnership Contract

DEPTH, m.	SAMPLE No.	TYPE OF SAMPLE	SAMPLE DIST.	RECOVERY	DESCRIPTION OF MATERIAL	GRAPHIC LOG	○ Natural Water Content × Plastic Limit △ Liquid Limit (%)		○ Su (UC) ● Su' (UC) △ Su (FV) ▲ Su' (FV) × Qp/2 ▽ Su (UU)			(t/m²) 2.5 5 7.5			□ SPT, N (Blow/ft) 20 40 60		
							20	40	60	80	100	20	40	60	20	40	60
0					(A)	0.1 m.											
					Hand auger boring to check the under ground utilities.	3.0 m.											
5					(Wash out)												
10																	
15	01	SS				15.0 m.											
	02	SS			Silty clay, trace fine sand, trace lime cement @ SS-03, light greyish brown, stiff to very stiff.												
	03	SS				19.0 m.											
20	04	SS			Silty clay, trace sand, yellowish brown, stiff.	20.5 m.											
	05	SS			Silty clay, trace to some fine sand, greyish light brown, stiff.	22.0 m.											
	06	SS			Clayey fine sand, yellowish brown, medium dense.	23.5 m.											
25	07	SS			Silty fine to medium sand, yellowish brown, medium dense.	25.0 m.											
	08	SS															



BORING STARTED : 02/04/25

RIG. ACKER

WL. -2.50 m 24 Hrs. After Boring

BORING FINISHED : 05/04/25

FOREMAN : SJ.


JOB No. : 1168049

LOG OF BORING No. OW-27/3

PROJECT : MRT Orange Line Project Bang Khun Non -

LOCATION : Bangkok

Min Buri (Suwinthawong) Section Public - Private Partnership Contract



BORING STARTED : 02/04/25

RIG. ACKER

WL. -2.50 m

24 Hrs.
After Boring

BORING FINISHED : 05/04/25

FOREMAN : SJ.

JOB No. : 1168049

[illegible]