

LOG OF BORING No. OW-34/5

PROJECT : MRT Orange Line Project Bang Khun Non -

LOCATION : Bangkok

Min Buri (Suwinthawong) Section

DEPTH, m.	SAMPLE No.	TYPE OF SAMPLE	SAMPLE DIST.	RECOVERY	DESCRIPTION OF MATERIAL	GRAPHIC LOG	Natural Water Content		Su (UC)		Su' (UC)		SPT, N (Blow/ft)
							○	×	○	●	△	▲	
0					(A)	0.3 m.							
5													
10					(Wash out)								
15													
20													
01	SS				(B)	20.0 m.							17
02	SS				(C)	20.5 m.							18
03	SS				(D)	20.8 m.							28
04	SS				Silty clay, trace sand, greyish brown, very stiff to hard.								35
05	SS												36
06	SS					23.0 m.							25
07	SS												22
08	SS				(E)	24.0 m.							19
09	SS												21
25	10	SS			Silty clay, trace fine sand, greyish brown, very stiff.								17
	11	SS											19
	12	SS											20

BORING STARTED : 17/11/25

BORING FINISHED : 20/11/25

RIG. 04

FOREMAN : WN.

WL. -3.50 m

JOB No. : 1168286

24 Hrs.


After Boring

LOG OF BORING No. OW-34/5

PROJECT : MRT Orange Line Project Bang Khun Non -

LOCATION : Bangkok

Min Buri (Suwinthawong) Section



BORING STARTED : 17/11/25

RIG. 04

WL. -3.50 m 24 Hrs. After Boring

BORING FINISHED : 20/11/25

FOREMAN : WN.

JOB No. : 1168286

LOG OF BORING No. OW-34/5

PROJECT : MRT Orange Line Project Bang Khun Non -					LOCATION : Bangkok				
Min Buri (Suwinthawong) Section									
DEPTH, m.	SAMPLE No.	TYPE OF SAMPLE	SAMPLE DIST.	RECOVERY	DESCRIPTION OF MATERIAL	GRAPHIC LOG	○ Natural Water Content × Plastic Limit △ Liquid Limit (%)		○ Su (UC) ● Su' (UC) △ Su (FV) ▲ Su' (FV) × Qp/2 ▽ Su (UU) (t/m ²) 2.5 5 7.5 □ SPT, N (Blow/ft) 20 40 60
50	50	SS			Silty fine to medium sand, light grey, dense. 51.45 m.		20 40 60 80 100	20 40 60	☒ 43
	51	SS							☒ 46
	52	SS							☒ 48
					END OF BORING (A) Concrete plate. (B) Clayey fine sand, greyish brown mottled with yellow, medium dense. (C) Fine sandy clay, yellowish brown, very stiff. (D) Silty clay, some fine sand, yellowish brown, very stiff. (E) Silty clay, trace to some sand, greyish brown, very stiff. (F) Silty clay, trace to some sand, greyish brown, very stiff. (G) Silty fine sand, brownish light grey, dense. (H) Silty clay, trace to some sand, greyish brown, very stiff. (I) Fine sandy clay, light grey, hard. (J) Silty fine sand, trace clay pocket, light greyish brown, dense to very dense.				
55									

BORING STARTED : 17/11/25
BORING FINISHED : 20/11/25

RIG. 04
FOREMAN : WN.

WL. -3.50 m
JOB No. : 1168286

24 Hrs.
After Boring