EgySpy — User Stories with Acceptance Criteria

Requirements Gathering — Task 8 Prepared by: Ammar Amr Draft v3 | 20 October 2026 | For team review — not approved

---

1. Introduction

This document lists the prioritized user stories for EgySpy, each with Given/When/Then acceptance criteria. It is the Task 8 deliverable and is the input for the functional requirements (Task 11).

The stories cover employee movement inside the defined facility during working hours, including visited locations and time spent. They are technology-neutral: no tracking technology, hardware, protocol or architecture is assumed.

The stories draw on the consolidated proposal (Baseline v1), the Literature Review Plan (objectives O1–O6), the draft Stakeholder Register (Task 3, including its confirmed clarification of the Supervisor role), the review of UWB/RTLS and smart attendance systems (Task 4, draft v1.0) and the review of real-time tracking and streaming technologies (Task 7, draft v1.0). Where those drafts leave a point open, the story says so instead of deciding it.

1.1 Scope Boundaries

Three boundaries from the consolidated proposal apply to every story:

- EgySpy does not decide whether an employee is actually working; it reports movement and flags deviations for a human to review.
- EgySpy is not a general attendance system; it starts after attendance is recorded.
- Tracking is limited to the facility and to working hours.

1.2 Priority Scheme

Priority follows MoSCoW: Must (core to the project objectives), Should (important but not blocking) and Could (desirable). Values written as TBD-n are placeholders for numbers or rules the team must confirm (Section 6); none is a decision made here. Each story also lists the project objective it supports. Stories marked "Constraint" set limits on how monitoring is done rather than serving an objective. Stories marked "Operational" support running and supporting the system (taken from the System Administrator role in the Stakeholder Register) rather than serving an objective directly. Administrator stories that must be done before monitoring can start (facility information, zones, employee records, tracking devices and alert rules) are Must, because a Direct Manager can monitor only after the Administrator has set the facility up.

1.3 Setup Flow

The stories follow this order, as described by the team (it is not yet in the Stakeholder Register):

1. The System Administrator, who knows the facility best, gives EgySpy the facility information: number of employees, facility areas and layout, shifts and the nature of the work (US-29).
2. EgySpy trains the Administrator to use and operate the system (a service requirement for Task 11).
3. The Administrator sets the system up: zones, employee records and their Direct Managers, tracking devices (given to employees as needed, not fixed to one person) and alert rules (US-05, US-06, US-27, US-32, US-26, US-11).
4. Each Direct Manager monitors their team, receives alerts and reports (Sections A, C and D), and the Administrator keeps checking that the system works and deals with EgySpy support (US-30, US-28).

---

2. Actors

The actors are aligned with the draft Stakeholder Register (Task 3), which is itself not yet approved. Under the register, Management (ST-01) and the System Administrator (ST-03) are the system users included in current scope. Employees (ST-02) are monitored but do not use the system. The HR Officer and Security Officer roles are not in the register and have been removed; the stories that were assigned to them now belong to the Direct Manager (part of Management, ST-01).

Table 1. Actors and their roles

Actor	Role in the system
Direct Manager	Part of the register's Management group (ST-01, included in current scope). There may be several Direct Managers, each responsible for their own team (see Section 7). Monitors the employees in their team, reviews alerts and receives reports. The register has no separate work-area supervisor: its "Supervisor" refers to the administrative role (see System Administrator). Also reviews movement history, deviation reports, attendance reconciliation, flagged data and the audit log, and receives restricted-zone alerts.
System Administrator	Included in current scope (ST-03; the register's "Supervisor" role). Highest-priority setup role: as the person who knows the facility best, the Administrator gives EgySpy the facility information (number of employees, facility areas and layout, shifts, nature of work), is then trained by EgySpy, and sets up the system for the Direct Managers (zones, employees, tracking devices, alert rules). The Direct Manager monitors only after this setup. Per the register: adds, updates and deletes employee records and changes employee status, is the organization's contact with EgySpy customer support, handles system issues or escalates them, and receives training from EgySpy. In this document the role also provides facility information, manages users, zones, assignments, tracking devices and settings, and checks that the system is working; these extra duties come from the team's description of the role and are not yet in the register (see Section 7).
Employee	Tracked person (ST-02); not a system user under the current decision.

3. User Stories

Each story is identified as US-nn with its priority. Acceptance criteria are written as Given/When/Then statements and are meant to be testable once the TBD values are fixed.

A. Live Monitoring

US-01 — Live location view (Must) As a Direct Manager, I want to see the current location of my team members on a live view, so that I know where they are during working hours.

Acceptance criteria:

- Given I am signed in as a Direct Manager, when I open the live view, then I see the current zone of each employee assigned to my team.
- Given an employee moves to another zone, when the move is detected, then the live view updates within TBD-1 seconds without a manual refresh.
- Given an employee is not on my team, when I open the live view, then that employee is not shown.

US-02 — Employee status at a glance (Must) As a Direct Manager, I want each employee marked with a clear status (in assigned zone, in another zone, location unavailable, no assigned zone, or no device assigned), so that I can spot deviations quickly.

Acceptance criteria:

- Given an employee is inside their assigned zone, when I view the team, then the status reads "In assigned zone".
- Given an employee is in a different zone, when I view the team, then the status reads "Outside assigned zone" with the zone name.
- Given no valid location has arrived for TBD-2 seconds, when I view the team, then the status reads "Location unavailable" and the last known zone and time are shown.
- Given an employee has no assigned zone (US-06) or no device (US-26), when I view the team, then the status reads "No assigned zone" or "No device assigned" and no deviation alert is raised for that reason.

US-03 — Facility map (Should) As a Direct Manager, I want the live view on a facility map, so that I can see where employees are relative to each other and to work areas.

Acceptance criteria:

- Given the facility layout is configured, when I open the map, then each employee appears in the zone where they currently are.
- Given several employees are in one zone, when I open the map, then each of them is still individually identifiable.

US-04 — Search and filter (Should) As a Direct Manager, I want to search and filter employees by name, department or zone, so that I can find a person quickly.

Acceptance criteria:

- Given I filter by a zone, when the filter is applied, then only employees currently in that zone and within my access are listed.
- Given I search for a name I am not authorized to see, when I submit it, then no result is returned for that person.

B. Facility Setup, Zones and Assignments

US-29 — Provide facility information for setup (Must) *(new)* As a System Administrator, I want to give EgySpy information about our facility (number of employees, facility areas and layout, shifts and the nature of the work), so that the system is set up to fit how our facility actually runs.

Acceptance criteria:

- Given the project is in setup, when I provide the facility information, then EgySpy records it as the setup baseline with the date and who provided it.
- Given an item is missing or unclear, when EgySpy reviews the information, then the missing items are listed back to me before configuration starts.
- Given the facility changes later (a new area, more employees), when I report the change, then the baseline is updated and the earlier version is kept.

Whether this happens inside the system or as a handover to EgySpy is open (Section 7).

US-32 — Configure shifts and working hours (Must) *(new)* As a System Administrator, I want to define the facility's shifts and working hours and assign each employee to a shift, so that tracking runs only during working hours and device assignments close when the shift ends.

Acceptance criteria:

- Given I am signed in as an Administrator, when I create a shift with a name, a start time and an end time (a shift may end on the next day), then it is saved and can be assigned to employees.
- Given an employee is outside their shift hours, when location data arrives, then it is not stored or shown (US-22).
- Given an employee has no shift, when I view them, then they are flagged "No shift" and no location data is stored for them until a shift is assigned.
- Given I change a shift, when I save it, then it applies from that moment, earlier days keep the shift they had, and the change is logged (US-19).

US-05 — Define facility zones (Must) As a System Administrator, I want to define the zones of the facility, so that employee locations can be recorded as named places.

Acceptance criteria:

- Given I am signed in as an Administrator, when I create a zone with a name and boundaries, then the zone is saved and available for assignments.
- Given a zone is in use by assignments or history, when I try to delete it, then the system blocks deletion and offers to deactivate it instead.

US-06 — Assign a work area to each employee (Must) As a System Administrator, I want to assign each employee one or more expected zones, so that the system can tell whether the employee is where they should be.

Acceptance criteria:

- Given an employee and a zone exist, when I assign the zone, then it becomes the employee's expected location from the effective date.

- Given an employee has no assignment, when I view them, then they are flagged "No assigned zone" and are excluded from deviation alerts.

US-07 — Record visited zones and time spent (Must) As a Direct Manager, I want to see which zones an employee visited and how long they stayed in each, so that I understand their movement during the shift.

Acceptance criteria:

- Given an employee enters a zone, when they leave it, then a visit is recorded with entry time, exit time and duration.
- Given an employee is still in a zone, when I view their day, then the open visit shows the time spent so far.
- Given a location reading is less accurate than TBD-9 metres or is missing, when the visit is recorded, then the visit is marked with reduced confidence rather than silently filled in.
- Given location events arrive late, out of order or twice, when the visit is calculated, then entry and exit times follow the time each event was detected (not received) and duplicates are counted once.

US-08 — Temporary reassignment (Should) As a Direct Manager, I want to temporarily allow an employee to work in another zone, so that approved movement does not raise alerts.

Acceptance criteria:

- Given I grant a temporary zone for a start and end time, when the employee is in that zone during the window, then no deviation alert is raised.
- Given the window ends, when the employee is still in that zone, then normal deviation rules apply again.

US-27 — Manage employee records and status (Must) *(new)* As a System Administrator, I want to add, update and delete employee records and change an employee's status, so that the list of tracked employees matches the organization's current staff.

Acceptance criteria:

- Given I am signed in as an Administrator, when I add an employee record with the required details (including the Direct Manager responsible for the employee), then the employee is saved and becomes available for zone assignment (US-06) and device assignment (US-26).
- Given an employee record exists, when I update it, then the change applies from the moment it is saved and the previous value is kept in the audit log (US-19).
- Given I change an employee's status to a value defined by the team (TBD-11), when I save, then the new status and the time of change are shown to authorized users and

logged.

- Given I delete an employee record, when I confirm, then the system applies the deletion behavior the team confirms (TBD-12) and logs who did it and when.
- Given I do not have the permission for an action on employee records, when I try it, then it is denied and the attempt is logged.

C. Alerts

US-09 — Out-of-zone alert (Must) As a Direct Manager, I want an alert when an employee stays outside their assigned zone longer than allowed, so that I can follow up without watching the screen constantly.

Acceptance criteria:

- Given an employee leaves their assigned zone, when they remain outside for more than TBD-3 minutes, then an alert is sent to the employee's Direct Manager within TBD-4 seconds.
- Given the employee returns before the limit, when the limit passes, then no alert is raised.
- Given an alert is raised, when I open it, then it shows the employee, zone left, time left, current zone and duration.

US-10 — Alert acknowledgement (Should) As a Direct Manager, I want to acknowledge an alert and add a note, so that the follow-up is recorded.

Acceptance criteria:

- Given an open alert, when I acknowledge it with a note, then its status changes to "Acknowledged" with my name and the time.

US-11 — Alert rules (Must) As a System Administrator, I want to configure alert thresholds per zone or per team (the employees of one Direct Manager), so that rules fit different work areas and teams.

Acceptance criteria:

- Given I change a threshold, when I save it, then it applies to new events from that moment and past alerts are unchanged.
- Given a rule is invalid (for example, a negative duration), when I save it, then the system rejects it with a clear message.

US-12 — Restricted-zone alert (Could) As a Direct Manager, I want an alert when an employee enters a zone they are not permitted to enter, so that I can respond to unauthorized access.

Acceptance criteria:

- Given a zone is marked restricted, when an employee without permission enters it, then an alert is sent to the Direct Manager of that employee.

US-25 — Tracking device battery and signal alert (Should) As a Direct Manager or System Administrator, I want to be alerted when an employee's tracking device is running low or has stopped reporting, so that it can be charged or replaced before data is lost.

Acceptance criteria:

- Given a tracking device reports a battery level below TBD-10 percent, when the level is received, then an alert is sent to the responsible user.
- Given a tracking device has stopped reporting, when the silence exceeds TBD-2 seconds, then the employee is shown as "Location unavailable" with the cause "device silent".
- Given a device was silent, when I review the day, then the silent period is counted as "location unavailable" (US-14), not as time outside the assigned zone.

D. History and Reports

US-13 — Movement history (Must) As a Direct Manager, I want to view the movement history of an employee on my team for a chosen date range, so that I can review where they spent their working hours.

Acceptance criteria:

- Given I select an employee and a date range within the retention period, when I run the query, then I see the ordered visits with zone, entry time, exit time and duration.
- Given the range is outside the retention period (TBD-6 days), when I run the query, then the system states that the data is no longer kept.

US-14 — Time-per-zone summary (Must) As a Direct Manager, I want a daily summary of time spent per zone for each employee, so that I can compare actual time against expectations.

Acceptance criteria:

- Given a completed workday, when I open the summary, then it shows total time in the assigned zone, in other zones and with location unavailable.
- Given the summary is shown, when I add the three totals, then they equal the employee's tracked working hours for that day.

US-15 — Deviation report (Should) As a Direct Manager, I want a report of deviations by employee, team and period, so that I can support accountability decisions.

Acceptance criteria:

- Given I choose a period and a team, when I generate the report, then it lists each deviation with the employee, zone, duration and alert status.
- Given the report is generated, when I export it, then the file keeps the same figures and records who exported it and when.

US-31 — Reports sent to the Direct Manager (Should) *(new)* As a Direct Manager, I want the time-per-zone and deviation reports for my team sent to me automatically each period, so that I receive them without generating them every time.

Acceptance criteria:

- Given a report schedule (daily or weekly) is set for my team, when the period ends, then the report for that period is sent to me.
- Given an employee is not on my team, when the report is built, then that employee is not included.
- Given a report could not be delivered, when delivery fails, then the failure is recorded and the report stays available in the system.

US-16 — Reconcile with attendance (Should) As a Direct Manager, I want movement records shown beside attendance records, so that I can see whether recorded attendance matches actual presence.

Acceptance criteria:

- Given an employee has an attendance record for a day, when I open the reconciliation view, then I see the attendance time and the first and last detected presence in the facility.
- Given attendance was recorded but no movement was detected for TBD-7 minutes, when I open the view, then the day is flagged for review.

E. Anti-Tampering

These stories stay general until the anti-tampering review (Task 5) fixes the threat list, and should be aligned with it.

US-17 — Detect suspicious location data (Must) As a Direct Manager, I want the system to flag location data that looks tampered with or inconsistent, so that attendance manipulation can be investigated.

Acceptance criteria:

- Given a tag or device reports an impossible jump between zones in under TBD-8 seconds, when the data is received, then it is flagged as suspicious and kept for review.
- Given a tag stops reporting during working hours, when the silence exceeds TBD-2 seconds, then a "signal lost" event is recorded for that employee.

- Given an event is flagged, when I open it, then I see the evidence (readings, times, source) and not only the conclusion.

US-18 — Do not treat unverified data as proof (Must) As a Direct Manager, I want flagged events clearly labelled as indications and not confirmed violations, so that no employee is penalised on unverified data alone.

Acceptance criteria:

- Given an event is flagged, when it appears in any view or report, then it is labelled "Needs review" until a reviewer confirms or dismisses it.
- Given a reviewer dismisses or confirms a flag, when they save, then their name, time and reason are recorded.

US-19 — Tamper-evident records (Should) As a Direct Manager, I want changes to movement records and settings to be logged, so that the data can be trusted during an investigation.

Acceptance criteria:

- Given any user edits a record, an assignment or a rule, when the change is saved, then the audit log stores who, what, when and the previous value.
- Given I open the audit log, when I try to edit or delete an entry, then the system does not allow it.
- Given I am a Direct Manager, when I open the audit log, then I see only entries about my own team's employees and records, as US-20 requires.

US-26 — Assign any tracking device to any employee (Must) As a System Administrator (or a person I authorize at the collection point), I want to give any available tracking device to any employee and record who has it and for how long, so that employees are not tied to a fixed device and location data still belongs to the right person at every moment.

Acceptance criteria:

- Given a device is available (assigned to nobody), when I assign it to an employee, then it is linked to that employee from that time and shown as "In use".
- Given a device is already assigned, when I try to assign it to another employee, then the system refuses until the first assignment is ended, so a device is with one employee at a time.
- Given an employee already holds a device, when I assign them another (for example after a low battery), then the first assignment is ended, that device becomes "Available" and the swap is logged.

- Given an employee returns a device or the shift ends, when I end the assignment, then the device becomes "Available" and the period it was with that employee is closed with the end time.
- Given location data arrives from a device, when it is processed, then it belongs to the employee who held the device when the data was detected (not when it was received), as in US-07.
- Given data arrives from a device that was assigned to nobody at that time, when it is received, then it is held as "Unassigned device" and flagged for review instead of being attributed to anyone.
- Given a shift (US-32) ends while a device is still assigned, when the shift end time passes, then the assignment is closed automatically and the Administrator is told the device has not been returned.
- Given an employee has no device during working hours, when I view them, then the status reads "No device assigned" and that time is counted as "location unavailable" in the time-per-zone summary (US-14), not as time outside the assigned zone.
- Given any assignment, swap or return, when it is saved, then the audit log records who did it, when, the device and the employee.

F. Administration, Access and Privacy

US-20 — Role-based access (Must) As a System Administrator, I want each user to see only the data their role allows, so that employee movement data is not exposed to people without a need.

Acceptance criteria:

- Given a user with the Direct Manager role, when they request data, then only their own team's employees are returned.
- Given a user with the System Administrator role, when they request data, then they see only the data the team confirms for this role (proposed: setup and system data such as employees, zones, devices, shifts, rules and system health, but not employees' movement data; see Section 7).
- Given a user requests data outside their role, when the request is made, then it is denied and the attempt is logged.

US-21 — User management (Must) As a System Administrator, I want to create, deactivate and change the role of users, so that access follows staffing changes.

Acceptance criteria:

- Given I deactivate a user, when they next try to sign in, then access is refused and their past actions stay in the audit log.

- Given I change a user's role, when they next sign in, then the new permissions apply.

US-22 — Tracking only in the facility, during working hours (Must) As an Employee, I want tracking limited to the facility and my working hours, so that my private time is not monitored.

Acceptance criteria:

- Given a shift has ended or the employee has left the facility, when location data arrives, then it is not stored or shown.
- Given working hours are configured per shift (US-32), when a day is reviewed, then only data inside those hours appears.

US-23 — Employee transparency (Must) As an Employee, I want to be told what is tracked, why and for how long, so that monitoring is transparent. Employees are not system users under the current decision, so this is met by a notice and a request process, not by employee sign-in.

Acceptance criteria:

- Given I am a tracked employee, when monitoring starts or its rules change, then I receive a written notice stating what is collected, why, who can see it and how long it is kept.
- Given I believe a record is incorrect, when I submit a correction request through the defined process, then it is logged and answered by the responsible reviewer (process owner TBD).

US-24 — Data retention (Should) As a System Administrator, I want movement data deleted or anonymised after the retention period, so that data is not kept longer than needed.

Acceptance criteria:

- Given a record is older than TBD-6 days, when the retention job runs, then it is deleted or anonymised and the action is logged.
- Given a record is part of an open investigation, when the retention job runs, then it is kept until the case is closed.

US-30 — System health view (Should) *(new)* As a System Administrator, I want to see whether the system is working (data arriving, devices reporting, alerts being delivered), so that I can fix problems or report them before they affect monitoring.

Acceptance criteria:

- Given I open the health view, when the system is running, then I see for each part (data collection, live view, alerts) whether it is working and when data last arrived.
- Given a part has received no data for TBD-14 seconds, when I open the health view, then it shows "Not working" with the time it last worked.

- Given a part shows "Not working", when I choose to report it, then an issue is prepared for EgySpy support with the part and the times (US-28).

US-28 — Report and escalate system issues to EgySpy support (Must) *(new)* As a System Administrator, I want to report system issues to EgySpy customer support and escalate those I cannot resolve, so that problems are handled without data loss or long downtime.

Acceptance criteria:

- Given I notice a system issue, when I open an issue with a description and the time it occurred, then it is recorded and sent to EgySpy customer support (contact channel to be agreed).
- Given an issue is one I am permitted to resolve (TBD-13), when I resolve it, then the resolution, my name and the time are recorded.
- Given an issue is outside my permissions, when I escalate it, then it is marked "Escalated" with who escalated it and when, and stays visible until support closes it.

---

4. Priority Summary

There are 32 stories: 20 Must, 11 Should and 1 Could.

Table 2. Summary of all user stories by priority

ID	Story	Primary actor	Priority	Objective
US-01	Live location view	Direct Manager	Must	O1, O6
US-02	Employee status at a glance	Direct Manager	Must	O1, O4
US-03	Facility map	Direct Manager	Should	O1
US-04	Search and filter	Direct Manager	Should	O1, O6
US-05	Define facility zones	System Administrator	Must	O2, O4
US-06	Assign a work area to each employee	System Administrator	Must	O4
US-07	Record visited zones and time spent	Direct Manager	Must	O2, O3
US-08	Temporary reassignment	Direct Manager	Should	O4
US-09	Out-of-zone alert	Direct Manager	Must	O4, O6
US-10	Alert acknowledgement	Direct Manager	Should	O6
US-11	Alert rules	System Administrator	Must	O4
US-12	Restricted-zone alert	Direct Manager	Could	O4
US-13	Movement history	Direct Manager	Must	O2, O3, O6
US-14	Time-per-zone summary	Direct Manager	Must	O3, O6

ID	Story	Primary actor	Priority	Objective
US-15	Deviation report	Direct Manager	Should	O4, O6
US-16	Reconcile with attendance	Direct Manager	Should	O5, O6
US-17	Detect suspicious location data	Direct Manager	Must	O5
US-18	Do not treat unverified data as proof	Direct Manager	Must	O5, O6
US-19	Tamper-evident records	Direct Manager	Should	O5, O6
US-20	Role-based access	System Administrator	Must	Constraint
US-21	User management	System Administrator	Must	O6
US-22	Tracking only in the facility, during working hours	Employee	Must	Constraint
US-23	Employee transparency	Employee	Must	Constraint
US-24	Data retention	System Administrator	Should	Constraint
US-25	Tracking device battery and signal alert	Direct Manager, System Administrator	Should	O1
US-26	Assign any tracking device to any employee	System Administrator	Must	O1, O5
US-27	Manage employee records and status *(new)*	System Administrator	Must	O6
US-28	Report and escalate system issues to EgySpy support *(new)*	System Administrator	Must	Operational

ID	Story	Primary actor	Priority	Objective
US-29	Provide facility information for setup *(new)*	System Administrator	Must	Operational
US-30	System health view *(new)*	System Administrator	Should	Operational
US-31	Reports sent to the Direct Manager *(new)*	Direct Manager	Should	O6
US-32	Configure shifts and working hours *(new)*	System Administrator	Must	Constraint

5. Coverage of Project Objectives

Every objective of the Literature Review Plan is covered by at least one Must story, which keeps the story set traceable to the project goals.

Table 3. Project objectives and the stories that support them

Obj.	Project objective	Supporting stories
O1	Track employee movement within the facility in real time.	US-01, US-02, US-03, US-04, US-25, US-26
O2	Record the locations employees visit.	US-05, US-07, US-13
O3	Record the time employees spend at different locations.	US-07, US-13, US-14
O4	Identify movement that may be inconsistent with an employee's assigned work area.	US-02, US-05, US-06, US-08, US-09, US-11, US-12, US-15
O5	Reduce opportunities for attendance manipulation and fraudulent attendance practices.	US-16, US-17, US-18, US-19, US-26
O6	Support management monitoring and accountability.	US-01, US-04, US-09, US-10, US-13, US-14, US-15, US-16, US-18, US-19, US-21, US-27, US-31

Stories not tied to an objective: US-20, US-22, US-23, US-24 and US-32 (Constraint) and US-28, US-29 and US-30 (Operational).

---

6. Open Parameters (TBD)

The acceptance criteria need these numbers or rules to be measurable. Each remains a placeholder until the team confirms it. For reference, the Task 4 review reports average UWB errors of about 0.3–0.6 m in an industrial laboratory, about 5 m for BLE and 5–15 m for Wi-Fi signal-strength methods; these come from different test set-ups and are not targets.

Table 4. Parameters to be confirmed by the team

TBD-5 (alert escalation time) was removed with the HR Officer role; the other numbers are unchanged.

Ref	Parameter	Used in	Owner to confirm
TBD-1	Maximum delay from a zone change to the live view (seconds)	US-01	Omar (Task 7), Mustafa
TBD-2	Time without a valid location before "unavailable" or "signal lost" (seconds)	US-02, US-17, US-25	Omar, Mina
TBD-3	Time outside the assigned zone before an alert (minutes)	US-09	Mustafa (scope)
TBD-4	Maximum delay to deliver an alert (seconds)	US-09	Omar
TBD-6	Retention period for movement data (days)	US-13, US-24	Mustafa, legal check
TBD-7	Minutes without movement after attendance before flagging a day	US-16	Mina
TBD-8	Shortest believable time to move between two zones (seconds)	US-17	Mina, Omar
TBD-9	Worst location accuracy still accepted for assigning an employee to a zone (metres)	US-07	Mohamed (Task 4), Mustafa
TBD-10	Battery level that triggers a low-battery alert (percent)	US-25	Omar
TBD-11	Employee-status values (e.g. which statuses exist and what each means) *(new; register: "status values to be defined")*	US-27	Proposed: Omar (Task 3 owner), Mustafa
TBD-12	Deletion behavior for employee records (permanent delete or deactivate; effect on movement history; must be consistent with TBD-6) *(new; register: "exact deletion behavior to be defined")*	US-27	Proposed: Omar (Task 3 owner), Mustafa, legal check
TBD-13	Which system issues the Administrator may resolve and which must be escalated to EgySpy support *(new; register: "technical permissions to be defined")*	US-28	Proposed: Omar (Task 3 owner), Mustafa

Ref	Parameter	Used in	Owner to confirm
TBD-14	Time without data from a system part before the health view shows it as "Not working" (seconds) *(new)*	US-30	Omar (Task 7)

7. Open Decisions

The following points need a team decision and may change the stories:

- **System Administrator scope.** The role is included in current scope in the Stakeholder Register (ST-03). The team describes it as the person who knows the facility best, who gives EgySpy the facility data, is trained, sets up zones and tracking devices, and checks that the system works (US-29, US-05, US-06, US-32, US-26, US-11, US-30). The register does not list these duties, so the Task 3 owner should add them. If the team decides EgySpy, not the Administrator, defines zones, US-05 and US-06 change. The administration stories US-20, US-21 and US-24 are still not in the register either.
- **"Supervisor" in the register.** The register's document-control note lists "System Administrator and Supervisor" as separate groups, while its Section 4.1 describes the Supervisor's duties under the System Administrator. This draft treats them as one role. The Task 3 owner should confirm and make the register consistent.
- **Training.** The register requires the Administrator to receive training from EgySpy. In the setup flow (Section 1.3) it comes after the facility information is handed over and before the Administrator sets the system up. It is a service/non-functional requirement, not a user story, and should be carried into Task 11.
- **Where facility information is provided.** US-29 can be a handover to EgySpy before the system exists or a form inside the system. The team should choose, and decide who at EgySpy receives it.
- **Several Direct Managers.** The register has one Management group (ST-01), while the stories use the Direct Manager, who monitors one team. The Administrator links each employee to a Direct Manager (US-27). The team should confirm whether more senior Management users who see several teams exist, whether a Direct Manager may see other teams, and who receives an alert when an employee has no Direct Manager. US-01, US-13 and US-20 depend on this.
- **HR Officer and Security Officer removed.** Their stories (US-04, US-12, US-13, US-15, US-16, US-17, US-18, US-19) are reassigned to the Direct Manager. The escalation of unacknowledged alerts to HR (US-10) was removed, since no other role receives it; the team should decide whether alerts need another escalation path. Note that US-13, US-15 and US-16 now depend on Direct Manager access limited to the user's own team (US-20),

and US-17 to US-19 give the Direct Manager access to flagged data and to the audit log entries of their own team, which the team should confirm.

- **What the Administrator can see.** The Administrator sets the system up but may not need to see where employees are. The proposed default (US-20) is no access to movement data (live view, visits, history), only to setup and system data. The team should confirm, because US-26 and US-30 may need limited access to device and employee information.
- **How alerts and reports are delivered.** US-09, US-12, US-25 and US-31 say "sent to" without a channel (inside the system, email or SMS). The choice affects Task 11 and the architecture work.
- **Where attendance data comes from.** US-16 compares movement with attendance records, but the source of those records and how they reach EgySpy are not defined.
- **Sign-in and authentication.** Several stories assume a signed-in user, but no story defines sign-in, sign-out or password rules. This is expected to be a non-functional requirement for Task 11.
- **Restricted zones.** US-12 needs a way to mark a zone as restricted and to say who may enter it, which US-05 and US-06 do not cover yet. It stays open while US-12 is only a Could.
- Employee-facing transparency and privacy arrangements (notice, access to records, correction, retention), which are still undefined and keep US-22 and US-23 provisional.
- What a "zone" is (a room, a floor or an area). It depends on the accuracy the team accepts (TBD-9), since Task 4 suggests zone-level recording is enough for visited locations and time spent.
- Whether US-16 stays in scope. It is kept in this draft because Task 4 found no reviewed system that combines continuous in-facility tracking with attendance accountability, and it only compares movement with attendance after it is recorded, which the proposal allows.
- **Flexible tracking devices.** Any employee may wear any device (US-26), so a device is no longer tied to a person and handing a device to a colleague cannot be blocked by the device itself. Protection depends on the assignment log and on detection of suspicious data (US-17). The proposed approach, pending team confirmation, is:
    - **Who assigns:** one collection point at the facility entrance, run by the Administrator or by a person the Administrator authorizes (for example security or reception). Employees are not system users, so they do not register devices themselves. In a small facility the Administrator can do it alone. An authorized person is a role not in the register, so the Task 3 owner should add it if the team agrees. The number of employees (US-29) decides which option fits.

    - **How the handover is recorded:** the device ID, the employee and the time are recorded together, with the time set by the system. The record goes into the audit log, and US-16 can compare it with the attendance record.
    - **How long an assignment lasts:** one shift, matching US-22, and it closes automatically when the shift ends.
- Whether tracking devices are worn by employees, and who charges and hands them out, since the Task 4 sources report battery charging as a serious problem for users. US-25 and US-26 assume a worn device but not a specific technology. The team expects the Administrator to hand the devices out to employees (not yet in the register); who charges them is still open.