






Phase 3 — Internal Ballistics (BATES / APCP Aerotech)



|                      |                |
|----------------------|----------------|
| Motor Performance    |                |
| Class                | : O            |
| Total impulse        | : 13975.3 N·s  |
| Burn duration        | : 6.397 s      |
| Peak thrust          | : 963.4 N      |
| Avg thrust           | : 384.4 N      |
| Peak $P_c$           | : 3.67 MPa     |
| Delivered Isp        | : 345.6 s      |
| Prop mass            | : 4.123 kg     |
| Design Inputs        |                |
| Grain                | : BATES        |
| Propellant           | : APCPAerotech |
| OD / Core            | : 75 / 25 mm   |
| Throat Dt            | : 15.0 mm      |
| Expansion $\epsilon$ | : 8            |