Fine-tuning feasibility test (84 training frames from one QE-PBE study; ontop site held out)



* lost: after fine-tuning, MACE gives a flat E(a) for Ag, Cu, Ni, Pd and Pt (no lattice minimum), so the Steckel systems of these metals cannot be built (catastrophic forgetting).
CHGNet '+ free atom': CHGNet's StructureData silently drops structures with an isolated atom (the free Hg atom and the 'far' frame), so this run saw the same data as 'no free atom'.