

Vishay

HALOGEN FREE

GREEN

(5-2008)

Surface Mount Multilayer Ceramic Chip Capacitors for Commodity Applications



FEATURES

- Available from 0402 to 1210 body sizes
- Ultra stable C0G (NP0) dielectric
- High capacitance in X5R, X7R, Y5V
- For high frequency applications
- Ni-barrier with 100 % tin terminations
- Dry sheet technology process
- Noble Metal Electrode system (NME): for certain C0G (NP0) values
- Base Metal Electrode system (BME): for X5R, X7R, Y5V and certain C0G (NP0) values
- Material categorization: for definitions of compliance please see <u>www.vishay.com/doc?99912</u>

APPLICATIONS

- Consumer electronics
- Telecommunications
- Data processing
- Mobile applications

ELECTRICAL SPECIFICATIONS

Operating Temperature:

C0G (NP0): -55 °C to +125 °C

X5R: -55 °C to +85 °C X7R: -55 °C to +125 °C Y5V: -25 °C to +85 °C

Capacitance Range:

COG (NP0): 0.5 pF to 39 nF X5R: 47 nF to 220 µF X7R: 100 pF to 47 µF Y5V: 10 nF to 100 µF

Voltage Range:

COG (NP0): 10 V_{DC} to 100 V_{DC}

X5R: $6.3 V_{DC}$ to $50 V_{DC}$ X7R: $10 V_{DC}$ to $100 V_{DC}$ Y5V: $6.3 V_{DC}$ to $100 V_{DC}$

Temperature Coefficient of Capacitance (TCC):

C0G (NP0): 0 ppm/°C \pm 30 ppm/°C from -55 °C to +125 °C X5R: \pm 15 % from -55 °C to +85 °C without voltage applied X7R: \pm 15 % from -55 °C to +125 °C without voltage applied Y5V: +30 % / -80 % from -25 °C to +85 °C without voltage applied

Insulation Resistance (IR) at UR:

 \geq 10 $G\Omega$ or R x C \geq 500 Ω x F whichever is less

Test Conditions for Capacitance Tolerance:

preconditioning for X5R, X7R, Y5V MLCC: perform a heat treatment at +150 °C \pm 10 °C for 1 h, then leave in ambient condition for 24 h \pm 2 h before measurement

Test Conditions for Capacitance and DF Measurement:

measured at conditions of 30 % to 70 % related humidity.

C0G (NP0): Apply 1.0 V_{RMS} \pm 0.2 V_{RMS}, 1.0 MHz \pm 10 % for caps \leq 1000 pF, at +25 °C ambient temperature Apply 1.0 V_{RMS} \pm 0.2 V_{RMS}, 1.0 kHz \pm 10 % for caps > 1000 pF, at +25 °C ambient temperature

X5R / X7R: Caps \leq 10 $\,\mu F$ apply 1.0 V_{RMS} \pm 0.2 V_{RMS} , 1.0 kHz \pm 10 %, at +25 °C ambient temperature $^{(1)}$ Caps > 10 $\,\mu F$ apply 0.5 V_{RMS} \pm 0.2 V_{RMS} , 120 Hz \pm 20 %, at +25 °C ambient temperature

Y5V: Caps \leq 10 µF apply 1.0 V_{RMS} \pm 0.2 V_{RMS}, 1.0 kHz \pm 10 %, at +20 °C ambient temperature Caps > 10 µF apply 0.5 V_{RMS} \pm 0.2 V_{RMS}, 120 Hz \pm 20 %, at +20 °C ambient temperature

Note

 $^{(1)}$ Test conditions: 0.5 V_{RMS} \pm 0.2 V_{RMS} , 1 kHz \pm 10 %

X7R: $0603: \ge 2.2 \ \mu F \ / \ 10 \ V$ $0805: 10 \ \mu F \ (6.3 \ V \ and \ 10 \ V)$

X5R: $0402: \ge 4.7 \ \mu\text{F} \ / \ 6.3 \ V \ and \ge 2.2 \ \mu\text{F} \ / \ 10 \ V \ 0603: 10 \ \mu\text{F} \ (6.3 \ V \ and \ 10 \ V)$

Aging Rate:

C0G (NP0): 0 % per decade

X5R: 6.3 V_{DC} / 10 V_{DC} : 3 % maximum per decade 16 V_{DC} / 25 V_{DC} : 2 % maximum per decade

X7R: \leq 10 V_{DC}: 1.5 % maximum per decade \geq 16 V_{DC}: 1 % maximum per decade

Y5V: 6.3 V_{DC} : 12.5 % maximum per decade 10 V_{DC} / 16 V_{DC} : 9 % maximum per decade \geq 25 V_{DC} : 7 % maximum per decade

Dielectric Strength Test:

this is the maximum voltage the capacitors are tested 1 s to 5 s period and the charge / discharge current does not exceed 50 mA.

 \leq 100 $V_{DC}\!\!:$ 250 % of rated voltage





Vishay

Dissipation Factor (DF):

C0G (NP0): Cap. < 30 pF: Q \ge 400 + 20C

Cap. ≥ 30 pF: Q ≥ 1000

X5R, X7R:

RATED VOLTAGE	D.F. ≤		EXCEPTION OF D.F. \leq
		3 %	1206 ≥ 0.47 µF
≥ 100 V	2.5 %	5 %	0603 ≥ 0.068 μF; 0805 > 0.1 μF; 1206 > 1 μF
		3 %	$0603 \ge 0.047~\mu F;~0805 \ge 0.18~\mu F;~~1206 \ge 0.47~\mu F$
≥ 50 V	2.5 %	5 %	1210 ≥ 4.7 µF
		10 %	$0402 \ge 0.1 \mu\text{F}; 0603 \ge 1 \mu\text{F}; 0805 \ge 1 \mu\text{F}; \\ 1206 \ge 2.2 \mu\text{F}; 1210 \ge 10 \mu\text{F}$
		5 %	0805 ≥ 1 μF; 1210 ≥ 10 μF
		7 %	$0603 \ge 0.33 \ \mu F; \ 1206 \ge 4.7 \ \mu F$
25 V	3.5 %	10 %	$0402 \ge 0.10~\mu\text{F};~0603 \ge 0.47~\mu\text{F}; \\ 0805 \ge 2.2~\mu\text{F};~1206 \ge 6.8~\mu\text{F}; \\ 1210 \ge 22~\mu\text{F}$
16 V	3.5 %	5 %	$0402 \ge 0.033~\mu F;~0603 \ge 0.15~\mu F; \ 0805 \ge 0.68~\mu F;~1206 \ge 2.2~\mu F; \ 1210 \ge 4.7~\mu F$
10 V	3.5 %	10 %	$0402 \ge 0.22~\mu F;~0603 \ge 0.68~\mu F;~0805 \ge 2.2~\mu F;~1206 \ge 4.7~\mu F;~1210 \ge 22~\mu F$
10 V	5 %	10 %	$\begin{array}{c} 0402 \geq 0.33 \; \mu F; \; 0402/X7R \geq 0.22 \; \mu F \\ 0603 \geq 0.33 \; \mu F; \; 0805 \geq 2.2 \; \mu F; \\ 1206 \geq 2.2 \; \mu F; \; 1210 \geq 22 \; \mu F \end{array}$
		15 %	0402 ≥ 1 μF
6.3 V	10 %	15 %	$0402 \ge 1~\mu F;~0603 \ge 10~\mu F;~0805 \ge 4.7~\mu F;~1206 \ge 47~\mu F;~1210 \ge 100~\mu F$
		20 %	0402 ≥ 2.2 µF
4 V	15 %	-	-

Y5V:


RATED VOLTAGE	D.F. ≤		EXCEPTION OF D.F. \leq
≥ 50 V	5 %	7 %	$0603 \ge 0.1 \ \mu F; \ 0805 \ge 0.47 \ \mu F; \ 1206 \ge 4.7 \ \mu F$
35 V	7 %	-	-
25 V	5 %	7 %	$\begin{array}{c} 0402 \geq 0.047~\mu F;~0603 \geq 0.1~\mu F;\\ 0805 \geq 0.33~\mu F;~1206 \geq 1~\mu F;\\ 1210 \geq 4.7~\mu F \end{array}$
		9 %	$\begin{array}{c} 0402 \geq 0.068 \; \mu F; \; 0603 \geq 0.47 \; \mu F; \\ 1206 \geq 4.7 \; \mu F; \; 1210 \geq 22 \; \mu F \end{array}$
16 V	7 %	9 %	$0402 \ge 0.068 \ \mu F; \ 0603 \ge 0.68 \ \mu F$
C < 1.0 µF	1 70	12.5 %	0402 ≥ 0.22 μF
16 V C ≥ 1.0 µF	9 %	12.5 %	$0603 \ge 2.2 \ \mu F; \ 0805 \ge 3.3 \ \mu F; \ 1206 \ge 10 \ \mu F; \ 1210 \ge 22 \ \mu F$
10 V	12.5 %	20 %	$0402 \ge 0.47 \ \mu F$
6.3 V	20 %	-	-

DIEL FOTDIO	0405	MAXIMUM VOLTAGE	CAPAC	ITANCE
DIELECTRIC	CASE	(V)	MINIMUM	MAXIMUM
	0402	100	0.5 pF	1.0 nF
COC (NIDO)	0603	100	0.5 pF	3.3 nF
C0G (NP0)	0805	100	0.5 pF	12 nF
	1206	100	1.5 pF	39 nF
	0402	50	47 nF	10 μF
	0603	50	220 nF	22 µF
X5R	0805	50	1.5 µF	47 µF
	1206	50	1.5 µF	100 μF
	1210	50	1.5 µF	220 µF
	0402	50	100 pF	1 µF
	0603	100	100 pF	2.2 µF
K7R	0805	100	100 pF	10 μF
	1206	100	150 pF	22 µF
	1210	100	1.0 nF	47 µF
	0402	50	10 nF	1.0 µF
	0603	50	10 nF	2.2 µF
Y5V	0805	100	10 nF	10 µF
	1206	100	10 nF	22 µF
	1210	100	10 nF	100 μF

Note

• Detail ratings see "Selection Chart"

www.vishay.com Vishay




Notes

- Detail rating see "Selection Chart"
- (1) DC voltage rating should not be exceeded in application. Other application factors may affect the MLCC performance. Consult for questions: mlcc@vishav.com
- (2) Not all values, see selection chart
- (3) No 5 % tolerance for X5R

Vishay

DIMENSIONS in inches (millimeters)



SIZE CODE	THICKNESS SYMBOL	SOLDERING METHOD (1)	L	w	т	МВ
0402	N	R	0.040 ± 0.002 (1.00 ± 0.05)	0.020 ± 0.002 (0.50 ± 0.05)	0.020 ± 0.002 (0.50 ± 0.05)	0.010 + 0.002 / - 0.004
(1005)	Е	R	0.040 ± 0.008 (1.00 ± 0.20)	0.020 ± 0.008 (0.50 ± 0.20)	0.020 ± 0.008 (0.50 ± 0.20)	(0.25 + 0.05 / - 0.10)
	S	R/W	0.063 ± 0.004 (1.60 ± 0.10)	0.030 ± 0.004 (0.80 ± 0.10)	0.030 ± 0.0028 (0.80 ± 0.07)	
0603 (1608)	Х	R/W	0.063 + 0.006 / - 0.004 (1.60 + 0.15 / - 0.10)	0.030 + 0.006 / - 0.004 (0.80 + 0.15 / - 0.10)	0.030 + 0.006 / - 0.004 (0.80 + 0.15 / - 0.10)	0.016 ± 0.006 (0.40 ± 0.15)
	X'	R/W	0.063 ± 0.008 (1.60 ± 0.20)	0.030 ± 0.008 (0.80 ± 0.20)	0.030 ± 0.008 (0.80 ± 0.20)	
	А	R/W			0.024 ± 0.004 (0.60 ± 0.10)	
	В	R/W	0.080 ± 0.006 (2.00 ± 0.15)	0.050 ± 0.004 (1.25 ± 0.10)	0.030 ± 0.004 (0.80 ± 0.10)	
0805 (2012)	D	R			0.049 ± 0.004 (1.25 ± 0.10)	0.020 ± 0.008 (0.50 ± 0.20)
	Т	R/W	0.080 ± 0.008	0.050 ± 0.008	0.033 ± 0.004 (0.85 ± 0.10)	
	I	R	(2.00 ± 0.20)	(1.25 ± 0.20)	0.049 ± 0.008 (1.25 ± 0.20)	
	В	R/W			0.030 ± 0.004 (0.80 ± 0.10)	
	С	R	0.126 ± 0.006 (3.20 ± 0.15)	0.063 ± 0.006	0.037 ± 0.004 (0.95 ± 0.10)	
1206	D	R		(1.60 ± 0.15)	0.049 ± 0.004 (1.25 ± 0.10)	0.024 ± 0.008
(3216)	J	R	0.126 ± 0.008		0.045 ± 0.006 (1.15 ± 0.15)	(0.60 ± 0.20)
	G	R	(3.20 ± 0.20)	0.063 ± 0.008 (1.60 ± 0.20)	0.063 ± 0.008 (1.60 ± 0.20)	
	Р	R	0.126 + 0.012 / - 0.004 (3.20 + 0.30 / - 0.10)	0.063 + 0.012 / - 0.004 (1.60 + 0.30 / - 0.10)	0.063 + 0.012 / - 0.004 (1.60 + 0.30 / - 0.10)	
	С	R	0.126 ± 0.012	0.098 ± 0.008	0.037 ± 0.004 (0.95 ± 0.10)	
	D	R	(3.20 ± 0.30)	(2.50 ± 0.20)	0.049 ± 0.004 (1.25 ± 0.10)	
1210 (3225)	G	R			0.063 ± 0.008 (1.60 ± 0.20)	0.060 ± 0.010 (0.75 ± 0.25)
	D D G D D D G G	R	0.126 ± 0.016 (3.20 ± 0.40)	0.098 ± 0.012 (2.50 ± 0.30)	0.078 ± 0.008 (2.00 ± 0.20)	
	М	R			0.098 ± 0.012 (2.50 ± 0.30)	

Note

(1) "R" = Reflow soldering process; "W" = Wave soldering process

Vishay

DIELECTRIC											COG	(NPO)									
STYLE			,	VJ040	2				VJ060	03	-	<u>.,</u>		/J080)5				/J120	6	
SIZE CODE				0402					0603					0805					1206		
VOLTAGE (V	اه.	10	16	25	50	100	10	16	25	50	100	10	16	25	50	100	10	16	25	50	100
VOLTAGE CO	-	Q	J	X	A	В	Q	J	X	A	В	Q	J	X	A	В	Q	J	X	A	В
CAP. CODE	CAP.						_								, ·					, ·	<u> </u>
0R5	0.5 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α					
1R0	1.0 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α					
1R2	1.2 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α					
1R5	1.5 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
1R8	1.8 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
2R2	2.2 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
2R7	2.7 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
3R3	3.3 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
3R9	3.9 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
4R7	4.7 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
5R6	5.6 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
6R8	6.8 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
8R2	8.2 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
100	10 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
120	12 pF	Ν	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
150	15 pF	Ν	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
180	18 pF	Ζ	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
220	22 pF	Ν	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
270	27 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
330	33 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
390	39 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
470	47 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
560	56 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
680	68 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
820	82 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
101	100 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
121	120 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
151	150 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
181	180 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
221	220 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
271	270 pF	N	N	N	N		S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
331	330 pF	N	N	N	N		S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
391	390 pF	N	N	N	N		S	S	S	S	S	В	В	В	В	В	В	В	В	В	В
471	470 pF	N	N	N	N		S	S	S	S	S	В	В	В	В	В	В	В	В	В	В
561	560 pF	N	N	N	N		S	S	S	S	S	В	В	В	В	В	В	В	В	В	В
681	680 pF	N	N	N	N		S	S	S	S	S	В	В	В	В	В	В	В	В	В	В

Notes

• Letters indicate product thickness, see packaging quantities

(1) Only in 5 % (code "J") tolerance



www.vishay.com

Vishay

DIELECTRIC											COG	(NP0)									
STYLE				VJ040	2			,	VJ060	03	-			/J080)5				/J120	6	
SIZE CODE				0402					0603					0805					1206		
VOLTAGE (V	20)	10	16	25	50	100	10	16	25	50	100	10	16	25	50	100	10	16	25	50	100
VOLTAGE CO		Q	J	X	A	В	Q	J	X	A	В	Q	J	X	A	В	Q	J	X	A	В
CAP. CODE	CAP.					_	_			-					,,						<u> </u>
821	820 pF	N	N	N	N		S	S	S	S	S	В	В	В	В	В	В	В	В	В	В
102	1.0 nF	N	N	N	N		S	S	S	S	S	В	В	В	В	В	В	В	В	В	В
122	1.2 nF						Х	Х	Х	Х		В	В	В	В	В	В	В	В	В	В
152	1.5 nF						Х	Х	Х	Х		В	В	В	В	В	В	В	В	В	В
182	1.8 nF						Х	Х	Х	Х		В	В	В	В	В	В	В	В	В	В
222	2.2 nF						Х	Х	Х	Х		В	В	В	В	В	В	В	В	В	В
272	2.7 nF						Х	Х	Χ	Χ		D	D	D	D	D	В	В	В	В	В
332	3.3 nF						Х	Χ	Χ	Χ		D	D	D	D	D	В	В	В	В	В
392	3.9 nF											D	D	D	D	D	В	В	В	В	В
472	4.7 nF											D	D	D	D	D	В	В	В	В	В
562	5.6 nF											D	D	D	D		В	В	В	В	В
682	6.8 nF											D	D	D	D		С	С	С	С	С
822	8.2 nF											D	D	D	D		D	D	D	D	D
103	10 nF											D	D	D	D		D	D	D	D	D
123	12 nF											T (1)	T (1)	T (1)	T (1)		Р	Р	P ⁽¹⁾	P (1)	
153	15 nF																Р	Р	P (1)	P (1)	
183	18 nF																Р	Р	P (1)	P (1)	
223	22 nF																Р	Р	P (1)	P (1)	
273	27 nF																Р	Р	P (1)	P (1)	
333	33 nF																Р	Р	P ⁽¹⁾	P ⁽¹⁾	
393	39 nF																Р	Р	P (1)	P (1)	
473	47 nF																				
563	56 nF																				
683	68 nF																				
823	82 nF																				
104	100 nF																				

Notes

[·] Letters indicate product thickness, see packaging quantities

⁽¹⁾ Only in 5 % (code "J") tolerance



Vishay

SELECTIO	N CHART															
DIELECTRIC									X5R							
STYLE			,	VJ0402				,	VJ0603	3			,	VJ0805		
SIZE CODE				0402					0603					0805		
VOLTAGE (VD	c)	6.3 V	10 V	16 V	25 V	50 V	6.3 V	10 V	16 V	25 V	50 V	6.3 V	10 V	16 V	25 V	50 V
VOLTAGE CO	DE	Υ	Q	J	Х	Α	Υ	Q	J	Х	Α	Υ	Q	J	Х	Α
CAP. CODE	CAP.															
473	47 nF			N												
563	56 nF		N													
683	68 nF		N	N												
823	82 nF	N	N	N												
104	100 nF	N	N	N	N											
124	120 nF															
154	150 nF		N		N											
184	180 nF															
224	220 nF	N	N	N	N				Х	Х						
274	270 nF							Х	Х							
334	330 nF	N	N					Х	Х	Х						
394	390 nF							Х	Х							
474	470 nF	N	N	Е	E (2)	E (2)		Х	Х	Х	X (2)					
564	560 nF															
684	680 nF	N	N					Х	Х	Х						
824	820 nF						Х	Х	Х							
105	1.0 µF	N	N	N	N		Х	Х	Х	Χ	Х					
155	1.5 µF						Х					I	I	I	I	
225	2.2 µF	N	N	Е	Е		Х	Х	X'	X'	X' (2)	I	I	-	ı	I
335	3.3 µF											I	I	I	I	
475	4.7 µF	E ⁽¹⁾	E (1)	E (1)			Х	Х	X'	X' ⁽²⁾			I	I	I	I
106	10 μF	E (1)	E (1)				X'	X'	X'	X' ⁽¹⁾		I	I	I	I	I
226	22 µF						X' ⁽¹⁾	X' ⁽¹⁾				I	J (1)	J (1)	I (1)	
476	47 µF											J (1)	I (1)			
686	68 μF															
107	100 μF															

Notes

- Letters indicate product thickness, see packaging quantities
- (1) Not in 10 % (code "K") tolerance (2) Not in 20 % (code "M") tolerance

SELECTIO	N CHART	•										
DIELECTRIC							X5R					
STYLE				VJ1206					VJ1	210		
SIZE CODE				1206					12	10		
VOLTAGE (VD	c)	6.3 V	10 V	16 V	25 V	50 V	4 V	6.3 V	10 V	16 V	25 V	50 V
VOLTAGE CO	DE	Υ	Q	J	Х	Α	S	Υ	Q	J	Х	Α
CAP. CODE	CAP.											
105	1.0 µF											
155	1.5 µF		J	J					K	K		
225	2.2 µF		J	J	Р	P (2)			K	K		
335	3.3 µF		Р	Р	Р							
475	4.7 µF	Р	Р	Р	Р	Р			K	K	K	
685	6.8 µF	Р	Р									
106	10 μF	Р	Р	Р	Р	Р			K	K	K	M
226	22 µF	Р	Р	Р	P (2)			М	М	М	М	
476	47 µF	Р	Р					М	М	М		
107	100 μF	P (1)						M ⁽¹⁾	M ⁽¹⁾			
227	220 μF						M ⁽¹⁾					

- Letters indicate product thickness, see packaging quantities
- (1) Not in 10 % (code "K") tolerance (2) Not in 20 % (code "M") tolerance

Vishay

SELECTI	ON CH	ART															
DIELECTRIC)								Х	7R							
STYLE				VJC)402					VJ0603	3				VJ080	5	
SIZE CODE				04	102					0603					0805		
VOLTAGE (\	/ _{DC)}	6.3 V	10 V	16 V	25 V	50 V	100 V	10 V	16 V	25 V	50 V	100 V	10 V	16 V	25 V	50 V	100 V
VOLTAGE C		Υ	Q	J	Х	Α	В	Q	J	Х	Α	В	ø	J	Х	Α	В
CAP. CODE																	
101	100 pF		N	N	N	N		S (1)	S (1)	S (1)	S (1)	S (1)	B ⁽¹⁾	B ⁽¹⁾	B ⁽¹⁾	B (1)	B (1)
121	120 pF		N	N	N	N		S (1)	S (1)	S (1)	S (1)	S (1)	B (1)	B (1)	B (1)	B (1)	B (1)
151	150 pF		N	N	N	N		S (1)	S (1)	S (1)	S (1)	S (1)	B (1)	B (1)	B (1)	B (1)	B (1)
181	180 pF		N	N	N	N		S (1)	S (1)	S (1)	S (1)	S (1)	B (1)	B (1)	B (1)	B (1)	B (1)
221	220 pF		N	N	N	N		S (1)	S (1)	S (1)	S (1)	S (1)	B (1)	B (1)	B (1)	B (1)	B ⁽¹⁾
271	270 pF		N	N	N	N		S (1)	S (1) S (1)	S (1) S (1)	S (1) S (1)	S (1) S (1)	B (1)	B (1)	B ⁽¹⁾	B (1)	B (1)
331 391	330 pF 390 pF		N N	N N	N N	N N		S (1) S (1)	S (1)	S (1)	S (1)	S (1)	B (1)	B (1)	B (1)	B (1)	B (1)
471	470 pF		N	N	N	N		S	S	S	S	S	В	В	B	В	В
561	560 pF		N	N	N	N		S	S	S	S	S	В	В	В	В	В
681	680 pF		N	N	N	N		S	S	S	S	S	В	В	В	В	В
821	820 pF		N	N	N	N		S	S	S	S	S	В	В	В	В	В
102	1.0 nF	i	N	N	N	N		S	S	S	S	S	В	В	В	В	В
122	1.2 nF	Ī	N	N	N	N		S	S	S	S	S	В	В	В	В	В
152	1.5 nF		N	N	N	N		S	S	S	S	S	В	В	В	В	В
182	1.8 nF		N	N	N	N		S	S	S	S	S	В	В	В	В	В
222	2.2 nF		N	N	N	N		S	S	S	S	S	В	В	В	В	В
272	2.7 nF		N	N	N	N		S	S	S	S	S	В	В	В	В	В
332	3.3 nF		N	N	N	N		S	S	S	S	S	В	В	В	В	В
392	3.9 nF		N	N	N	N		S	S	S	S	S	В	В	В	В	В
472	4.7 nF		N	N	N	N		S	S	S	S	S	В	В	В	В	В
562	5.6 nF		N N	N	N N	N		S	S	S	S	S	В	В	В	В	B B
682 822	6.8 nF 8.2 nF		N	N N	N	N N		S	S	S	S	S	B B	B B	B B	B B	В
103	10 nF		N	N	N	N		S	S	S	S	S	В	В	В	В	В
123	12 nF		N	N	N	IN		S	S	S	S	3	В	В	В	В	В
153	15 nF		N	N	N			S	S	S	S		В	В	В	В	В
183	18 nF		N	N	N			S	S	S	S		В	В	В	В	В
223	22 nF		N	N	N			S	S	S	S	X (2)	В	В	В	В	В
273	27 nF		N	N	N			S	S	S	S		В	В	В	В	D
333	33 nF		N	N	N			S	S	S	Χ		В	В	В	В	D
393	39 nF		N	N	N			S	S	S	Χ		В	В	В	В	D
473	47 nF		N	N	N	N ⁽²⁾		S	S	S	Χ	X ⁽²⁾	В	В	В	В	D
563	56 nF		N	N				S	S	S	Х		В	В	В	В	D
683	68 nF		N	N				S	S	S	X		В	В	В	В	D
823	82 nF		N	N	N.			S	S	S	X	V (2)	В	В	В	В	D
104 124	100 nF		N	N	N			S	S	S X	Х	X (2)	B B	B	B B	B/D D	D
154	120 nF 150 nF							S	S	X			D	D	D	D	
184	180 nF	 				 		S	S	X	 		D	D	D	D	
224	220 nF	 			N (2)	 		S	S	X	X (2)		D	D	D	D	(2)
274	270 nF	l						X	X	X			D	D	D		T .
334	330 nF	l				<u> </u>		Х	X	X	<u> </u>		D	D	D	ı	<u> </u>
394	390 nF							Х	Х	Х			D	D	D		
474	470 nF		N (2)					Х	Х	Х	X (2)		D	D	D	l	(2)
564	560 nF							Х	X				D	D	D		
684	680 nF							Χ	Х				D	D	D		
824	820 nF							X	Х				D	D	D	. /21	
105	1.0 µF	N ⁽²⁾				ļ		Х	Χ	X (1)	X (2)		D	D . (1)	D . (1)	J (1)	
155	1.5 µF	ļ	-	-	-			V /1\	X' (2)	-			<u> </u>	J (1)	J (1)	J (2)	
225	2.2 μF 3.3 μF	1		-		1		X (1)	X (2)	-	1					(<i><</i>)	
335 475	3.3 μF 4.7 μF	 	-	-	-	-		 	-	-	-		J (1)	J (1)	J (1)	-	
685	6.8 µF	1				1		1			1		1 (1)	1 (')	1 (''	1	
106	10 μF	 						 					J (1)	J (3)			
156	15 μF	 				 		 			 		- ``	 '`	1	 	
226	22 µF							l									
336	33 µF	l				<u> </u>		l			<u> </u>			<u> </u>		<u> </u>	<u> </u>
476	47 µF	Ī						Ī									
686	68 µF																
Notes		_	_	_	_										_	_	

- Letters indicate product thickness, see packaging quantities

 1) Not in 5 % (code "J") tolerance

 2) Only in 10 % (code "K") tolerance

 3) Only in 20 % (code "M") tolerance



Vishay

SELECTIO	N CHART											
DIELECTRIC							X7R					
STYLE				VJ1206	i		T		VJ1	210		
SIZE CODE				1206					12	210		
VOLTAGE (V	oc)	10 V	16 V	25 V	50 V	100 V	6.3 V	10 V	16 V	25 V	50 V	100 V
VOLTAGE CO	DE	Q	J	Х	Α	В	Υ	Q	J	Х	Α	В
CAP. CODE	CAP.											
101	100 pF											
121	120 pF	- /1\	- /1\	- /1\	- /1\	- /1\						
151	150 pF	B (1)	B ⁽¹⁾	B (1)	B ⁽¹⁾	B (1)						
181 221	180 pF 220 pF	B (1) B (1)	B (1)	B (1)	B (1)	B (1) B (1)						
271	270 pF	B (1)	B (1)	B (1)	B (1)	B (1)						
331	330 pF	B (1)	B (1)	B (1)	B (1)	B (1)						
391	390 pF	B (1)	B (1)	B (1)	B (1)	B (1)						
471	470 pF	В	В	В	В	В						
561	560 pF	В	В	В	В	В						
681	680 pF	В	В	В	В	В						
821 102	820 pF 1.0 nF	B B	B B	B B	B B	B B		С	С	С	С	С
122	1.0 nF	В	В	В	В	В	1	C	C	C	C	C
152	1.5 nF	В	В	В	В	В		C	C	C	C	C
182	1.8 nF	В	В	В	В	В	1	Č	Č	Č	Č	Č
222	2.2 nF	В	В	В	В	В		С	C	С	C	C
272	2.7 nF	В	В	В	В	В		С	С	С	С	С
332	3.3 nF	В	В	В	В	В		C	C	C	C	C
392	3.9 nF	В	В	В	В	В		C	C	C	С	С
472 562	4.7 nF 5.6 nF	B B	B B	B B	B B	B B		C	C	C	C	C
682	6.8 nF	В	В	В	В	В		C	Č	C	Č	Č
822	8.2 nF	В	B	B	B	В		Č	Č	Č	Č	Č
103	10 nF	В	В	В	В	В		С	С	С	С	С
123	12 nF	В	В	В	В	В		С	С	С	С	С
153	15 nF	В	В	В	В	В		C	C	C	C	С
183 223	18 nF 22 nF	B B	B B	B B	B B	B B		C	C	C	C	C
273	27 nF	В	В	В	В	В		C	C	C	C	C
333	33 nF	В	В	В	В	В		C	C	C	C	Č
393	39 nF	В	В	В	В	В		Č	Č	Č	Č	Č
473	47 nF	В	В	В	В	В		С	С	С	С	С
563	56 nF	В	В	В	В	В		С	С	С	С	С
683	68 nF	В	В	В	В	В		C	C	C	С	C
823 104	82 nF 100 nF	B B	B B	B	B	D D		C	C	C	C	C
124	120 nF	В	В	В	В	D		C	C	C	C	C
154	150 nF	Č	C	C	Č	G		C	Č	C	C	D
184	180 nF	Č	Č	Č	Č	Ğ		Č	Č	Č	Č	D
224	220 nF	С	С	С	С	G		С	С	С	С	D
274	270 nF	С	С	С	D	G		C	С	C	С	G
334	330 nF	C	C	C	D	G		C	C	C	D	G
394 474	390 nF 470 nF	C	C	J	P P	G G		C	C	C	D D	M M
564	560 nF	J	J	J	P	P		D	D	D	D	M
684	680 nF	J	J	J	P	P		D	D	D	D	K
824	820 nF	J	J	J	P	Р		D	D	D	D	K
105	1.0 µF	J	J	J	Р	Р		D	D	D	D	K
155	1.5 µF	J	J	Р	F /4\	E (0)					/41	М
225	2.2 µF	J	J	P	P (1)	P ⁽²⁾			K (2)	G C(1)	M ⁽¹⁾	M
335 475	3.3 µF 4.7 µF	P P	P P	P P	P (1)	-		K	K ⁽²⁾	G ⁽¹⁾ K ⁽¹⁾	M ⁽¹⁾	
685	6.8 μF	F	Г	 	1 1.7			I I	r\	1837	IVI (17	
106	10 uF	Р	P (1)	P (1)	<u> </u>	 	-	K	K	K ⁽¹⁾	M ⁽¹⁾	
156	15 µF											
226	22 µF	P (1)	P (3)					M ⁽²⁾	M ⁽¹⁾	M ⁽¹⁾		
336	33 µF											
476	47 µF			ļ	ļ		M ⁽²⁾	M ⁽¹⁾		ļ		
686 107	68 μF 100 μF	+		 	 							
Notes	του με	1	l	1	1	1	I	I	l	I .	i .	I

- Notes
 Letters indicate product thickness, see packaging quantities

 "" tolerance
- (1) Not in 5 % (code "J") tolerance (2) Only in 10 % (code "K") tolerance (3) Only in 20 % (code "M") tolerance

Vishay

SELECTIO	ON CHAR	T															
DIELECTRIC									Y	′5 V							
STYLE				٧J	0402					VJ060	3				VJ080)5	
SIZE CODE				0	402					0603					0805	5	
VOLTAGE (V	DC)	6.3 V	10 V	16 V	25 V	50 V	100 V	10 V	16 V	25 V	50 V	100 V	10 V	16 V	25 V	50 V	100 V
VOLTAGE CO		Υ	Q	J	Х	Α	В	Q	J	Х	Α	В	Q	J	Х	Α	В
CAP. CODE	CAP.																
102	1.0 nF																
122	1.2 nF																
152	1.5 nF																
182	1.8 nF																
222	2.2 nF																
272	2.7 nF																
332	3.3 nF																
392	3.9 nF																
472	4.7 nF																
562	5.6 nF																
682	6.8 nF																
822	8.2 nF																
103	10 nF		N	N	N	N		S	S	S	S		Α	Α	Α	Α	В
123	12 nF		N	N	N	N		S	S	S	S		Α	Α	Α	Α	
153	15 nF		N	N	N	N		S	S	S	S		Α	Α	Α	Α	В
183	18 nF		N	N	N	N		S	S	S	S		Α	Α	Α	Α	
223	22 nF		N	N	N	N		S	S	S	S		Α	Α	Α	Α	В
273	27 nF		N	Ν	N	N		S	S	S	S		Α	Α	Α	Α	
333	33 nF		N	Ν	N	N		S	S	S	S		Α	Α	Α	Α	В
393	39 nF		N	N	Ν			S	S	S	S		Α	Α	Α	Α	
473	47 nF		N	N	N			S	S	S	S		Α	Α	Α	Α	В
563	56 nF		N	N	N ⁽¹⁾			S	S	S	S		Α	Α	Α	Α	
683	68 nF		N	N	N			S	S	S	S		Α	Α	Α	Α	В
823	82 nF		N	N				S	S	S	S		Α	Α	Α	Α	
104	100 nF		N	N	N			S	S	S	S		Α	Α	Α	Α	В
154	150 nF		N					S	S	S	S		Α	Α	Α	Α	
224	220 nF	N	N					S	S	S	S		Α	Α	Α	Α	
334	330 nF	N	N					S	S	S			В	В	В	В	
474	470 nF	N	N					S	S	Х			В	В	В	В	
684	680 nF							S	Х				В	В	D	D	
105	1.0 μF	N	N					S	Х				В	В	D	D	
155	1.5 μF							S					D	D			
225	2.2 μF							S					D	D			
335	3.3 µF	1											D	D			
475	4.7 μF	1											D	D			
685	6.8 µF												I				
106	10 μF	<u> </u>											I				
226	22 µF																
336	33 µF	1															
476	47 μF																
686	68 µF																
107	100 μF																<u> </u>

Notes

· Letters indicate product thickness, please see packaging quantities

(1) Not in 20 % (code "M") tolerance

Vishay

SELECTION	N CHART													
DIELECTRIC								Y5V						
STYLE				VJ1	206						VJ1210			
SIZE CODE					06						1210			
VOLTAGE (V _{DC})	10 V	16 V	25 V	35 V	50 V	100 V	6.3 V	10 V	16 V	25 V	35 V	50 V	100 V
VOLTAGE COD		Q	J	X	Z	A	В	Y	Q	J	X	Z	A	В
CAP. CODE	CAP.					- ,		-	_					
102	1.0 nF													
122	1.2 nF													
152	1.5 nF													
182	1.8 nF													
222	2.2 nF													
272	2.7 nF													
332	3.3 nF													
392	3.9 nF													
472	4.7 nF													
562	5.6 nF	1												
682	6.8 nF													
822	8.2 nF													
103	10 nF	В	В	В		В	В							С
123	12 nF	В	В	В		В								
153	15 nF	В	В	В		В	В							С
183	18 nF	В	В	В		В								
223	22 nF	В	В	В		В	В							С
273	27 nF	В	В	В		В								
333	33 nF	В	В	В		В	В							С
393	39 nF	В	В	В		В								
473	47 nF	В	В	В		В	В							С
563	56 nF	В	В	В		В								
683	68 nF	В	В	В		В	В							С
823	82 nF	В	В	В		В								
104	100 nF	В	В	В		В	В		С	С	С		С	С
154	150 nF	В	В	В		В	С		С	С	С		С	С
224	220 nF	В	В	В		В	С		С	С	С		С	С
334	330 nF	В	В	В		В			С	С	С		С	С
474	470 nF	В	В	В		В			С	С	С		С	
684	680 nF	В	В	В		В			С	С	С		С	
105	1.0 μF	С	С	С		С			С	С	С		С	
155	1.5 µF	С	С	С					С	С	С			
225	2.2 μF	С	С	С					С	С	С		G	
335	3.3 µF	J	J	J					С	С	С			
475	4.7 μF	J	J	J	J				С	С	D		G	
685	6.8 µF	J	J						С	С	D			
106	10 μF	J	J						D	D	G	K		
226	22 µF	Р							K	K				
336	33 µF													
476	47 μF							K	K					
686	68 μF													
107	100 μF							М						

Note

• Letters indicate product thickness, please see packaging quantities





Vishay

SIZE CODE	MAX. THICKNESS	THICKNESS SYMBOL	PAPER TAPE		PLASTIC TAPE	
(inch / mm)	(mm)		7" REEL (C)	13" REEL (P)	7" REEL (T)	13" REEL (R)
0402 (1002)	0.55	N	10K	50K		
	0.70	Е	10K			
	0.87	S	4K	15K		
0603 (1608)	0.95	Х	4K	15K		
	1.00	Χ'	4K	15K		
	0.75	Α	4K	15K		
0805 (2012)	0.95	В, Т	4K	15K		
0803 (2012)	1.40	D			зК	10K
	1.45	1			зК	10K
	0.95	В	4K	15K		
	1.05	С			зК	10K
1206 (3216)	1.30	J			зК	10K
1200 (3210)	1.35	D			зК	10K
	1.80	G			2K	
	1.90	Р			2K	
1210 (3225)	1.05	С			зК	10K
	1.35	D			3K	10K
	1.80	G			2K	
	2.20	K			1K	
	2.80	М			1K	

Vishay

TAPE AND REEL SPECIFICATION





Dimensions of paper tape


Dimensions of plastic tape

DIMENSIONS PAPER TAPE in millimeters						
SIZE CODE	0402		0603	0805		1206
THICKNESS	N	E	S, X, X'	Α	B, T	В
A ₀	0.62 ± 0.05	0.70 ± 0.10	1.02 ± 0.05	1.50 ± 0.10	1.50 ± 0.10	2.00 ± 0.10
B ₀	1.12 ± 0.05	1.20 ± 0.10	1.80 ± 0.05	2.30 ± 0.10	2.30 ± 0.10	3.50 ± 0.10
Т	0.60 ± 0.05	0.70 ± 0.10	0.95 ± 0.05	0.75 ± 0.05	0.95 ± 0.05	0.95 ± 0.05
K ₀	-	-	-	-	-	-
W	8.00 ± 0.10	8.00 ± 0.10	8.00 ± 0.10	8.00 ± 0.10	8.00 ± 0.10	8.00 ± 0.10
P ₀	4.00 ± 0.10	4.00 ± 0.10	4.00 ± 0.10	4.00 ± 0.10	4.00 ± 0.10	4.00 ± 0.10
10 x P ₀	40.0 ± 0.10	40.0 ± 0.10	40.0 ± 0.10	40.0 ± 0.10	40.0 ± 0.10	40.0 ± 0.10
P ₁	2.00 ± 0.05	2.00 ± 0.05	4.00 ± 0.10	4.00 ± 0.10	4.00 ± 0.10	4.00 ± 0.10
P ₂	2.00 ± 0.05	2.00 ± 0.05	2.00 ± 0.05	2.00 ± 0.05	2.00 ± 0.05	2.00 ± 0.05
D ₀	1.55 ± 0.05	1.55 ± 0.05	1.55 ± 0.05	1.55 ± 0.05	1.55 ± 0.05	1.50 ± 0.05
D ₁	-	-	-	-	-	-
Е	1.75 ± 0.05	1.75 ± 0.05	1.75 ± 0.05	1.75 ± 0.05	1.75 ± 0.05	1.75 ± 0.10
F	3.50 ± 0.05					

DIMENSIONS PLASTIC TAPE in millimeters						
SIZE CODE	0805	1206		1210		
THICKNESS	D, I	C, J, D	G, P	C, D	G, K	М
A ₀	< 1.57	< 1.85	< 1.95	< 2.97	< 2.97	< 2.97
B ₀	< 2.40	< 3.46	< 3.67	< 3.73	< 3.73	< 3.73
Т	0.23 ± 0.05	0.23 ± 0.05	0.23 ± 0.05	0.23 ± 0.05	0.23 ± 0.05	0.23 ± 0.05
K ₀	< 2.50	< 2.50	< 2.50	< 2.50	< 2.50	< 3.00
W	8.00 ± 0.10	8.00 ± 0.10	8.00 ± 0.10	8.00 ± 0.10	8.00 ± 0.10	8.00 ± 0.10
P ₀	4.00 ± 0.10	4.00 ± 0.10	4.00 ± 0.10	4.00 ± 0.10	4.00 ± 0.10	4.00 ± 0.10
10 x P ₀	40.0 ± 0.10	40.0 ± 0.10	40.0 ± 0.10	40.0 ± 0.10	40.0 ± 0.10	40.0 ± 0.10
P ₁	4.00 ± 0.10	4.00 ± 0.10	4.00 ± 0.10	4.00 ± 0.10	4.00 ± 0.10	4.00 ± 0.10
P ₂	2.00 ± 0.05	2.00 ± 0.05	2.00 ± 0.05	2.00 ± 0.05	2.00 ± 0.05	2.00 ± 0.05
D ₀	1.50 ± 0.05	1.50 ± 0.05	1.50 ± 0.05	1.50 ± 0.05	1.50 ± 0.05	1.50 ± 0.05
D ₁	1.00 ± 0.10	1.00 ± 0.10	1.00 ± 0.10	1.00 ± 0.10	1.00 ± 0.10	1.00 ± 0.10
Е	1.75 ± 0.10	1.75 ± 0.10	1.75 ± 0.10	1.75 ± 0.10	1.75 ± 0.10	1.75 ± 0.10
F	3.50 ± 0.05	3.50 ± 0.05	3.50 ± 0.05	3.50 ± 0.05	3.50 ± 0.05	3.50 ± 0.05


Vishay

REEL SPECIFICATION



REEL DIMENSIONS in millimeters					
SYMBOL	7" REEL	13" REEL			
Α	13.0 ± 0.5	13.0 ± 0.5			
В	9.0 ± 1.0	9.0 ± 1.0			
С	178.0 ± 1.0	330.0 ± 1.0			
D	60.0 ± 1.0	100.0 ± 1.0			

CONSTRUCTION						
NO.	NA	C0G (NP0) / X5R / X7R / Y5V				
1	Ceramic	BaTiO ₃ based				
2	Inner el	Ni				
3		Inner layer	Cu			
4	Termination	Middle layer				
5	1	Outer layer	Sn (matt)			



STORAGE AND HANDLING CONDITIONS

- (1) To store products at 5 °C to 40 °C ambient temperature and 20 % to 70 % relative humidity conditions.
- (2) The product is recommended to be used within one year after shipment. Check solderability in case of shelf life extension is needed.

Cautions:

- a. The corrosive gas reacts on the terminal electrodes of capacitors, and results in the poor solderability.

 Do not store the capacitors in the ambience of corrosive gas (e.g., hydrogen sulfide, sulfur dioxide, chlorine, ammonia gas etc.)
- b.In corrosive atmosphere, solderability might be degraded, and silver migration might occur to cause low reliability.
- c.Due to the dewing by rapid humidity change, or the photochemical change of the terminal electrode by direct sunlight, the solderability and electrical performance may deteriorate. Do not store capacitors under direct sunlight or dewing condition. To store products on the shelf and avoid exposure to moisture.



Legal Disclaimer Notice

Vishay

Disclaimer

ALL PRODUCT, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE TO IMPROVE RELIABILITY, FUNCTION OR DESIGN OR OTHERWISE.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any datasheet or in any other disclosure relating to any product.

Vishay makes no warranty, representation or guarantee regarding the suitability of the products for any particular purpose or the continuing production of any product. To the maximum extent permitted by applicable law, Vishay disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Statements regarding the suitability of products for certain types of applications are based on Vishay's knowledge of typical requirements that are often placed on Vishay products in generic applications. Such statements are not binding statements about the suitability of products for a particular application. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. Parameters provided in datasheets and / or specifications may vary in different applications and performance may vary over time. All operating parameters, including typical parameters, must be validated for each customer application by the customer's technical experts. Product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein.

Except as expressly indicated in writing, Vishay products are not designed for use in medical, life-saving, or life-sustaining applications or for any other application in which the failure of the Vishay product could result in personal injury or death. Customers using or selling Vishay products not expressly indicated for use in such applications do so at their own risk. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay. Product names and markings noted herein may be trademarks of their respective owners.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Vishay:

VJ1206Y104JXACW1BC	VJ1206Y104KXACW1BC	VJ1206Y104KXBTW1BC	VJ1206Y223KXBCW1BC
VJ1206Y223MXACW1BC	VJ1206Y224KXATW1BC	VJ1206Y103JXACW1BC	VJ1206Y103JXBCW1BC
VJ1206Y103KXACW1BC V	VJ1206Y103MXACW1BC	VJ1206Y183KXBCW1BC	VJ1206Y222KXACW1BC
VJ1206Y222KXBCW1BC V	VJ1206Y472JXACW1BC	VJ1206Y472KXACW1BC	VJ1206Y472KXBCW1BC
VJ1206Y473KXACW1BC V	VJ1206Y473KXBCW1BC	VJ0603Y682MXBCW1BC	VJ1206A1R5CXQCW1BC
VJ0402A100JXACW1BC V	/J0402A330JXACW1BC	VJ0402A680JXACW1BC	VJ0402A150JXACW1BC
VJ0402A151JXACW1BC V	/J0402A270JXACW1BC	VJ0402A2R2CXACW1BC	VJ0402A560KXACW1BC
VJ0402A101JXACW1BC V	/J0402Y102KXACW1BC	VJ0402Y103KXJCW1BC	VJ0402Y103KXXCW1BC
VJ0402Y221KXACW1BC V	VJ0402Y222KXXCW1BC	VJ0402Y331KXACW1BC	VJ0402Y332KXACW1BC
VJ0402Y471KXACW1BC V	VJ0402Y472KXACW1BC	VJ0603A0R5CXACW1BC	VJ0603A151JXACW1BC
VJ0603A180GXACW1BC \	VJ0603A180JXACW1BC	VJ0603A221JXACW1BC	VJ0603A270JXACW1BC
VJ0603A121JXACW1BC V	/J0603A121JXBCW1BC	VJ0603A150JXACW1BC	VJ0603A150JXBCW1BC
VJ0603A220GXACW1BC \	VJ0603A220JXACW1BC	VJ0603A331JXACW1BC	VJ0603A331JXBCW1BC
VJ0603A390JXACW1BC V	/J0402A120JXACW1BC	VJ0402A121JXACW1BC	VJ0402A220JXACW1BC
VJ0402A470JXACW1BC V	/J0402A470KXXCW1BC	VJ0402A1R0CXACW1BC	VJ0402A1R2CXACW1BC
VJ0603A391JXACW1BC V	/J0603A3R0CXACW1BC	VJ0603A3R3CXACW1BC	VJ0603A680JXACW1BC
VJ0603A681JXACW1BC V	/J0603A6R8CXACW1BC	VJ0603A560JXACW1BC	VJ0603A560JXBCW1BC
VJ0603A561FXACW1BC V	/J0603A5R6CXACW1BC	VJ0603A102JXACW1BC	VJ0603A120JXACW1BC
VJ0603A1R5CXACW1BC	VJ0603A2R7CXACW1BC	VJ0603A330FXACW1BC	VJ0603A330JXACW1BC
VJ0603A100JXACW1BC V	/J0603A101FXACW1BC	VJ0603A101JXACW1BC	VJ0603A101JXBCW1BC
VJ0603A181FXACW1BC V	/J0603A181JXACW1BC	VJ0603A271JXACW1BC	VJ0603A2R2CXACW1BC
VJ0603A3R9CXACW1BC	VJ0603A470JXACW1BC	VJ0603A470JXBCW1BC	VJ0603V334ZXJCW1BC
VJ0603Y122KXACW1BC V	VJ0603Y153KXACW1BC	VJ0603Y221KXACW1BC	VJ0603Y222KXACW1BC
VJ0603Y223KXACW1BC V	VJ0603Y223KXXCW1BC	VJ0603Y224KXQCW1BC	VJ0603A471JXACW1BC
VJ0603A4R7CXACW1BC	VJ0603A560FXACW1BC	VJ0603A820JXACW1BC	VJ0603Y272JXACW1BC