

THIS DRAWING IS UNPUBLISHED.

C COPYRIGHT -

AMP 4805 REV 31MAR2000

LOC DIST REVISIONS

AG 53 P LTR DESCRIPTION DATE DWN APVD

H REVISED PER ECO-08-009173 14APR08 HMR DF

MATERIAL:
HOUSING - THERMOPLASTIC UL94 V-0.
CONTACT - PHOSPHOR BRONZE.

FINISH: CONTACT PLATING: 1.52 mm 90/10 BRIGHT OR MATTE TIN-LEAD OVER 0.51 mm NICKEL ALL OVER.

3 PLASTIC LEADED CHIP CARRIER MUST CONFORM TO JEDEC SPECS. MS-016 & MS-018.

4 SPECIFICATION SUBJECT TO CHANGE WITHOUT NOTICE. CONTACT TYCO ELECTRONICS FOR THE LATEST SPECIFICATIONS.

FINISH: CONTACT PLATING 2.54 µm BRIGHT OR MATTE TIN OVER 1.27 µm NICKEL, ALL OVER.

ROHS 2002/95/EC COMPLIANT

	PERFORMANCE INFORMATION					
TEST DESCRIPTION	CRIPTION REQUIREMENT					
CONTACT RESISTANCE	20 MILLIOHMS MAX INITIAL, 40 MILLIOHMS MAX FINAL AFTER VIBRATION OR HUMIDITY.	MIL-STD-202G METHOD 307				
INSULATION RESISTANCE	1,000 MEGAOHMS MIN INITIAL, 500 MEGAOHMS MIN AFTER HUMIDITY.	MIL-STD-202G METHOD 302				
DIELECTRIC WITHSTANDING VOLTAGE	500 VAC BETWEEN ADJACENT CONTACTS, 1 MINUTE HOLD. NO EVIDENCE OF BREAKDOWN OR FLASHOVER AFTER HUMIDITY.	MIL-STD-202G METHOD 301				
VIBRATION	10-55-10 HZ PER MINUTE, 1.5mm AMPLITUDE, 2 HOURS IN EACH DIRECTION. 100 nsec. MAX DISCONTINUITIES OR LOOSENING OF PARTS. MUST PASS CONTACT RESISTANCE.	EIA-364-28 CONDITION 1				
DURABILITY	30 CYCLES NO VISIBLE DEFECTS, CONTACT RESISTANCE 40 MILLIOHMS MAX.	EIA-364-09				
MATING FORCE	425 GRAMS (15 OZ) MAX PER CONTACT. INSERT AT CONSTANT SPEED OF 25mm PER MINUTE.	MIL-STD-1344A METHOD 2013.1				
UNMATING FORCE	10 GRAMS (.35 OZ) MIN PER CONTACT. WITHDRAW AT CONSTANT SPEED OF 25mm PER MINUTE.	MIL-STD-1344A METHOD 2013.1				
COLD TEST	TEMPERATURE: $-40^{\circ}\text{C}\pm3^{\circ}\text{C}$ Duration: 48 ± 1 Hours resistance value after test $40\text{m}\Omega$. Appearance shall not be distinct damage.	JIS-C-0020				
HIGH TEMP TEST	TEMPERATURE: $85^{\circ}\text{C} \pm 3^{\circ}\text{C}$ Duration: 96 Hours resistance value after test $40\text{m}\Omega$. Appearance shall not be distinct damage.	JIS-C-0021				
CONTACT RETENTION FORCE	300 GRAMS (10.5 OZ) MIN PER CONTACT. CONTACT PULLED AT CONSTANT SPEED OF 25mm PER MINUTE.	ANSI/EIA-364-29				
HUMIDITY	95 HOURS AT 90-95% RELATIVE HUMIDITY AT 40°±2°C. MUST PASS INSULATION RESISTANCE, DIELECTRIC WITHSTANDING OR CONTACT RESISTANCE.	JIS-C-0022				
SOLDERABILITY	95% MINIMUM COVERAGE. IMMERSE FOR 3±.5 SECONDS IN 260°±5°C BATH.	JIS-C-0050				
CURRENT RATING	1 AMP	_				
VOLTAGE RATING	250V	_				
OPERATING TEMPERATURE RATING	-20°C TO 85°C	_				

<u></u>	5	29.42	29.42	46.15	25.40	25.40	35.88	35.88	1248	TUBE	84	1-822473-7
	5	24.38	24.38	39.00	20.32	20.32	30.80	30.80	1596	TUBE	68	1-822473-6
<u></u>	5	19.30	19.30	31.50	15.24	15.24	25.72	25.72	2254	TUBE	52	1-822473-5
<u></u>	25	16.74	16.74	27.50	12.70	12.70	23.18	23.18	2800	TUBE	44	1-822473-4
<u></u>	5	13.94	11.36	22.65	10.16	7.62	20.54	18.10	4060	TUBE	32	1-822473-3
<u></u>	5	11.46	11.46	20.70	7.62	7.62	18.10	18.10	4620	TUBE	28	1-822473-2
6	5	8.90	8.90	17.20	5.08	5.08	15.56	15.56	6552	TUBE	20	1-822473-1
SUPERSEDED BY 1-822473-7	2	29.42	29.42	46.15	25.40	25.40	35.88	35.88	1248	TUBE	84	822473-7
SUPERSEDED BY 1-822473-6	2	24.38	24.38	39.00	20.32	20.32	30.80	30.80	1596	TUBE	68	822473-6
SUPERSEDED BY 1-822473-5	2	19.30	19.30	31.50	15.24	15.24	25.72	25.72	2254	TUBE	52	822473-5
SUPERSEDED BY 1-822473-4	2	16.74	16.74	27.50	12.70	12.70	23.18	23.18	2800	TUBE	44	822473-4
SUPERSEDED BY 1-822473-3	2	13.94	11.36	22.65	10.16	7.62	20.54	18.10	4060	TUBE	32	822473-3
SUPERSEDED BY 1-822473-2	2	11.46	11.46	20.70	7.62	7.62	18.10	18.10	4620	TUBE	28	822473-2
SUPERSEDED BY 1-822473-1	2	8.90	8.90	17.20	5.08	5.08	15.56	15.56	6552	TUBE	20	822473-1
	FINISH	E	D	С	В2	B1	A2	A1	TOTAL QUANTITY PER CARTON	PACKAGING	NO. OF POSITIONS	AMP PART NUMBER

D	С	B2	B1	A2	A1	PER CART		PACKAGIN	1G	POSITIONS		NUMBER
	THIS DRAWING IS A CONTROLLED DOCUMENT.					26AUG99 T 25MAR99	Tyco Electronics Corporation					
	DIMENS		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC			25MAR99 HNLY SPEC NOTES ON SPEC	SOCKET ASSEMBLY, PLCC, SOLDERTAIL					
	MATERIAL	1		± ±	NO weight CUSTO	NE MER DRAWING		cage code drawing	8224	173 ALE 2:1 SHEET	1 OF -	RESTRICTED TO REV
			L		•							. ,