Pole Shed App Ver 01 2022	
Job Number:	BWhite
Issue:	Consulting Ltd
PRODUCER STATEMENT-PS1-DESIGN	
ISSUED BY: BWhite Consulting Ltd (Design Engineer: Bevan White)	
TO BE SUPPLIED TO: Southland District Council IN RESPECT OF: Proposed NEW Farm	Shed
AT: 57 Blackmore Road, Garston, New Zealand	
LEGAL DESCRIPTION	
We have been engaged by Ezequote Pty Ltd to provide Specific Structural Engineering Design the requirements of Clause(s) B1 of the Building Code for part only (as specified in the attachment the proposed building work.	-
☐ ALL	d all connections
The design has been prepared in accordance with compliance documents to NZ Building Code issu Business, Innovation & Employment Clauses B1/VM1 and B1/VM4	ued by Ministry of
The proposed building work covered by the producer statement is described on Ezequote drawing numbered A101-A116 Rev-1 dated 24/01/2024 together with the following specification, and other the schedule attached to this statement: Design Featured Report Dated 24/01/2024 and number	r documents set out in
On behalf of BWhite Consulting Ltd, and subject to:	
 Site verification of the following design assumptions: an Ultimate foundation bearing pres accordance with NZS3604:2011 The building has a design life of 50 years and am Importance Level 1 Unless specifically noted, compliance of the drawings to None-Specific codes such as N have not been checked by this practice This Certificate does not cover any other building code clause including weather tights Inspections of the building to be completed by Southland District Council. As BWhite not undertaking inspections, we cannot issue a producer Statement-PS4- Construction This Producer Statement- Design is valid for a building consent issued within 1 year fr All proprietary products meeting their performance specification requirements 	NZS3604 and NZS4229 ness c Consulting Ltd are n Review.
I believe on reasonable grounds that a) the building, if constructed in accordance with the drawing other documents provided or listed in the attached schedule, will comply with the relevant provision and that b), the presons who have undertaken the design have the necessary competency to do so follow level of construction monitoring/observation:	ons of the Building Code
✓ CM1 ☐ CM2 ☐ CM3 ☐ CM4 ☐ CM5 or as per agreement with owner/developer (stated	above)
I, Bevan White am CPEng 108276 I am Member of Engineering New Zealand and hold the follow BE.Civil	wing qualification:

Signed by Bevan White on behalf of BWhite Consulting Ltd Dated: 24/01/2024

BWhite Consulting Ltd holds a current policy of Professional Indemnity Insurance no less than \$200,000.

Email: bwhitecpeng@gmail.com Phone: 0211-979786

First Page

Note: This statement shall only be relied upon by the Building Consent Authority named above. Liability under this statement accrues to the Design Firm only. The total maximum amount of damages payable arising from this statement and all other statements provided to the Building Consent Authority in relation to this building work, whether in contract, tort or otherwise(including negligence), is limited to the sum of \$200,000.

This form is to accompany Form 2 of the Building (Forms) Regulations 2004 for the application of a Building Consent

Date: 24/01/2024

18B Jules Crescent,

Consulting Ltd

Bell Block New Plymouth 4312

New Zealand File No:

DESIGN FEATURES SUMMARY FOR PROPOSED NEW FARM SHED 57 BLACKMORE ROAD, GARSTON, NEW ZEALAND

Site Specific Loads

Roof Live Load	0.25 KPa	Roof Dead Load	0.25 KPa	Roof Live Point Load	1.1 Kn
Snow Zone	N5	Ground Snow Load	0.93 KPa	Roof Snow Load	0.65 KPa
Earthquake Zone	2	Subsoil Category	D	Exposure Zone	В
Importance Level	1	Ultimate wind & EQ ARI	100 Years	Max Height	8.4 m
Wind Region	NZ2	Terrain Category	2.0	Design Wind Speed	41.41 m/s
Wind Pressure	1.03 KPa	Lee Zone	NO	Ultimate Snow ARI	50 Years

Timber

Sawn Timber to be graded to the properties of SG6 and SG8 or better as mentioned on plans, with moisture content of 18% or less for dry and 25% or less for wet.

The following standards have been used in the design of this structure

- NZS 3603:1993 Timber Structures Standard
- NZS 3604:2011 Timber Framed Buildings. Standards New Zealand, 2011
- NZS 3404:1997 Steel Structures
- AS/NZS 1170 2003 Structural Design Actions
- AS/NZS 1170.2 2021 Structural Design Actions-Wind Action
- Branz. "Engineering Basis of NZS 3604". April 2013

Yours Faithfully

BWhite CONSULTING LTD

Bevan White

Director | BE Civil . CMengNZ CPEng

Email: bwhitecpeng@gmail.com Contact: 0211 979 786

Job No.: EHB 128 A Address: 57 Blackmore Road, Garston, New Zealand Date: 24/01/2024

Latitude: -45.474105 **Longitude:** 168.686346 **Elevation:** 319 m

General Input

Roof Live Load	0.25 KPa	Roof Dead Load	0.25 KPa	Roof Live Point Load	1.1 Kn
Snow Zone	N5	Ground Snow Load	0.93 KPa	Roof Snow Load	0.65 KPa
Earthquake Zone	2	Subsoil Category	D	Exposure Zone	В
Importance Level	1	Ultimate wind & Earthquake ARI	100 Years	Max Height	8.4 m
Wind Region	NZ2	Terrain Category	2.0	Design Wind Speed	41.41 m/s
Wind Pressure	1.03 KPa	Lee Zone	NO	Ultimate Snow ARI	50 Years
Wind Category	High	Earthquake ARI	100		

Note: Wind lateral loads are governing over Earthquake loads, So only wind loads are considered in calculations

Pressure Coefficients and Pressues

Shed Type = Mono Enclosed

For roof Cp,i = 0.6883

For roof CP,e from 0 m To 8.40 m Cpe = -0.9 pe = -0.81 KPa pnet = -1.56 KPa

For roof CP,e from 8.40 m To 16.8 m Cpe = -0.5 pe = -0.45 KPa pnet = -1.20 KPa

For wall Windward Cp, i = 0.6883 side Wall Cp, i = -0.6284

For wall Windward and Leeward CP,e from 0 m To 12 m Cpe = 0.7 pe = 0.65 KPa pnet = 1.35 KPa

For side wall CP,e from 0 m To 8.40 m Cpe = pe = -0.60 KPa pnet = 0.10 KPa

Maximum Upward pressure used in roof member Design = 1.56 KPa

Maximum Downward pressure used in roof member Design = 0.59 KPa

Maximum Wall pressure used in Design = 1.35 KPa

Maximum Racking pressure used in Design = 1.11 KPa

Design Summary

Rafter Design Internal

Internal Rafter Load Width = 4700 mm Internal Rafter Span = 11850 mm Try Rafter 2x450x63 LVL13

Moisture Condition = Dry (Moisture in timber is less than 16% and timber does not remain in continuous wet condition after installation)

K1 Short term = 1 K1 Medium term = 0.8 K1 Long term = 0.6 K4 = 1 K5 = 1 K8 Downward = 1.00

K8 Upward = 1.00 S1 Downward = 6.68 S1 Upward = 6.68

Shear Capacity of timber =5.3 MPa Bending Capacity of timber =48 MPa NZS3603 Amt 4, table 2.3

Capacity Checks

M _{1.35D}	27.84 Kn-m	Capacity	91.56 Kn-m	Passing Percentage	328.88 %
M1.2D+1.5L 1.2D+Sn 1.2D+WnDn	78.37 Kn-m	Capacity	122.08 Kn-m	Passing Percentage	155.77 %
$M_{0.9D\text{-W}nUp}$	-110.14 Kn-m	Capacity	-152.6 Kn-m	Passing Percentage	138.55 %
V _{1.35D}	9.40 Kn	Capacity	96.64 Kn	Passing Percentage	1028.09 %

 $V_{1.2D+1.5L\;1.2D+Sn\;1.2D+WnDn}$ 26.46 Kn Capacity 128.86 Kn Passing Percentage 487.00 % $V_{0.9D-WnUp}$ -37.18 Kn Capacity -161.08 Kn Passing Percentage 433.24 %

Deflections

Modulus of Elasticity = 11000 MPa NZS3603 Amt 4, Table 2.3

k2 for Long Term Loads = 2

Deflection under Dead and Live Load = 32.555 mm Deflection under Dead and Service Wind = 47.925 mm Limit by Woolcock et al, 1999 Span/240 = 50.00 mm Limit by Woolcock et al, 1999 Span/100 = 120.00 mm

Reactions

Maximum downward = 26.46 kn Maximum upward = -37.18 kn

Rafter to Pole Connection check

Bolt Size = M16 Number of Bolts = 3

Calculations as per NZS 3603:1993 Amend 2005 clause 4.4

Joint Group for Rafters =J2 Joint Group for Pole = J5

Minimum Bolt edge, end and spacing for Load perpendicular to grains = 80 mm

Factor of Safety = 0.7

For Perpendicular to grain loading

K11 = 12.6 fpj = 22.7 Mpa for Rafter with effective thickness = 126 mm

For Parallel to grain loading

K11 = 2.0 fcj = 36.1 Mpa for Pole with effective thickness = 100 mm

Capacity under short term loads = 77.63 Kn > -37.18 Kn

Girt Design Front and Back

Girt's Spacing = 0 mm Girt's Span = 2350 mm Try Girt SG8 Dry

Moisture Condition = Wet (Moisture in timber is less than 18% and timber does not remain in continuous wet condition after installation)

K1 Short term = 1 K4 = 1 K5 = 1 K8 Downward = NaN

K8 Upward = NaN S1 Downward = NaN S1 Upward = NaN

Shear Capacity of timber = 3 MPa Bending Capacity of timber = 14 MPa NZS3603 Amt 4, table 2.3

Capacity Checks

Deflections

Modulus of Elasticity = 6700 MPa NZS3603 Amt 4, Table 2.3

Deflection under Snow and Service Wind = NaN mm Limit by Woolcock et al, 1999 Span/100 = 23.50 mm

Sag during installation = NaN mm

Reactions

Maximum = 0.00 kn

Girt Design Sides

Girt's Spacing = 0 mm Girt's Span = 6000 mm Try Girt SG8 Dry

Moisture Condition = Wet (Moisture in timber is less than 18% and timber does not remain in continuous wet condition after installation)

K1 Short term = 1 K4 = 1 K5 = 1 K8 Downward = NaN

K8 Upward =NaN S1 Downward =NaN S1 Upward =NaN

Shear Capacity of timber = 3 MPa Bending Capacity of timber = 14 MPa NZS3603 Amt 4, table 2.3

Capacity Checks

$M_{Wind+Snow}$	0.00 Kn-m	Capacity	NaN Kn-m	Passing Percentage	NaN %
$ m V_{0.9D ext{-}WnUp}$	0.00 Kn-m	Capacity	0.00 Kn-m	Passing Percentage	NaN %

Deflections

Modulus of Elasticity = 6700 MPa NZS3603 Amt 4, Table 2.3

Deflection under Snow and Service Wind = NaN mm Limit by Woolcock et al. 1999 Span/100 = 60.00 mm

Sag during installation = NaN mm

Reactions

Maximum = 0.00 kn

Middle Pole Design

Geometry

350 SED H5 (Minimum 375 dia. at Floor Level)	Dry Use	Height	8450 mm
Area	103154 mm2	As	77365.4296875 mm2
Ix	847191750 mm4	Zx	4674161 mm3
Iy	847191750 mm4	Zx	4674161 mm3
Lateral Restraint	1300 mm c/c		

Loads

Total Area over Pole = 28.2 m^2

Dead	7.05 Kn	Live	7.05 Kn
Wind Down	16.64 Kn	Snow	18.33 Kn
Moment wind	68.85 Kn-m	Moment snow	9.16 Kn-m
Phi	0.8	K8	1.00
K1 snow	0.8	K1 Dead	0.6
K 1 wind	1		

Material

Peeling Steaming Normal Dry Use

5/7

fb =	36.3 MPa	$\mathbf{fs} =$	2.96 MPa
fc =	18 MPa	fp =	7.2 MPa
ft =	22 MPa	E=	9257 MPa

Capacities

PhiNex Wind	1485.42 Kn	PhiMnx Wind	135.74 Kn-m	PhiVnx Wind	183.20 Kn
PhiNcx Dead	891.25 Kn	PhiMnx Dead	81.44 Kn-m	PhiVnx Dead	109.92 Kn
PhiNcx Snow	1188.33 Kn	PhiMnx Snow	108.59 Kn-m	PhiVnx Snow	146.56 Kn

Checks

(Mx/PhiMnx)+(N/phiNcx) = 0.53 < 1 OK

 $(Mx/PhiMnx)^2+(N/phiNcx) = 0.28 < 1 OK$

Deflection at top under service lateral loads = 87.55 mm < 84.50 mm

Drained Lateral Strength of Middle pile in cohesionless soils Free Head short pile

Assumed Soil Properties

Gamma 18 Kn/m3 Friction angle 30 deg Cohesion 0 Kn/m3

 $K0 = \frac{(1-\sin(30)) / (1+\sin(30))}{Kp} = \frac{(1+\sin(30)) / (1-\sin(30))}{(1-\sin(30))}$

Geometry For Middle Bay Pole

Ds = 0.6 mm Pile Diameter

L= 2700 mm Pile embedment length

f1 = 6300 mm Distance at which the shear force is applied

f2 = 0 mm Distance of top soil at rest pressure

Loads

Moment Wind =	68.85 Kn-m	Moment Snow =	Kn-m
Shear Wind =	10.93 Kn	Shear Snow =	9.16 Kn

Pile Properties

Safety Factory 0.55

Hu = 19.49 Kn Ultimate Lateral Strength of the Pile, Short pile

Mu = 72.07 Kn-m Ultimate Moment Capacity of Pile

Checks

Applied Forces/Capacities = 0.96 < 1 OK

Uplift Check

Density of Concrete = 24 Kn/m3

Density of Timber Pole = 5 Kn/m3

Due to cast in place pile, the surface interaction between soil and pile will be rough thus angle of friction between both is taken equal to soil angle of internal friction

Ks (Lateral Earth Pressure Coefficient) for cast into place concrete piles = 1.5

Formula to calculate Skin Friction = Safecty factor (0.55) x Density of Soil(18) x Height of Pile(2700) x Ks(1.5) x 0.5 x tan(30) x Pi x Dia of Pile(0.6) x Height of Pile(2700)

Skin Friction = 58.88 Kn

Weight of Pile + Pile Skin Friction = 61.86 Kn

Uplift on one Pile = 37.65 Kn

Uplift is ok