Job No.: Rob Rosa Station **Address:** 1653 Cardrona Valley Road, Cardrona, **Date:** 10/31/2023

New Zealand

Latitude: -44.83666 **Longitude:** 169.057148 **Elevation:** 455 m

General Input

Roof Live Load	0.25 KPa	Roof Dead Load	0.25 KPa	Roof Live Point Load	1.1 Kn
Snow Zone	N5	Ground Snow Load	1.21 KPa	Roof Snow Load	0.85 KPa
Earthquake Zone	3	Subsoil Category	D	Exposure Zone	В
Importance Level	1	Ultimate wind & Earthquake ARI	100 Years	Max Height	4 m
Wind Region	NZ2	Terrain Category	2.27	Design Wind Speed	37.31 m/s
Wind Pressure	0.84 KPa	Lee Zone	NO	Ultimate Snow ARI	50 Years
Wind Category	High	Earthquake ARI	100		

Note: Wind lateral loads are governing over Earthquake loads, So only wind loads are considered in calculations

Pressure Coefficients and Pressues

Shed Type = Mono Open

For roof Cp, i = 0.6745

For roof CP,e from 0 m To 1.88 m Cpe = -1.0 pe = -0.64 KPa pnet = -1.16 KPa

For roof CP,e from 1.88 m To 3.75 m Cpe = -0.85 pe = -0.54 KPa pnet = -1.06 KPa

For wall Windward Cp, i = 0.6745 side Wall Cp, i = -0.5

For wall Windward and Leeward CP,e from 0 m To 6.00 m Cpe = 0.7 pe = 0.53 KPa pnet = 0.98 KPa

For side wall CP,e from 0 m To 3.75 m Cpe = pe = -0.49 KPa pnet = -0.04 KPa

Maximum Upward pressure used in roof member Design = 1.16 KPa

Maximum Downward pressure used in roof member Design = 0.57 KPa

Maximum Wall pressure used in Design = 0.98 KPa

Maximum Racking pressure used in Design = 0.91 KPa

Design Summary

Purlin Design

Purlin Spacing = 700 mm Purlin Span = 5850 mm Try Purlin 250x50 SG8 Dry

First Page

Moisture Condition = Dry (Moisture in timber is less than 16% and timber does not remain in continuous wet condition after installation)

K1 Short term = 1 K1 Medium term = 0.8 K1 Long term = 0.6 K4 = 1 K5 = 1 K8 Downward = 0.97

K8 Upward =0.54 S1 Downward =12.68 S1 Upward =22.76

Shear Capacity of timber = 3 MPa Bending Capacity of timber = 14 MPa NZS3603 Amt 4, table 2.3

Capacity Checks

M1.35D	1.01 Kn-m	Capacity	3.40 Kn-m	Passing Percentage	336.63 %
M1.2D+1.5L 1.2D+Sn 1.2D+WnDn	3.44 Kn-m	Capacity	4.53 Kn-m	Passing Percentage	131.69 %
$M_{0.9D\text{-W}nUp}$	-2.8 Kn-m	Capacity	-3.16 Kn-m	Passing Percentage	112.86 %
V _{1.35D}	0.69 Kn	Capacity	12.06 Kn	Passing Percentage	1747.83 %
V _{1.2D+1.5L} 1.2D+Sn 1.2D+WnDn	2.35 Kn	Capacity	16.08 Kn	Passing Percentage	684.26 %
$ m V_{0.9D-WnUp}$	-1.91 Kn	Capacity	-20.10 Kn	Passing Percentage	1052.36 %

Deflections

Modulus of Elasticity = 6700 MPa NZS3603 Amt 4, Table 2.3 considering at least 4 members acting together

k2 for Long Term Loads = 2

Deflection under Dead and Live Load = 14.19 mm Limit by Woolcock et al, 1999 Span/240 = 24.17 mm Deflection under Dead and Service Wind = 18.56 mm Limit by Woolcock et al, 1999 Span/100 = 58.00 mm

Reactions

Maximum downward = 2.35 kn Maximum upward = -1.91 kn

Number of Blocking = 1 if 0 then no blocking required, if 1 then one midspan blocking required

Girt Design Front and Back

Girt's Spacing = 800 mm Girt's Span = 6000 mm Try Girt 250x50 SG8 Dry

Moisture Condition = Dry (Moisture in timber is less than 16% and timber does not remain in continuous wet condition after installation)

K1 Short term = 1 K4 = 1 K5 = 1 K8 Downward = 0.97

K8 Upward =0.72 S1 Downward =12.68 S1 Upward =18.90

Shear Capacity of timber = 3 MPa Bending Capacity of timber = 14 MPa NZS3603 Amt 4, table 2.3

Capacity Checks

Second page

$M_{Wind+Snow}$	3.53 Kn-m	Capacity	4.22 Kn-m	Passing Percentage	119.55 %
-----------------	-----------	----------	-----------	--------------------	----------

V_{0.9D-WnUp} 2.35 Kn-m Capacity 20.10 Kn-m Passing Percentage 855.32 %

Deflections

Modulus of Elasticity = 6700 MPa NZS3603 Amt 4, Table 2.3

Deflection under Snow and Service Wind = 56.64 mm Limit by Woolcock et al, 1999 Span/100 = 60.00 mm Sag during installation = 78.58 mm

Reactions

Maximum = 2.35 kn

Girt Design Sides

Girt's Spacing = 0 mm Girt's Span = 6000 mm Try Girt 250x50 SG8 Dry

Moisture Condition = Dry (Moisture in timber is less than 16% and timber does not remain in continuous wet condition after installation)

K1 Short term = 1 K4 = 1 K5 = 1 K8 Downward = 0.97

K8 Upward =0.00 S1 Downward =12.68 S1 Upward =Infinity

Shear Capacity of timber = 3 MPa Bending Capacity of timber = 14 MPa NZS3603 Amt 4, table 2.3

Capacity Checks

MWind+Snow	0.00 Kn-m	Capacity	0.00 Kn-m	Passing Percentage	NaN %
$V_{0.9D\text{-W}nUp}$	0.00 Kn-m	Capacity	20.10 Kn-m	Passing Percentage	Infinity %

Deflections

Modulus of Elasticity = 6700 MPa NZS3603 Amt 4, Table 2.3

Deflection under Snow and Service Wind = 0.00 mm Limit by Woolcock et al. 1999 Span/100 = 60.00 mm Sag during installation =78.58 mm

Reactions

Maximum = 0.00 kn

Middle Pole Design

Geometry

200 SED H5 (Minimum 225 dia. at Floor Level)	Dry Use	Height	3700 mm
Area	35448 mm2	As	26585.7421875 mm2
Ix	100042702 mm4	Zx	941578 mm3
Iy	100042702 mm4	Zx	941578 mm3
Lateral Restraint	3400 mm c/c		

Loads

Total Area over Pole = 18 m^2

Dead	4.50 Kn	Live	4.50 Kn
Wind Down	10.26 Kn	Snow	15.30 Kn
Moment wind	16.34 Kn-m	Moment snow	7.24 Kn-m
Phi	0.8	K8	0.86
K1 snow	0.8	K1 Dead	0.6
K1 wind	1		

Material

Peeling	Steaming	Normal	Dry Use
fb =	36.3 MPa	$f_S =$	2.96 MPa
fc =	18 MPa	fp =	7.2 MPa
ft =	22 MPa	E =	9257 MPa

Capacities

PhiNex Wind	438.78 Kn	PhiMnx Wind	23.50 Kn-m	PhiVnx Wind	62.96 Kn
PhiNcx Dead	263.27 Kn	PhiMnx Dead	14.10 Kn-m	PhiVnx Dead	37.77 Kn
PhiNcx Snow	351.02 Kn	PhiMnx Snow	18.80 Kn-m	PhiVnx Snow	50.36 Kn

Checks

(Mx/PhiMnx)+(N/phiNcx) = 0.76 < 1 OK

 $(Mx/PhiMnx)^2 + (N/phiNcx) = 0.55 < 1 \text{ OK}$

Deflection at top under service lateral loads = 36.69 mm < 37.00 mm

Drained Lateral Strength of Middle pile in cohesionless soils Free Head short pile

Assumed Soil Properties

Gamma	18 Kn/m3	Friction angle	30 deg	Cohesion	0 Kn/m3
K0 =	$(1-\sin(30))/(1+\sin(30))$				

$$Kp = \frac{(1+\sin(30))}{(1-\sin(30))}$$

Geometry For Middle Bay Pole

Ds = 0.6 mm Pile Diameter

L= 1700 mm Pile embedment length

f1 = 3000 mm Distance at which the shear force is applied

f2 = 0 mm Distance of top soil at rest pressure

Loads

Moment Wind = 16.34 Kn-m Moment Snow = Kn-m Shear Wind = 5.45 Kn Shear Snow = 7.24 Kn

Pile Properties

Safety Factory 0.55

Hu = 9.31 Kn Ultimate Lateral Strength of the Pile, Short pile

Mu = 16.87 Kn-m Ultimate Moment Capacity of Pile

Checks

Applied Forces/Capacities = 0.97 < 1 OK

End Pole Design

Geometry For End Bay Pole

Geometry

200 SED H5 (Minimum 225 dia. at Floor Level)	Dry Use	Height	3850 mm
Area	35448 mm2	As	26585.7421875 mm2
Ix	100042702 mm4	Zx	941578 mm3
Iy	100042702 mm4	Zx	941578 mm3
T . 1D	1		

Lateral Restraint mm c/c

Loads

Total Area over Pole = 18 m2

Dead	4.50 Kn	Live	4.50 Kn
Wind Down	10.26 Kn	Snow	15.30 Kn
Moment Wind	8.17 Kn-m	Moment snow	3.62 Kn-m
Phi	0.8	K8	0.76

K1 snow	0.8	K1 Dead	0.6

K1wind 1

Material

Peeling	Steaming	Normal	Dry Use
fb =	36.3 MPa	$f_S =$	2.96 MPa
fc =	18 MPa	fp =	7.2 MPa
ft =	22 MPa	E =	9257 MPa

Capacities

PhiNcx Wind	389.24 Kn	PhiMnx Wind	20.85 Kn-m	PhiVnx Wind	62.96 Kn
PhiNex Dead	233.54 Kn	PhiMnx Dead	12.51 Kn-m	PhiVnx Dead	37.77 Kn
PhiNcx Snow	311.39 Kn	PhiMnx Snow	16.68 Kn-m	PhiVnx Snow	50.36 Kn

Checks

(Mx/PhiMnx)+(N/phiNcx) = 0.46 < 1 OK

 $(Mx/PhiMnx)^2 + (N/phiNcx) = 0.23 < 1 OK$

Deflection at top under service lateral loads = 19.78 mm < 39.90 mm

Ds = 0.6 mm Pile Diameter

L= 1400 mm Pile embedment length

f1 = 3000 mm Distance at which the shear force is applied

f2 = 0 mm Distance of top soil at rest pressure

Loads

Total Area over Pole = 18 m^2

Moment Wind = 8.17 Kn-m Moment Snow = 3.62 Kn-m Shear Wind = 2.72 Kn Shear Snow = 3.62 Kn

Pile Properties

Safety Factory 0.55

Hu = 5.56 Kn Ultimate Lateral Strength of the Pile, Short pile

Mu = 9.86 Kn-m Ultimate Moment Capacity of Pile

Checks

Applied Forces/Capacities = 0.83 < 1 OK

Drained Lateral Strength of End pile in cohesionless soils Free Head short pile

Assumed Soil Properties

Gamma 18 Kn/m3 Friction angle 30 deg Cohesion 0 Kn/m3

 $K0 = \frac{(1-\sin(30))}{(1+\sin(30))}$ $Kp = \frac{(1+\sin(30))}{(1-\sin(30))}$

Geometry For End Bay Pole

 $D_S = 0.6 \text{ mm}$ Pile Diameter

L= 1400 mm Pile embedment length

f1 = 3000 mm Distance at which the shear force is applied

f2 = 0 mm Distance of top soil at rest pressure

Loads

Moment Wind = 8.17 Kn-m Moment Snow = 3.62 Kn-m Shear Wind = 2.72 Kn Shear Snow = 3.62 Kn

Pile Properties

Safety Factory 0.55

Hu = 5.56 Kn Ultimate Lateral Strength of the Pile, Short pile

Mu = 9.86 Kn-m Ultimate Moment Capacity of Pile

Checks

Applied Forces/Capacities = 0.83 < 1 OK

Uplift Check

Density of Concrete = 24 Kn/m3

Density of Timber Pole = 5 Kn/m3

Due to cast in place pile, the surface interaction between soil and pile will be rough thus angle of friction between both is taken equal to soil angle of internal friction

Ks (Lateral Earth Pressure Coefficient) for cast into place concrete piles = 1.5

Formula to calculate Skin Friction = Safecty factor (0.55) x Density of Soil(18) x Height of Pile(1700) x Ks(1.5) x 0.5 x tan(30) x Pi x Dia of Pile(0.6) x Height of Pile(1700)

Skin Friction = 23.34 Kn

Weight of Pile + Pile Skin Friction = 27.76 Kn

Uplift on one Pile = 16.83 Kn

Uplift is ok