GUJARAT PRINT PACK PUBLICATIONS PVT. LTD.

INSPECTION RECORD – OFFSET INK

Supplier Name		**Report number**	
Product Description		**SAP Batch number**	
GRN Qty.		**GRN number**	
		Date of Inspection	

SR. NO.	TEST PARAMETERS	SPECIFICATION	OBSERVATION
1.	CODE NO.	As per PO	
2.	SHADE	Should match to the master or the specimen Or To Pantone Code No	
3.	SPECTROMETER SHADE RANGE (dE)	Delta Value DE should be below 3.0	
4.	SKINNING	Very thick top layer skinning & solid particles not acceptable	
5.	FLOW RATE	Max. 120 mm (Except Silver & Gold ink)	
6.	DRYING TEST	By Thumb Impression : No Inking of the thumb after rubbing the roll up of one big & one small drop of ink dried for 24 hrs.	
		On Glass surface : For Solid Print Immediately drying (with in 1 hrs) For small drops of ink dried for 24hrs	
7.	ALKALI RESISTANCE (AR TEST)	If Specified in P.O. then No fading of ink roll up in 2% NaOH Solution for 24hrs	
8.	SOAP RESISTANCE (SR TEST)	If Specified in P.O. then No staining of ink roll up to 20 % soap jelly kept for 24hrs	
9.	LIGHT FASTNESS TEST	No fading of the ink roll up when exposed to direct sun for 80hrs.	

LOT STATUS ⇨	**ACCEPTED**	**REJECT & SEND BACK TO SUPPLIER / SCRAP**	**SEGREGATION**	**ACCEPTED ON DEVIATION**
REASON FOR DEVIATION / REJECTION / SEGREGATION ⇨				

INSPECTED BY	APPROVED BY
QA INSPECTOR	QA MANAGER

308/9, GIDC, DEDIYASAN, MEHSANA, GUAJRAT, INDIA - 384002