Lecture 4; CH 101: Inorganic Chemistry

Dr. Akshai Kumar A. S

Department of Chemistry

8

Centre For Nanotechnology

Indian Institute of Technology Guwahati Guwahati – 781039, Assam, India


Crystal Field Theory –

- ♦ Gross over simplification and qualitative
- ♦ d^{4,5,6,7} can be either high or low spin
- ♦ High-field ligands gives low-spin complexes
- ♦ Does not explain why certain ligands have a strong/weak ligand field
- ♦ Splitting of d-orbitals is considered as a "fact"

- \Leftrightarrow Why is W(NH₃)₆ is not a stable compound?
- \diamondsuit Why is W(CO)₆ is very air stable and unreactive?
- \Leftrightarrow Why is W(PMe₃)₆ is very air-sensitive and reactive?
- ♦ Why d⁰ systems such as Ti4+ cannot for stable carbonyl complexes?
- ♦ Is there a model that gives accurate electronic structure calculations?

Ligand Field

♦ Conventional Molecular Orbital (MO) Theory



Anti-bonding

Ligand Field

- ♦ One s, three p and five d-orbitals of the isolated ion is taken into consideration
- \diamond 6 pure σ-donor ligands(NH₃) 6 lone pair orbitals (6 ligand group atomic orbitals LGAO)
- \diamond Octahedral case; One *s*, three *p* and two d_{σ} (dsp_{σ}) have right symmetry to interact with 6 LGAO's

MO Diagram: Oh

 O_h with σ -donor Ligands

4*p* ====

4s —

3d =====

Metal Orbita

Ligand σ orbitals

MO Diagram: Oh


O_h with σ -donor Ligands

4p ====


4s ----


3d ____


Metal Orbit



MO Diagram: O_h Oh with σ -donor Ligands







For pure σ -donating ligands d_{π} of CFT is non-bonding in MO


Similarly, d_{σ} of CFT is M-L σ anti-bonding in MO

 d^6 complex; 6e from metal, 12 e from ligand

18 e occupy the levels up to d_{π}

Splitting increases with increase in strength of $M-L\ \sigma$ -bond

High-field σ -donating ligands form strong σ -bonds



$$I^- < Br^- < Cl^- < F^- < H_2O < NH_3 < PPh_3 < CO, H < SnCl_3^-$$


$$\leftarrow low \ \Delta \qquad \qquad high \ \Delta \rightarrow$$

$$\leftarrow \pi \ donor \qquad \qquad \pi \ acceptor/strong \ \sigma \ donor \rightarrow$$

How about ligands that also have π -acceptors? CO?

Bonding in Metal Carbonyls

Valence bond structure of CO; $\dot{C}\equiv C$ (formally, a carbanion)



Vague explanation of M-CO bonding. Does not describe


why transition metals form much stronger bonds with CO than main group metals

$$H_3B \leftarrow : C \equiv O$$
 23 kcal/mol

$$(CO)_5W \leftarrow : C \equiv O$$
 42.5 kcal/mol

$$(PR_3)_2ClIr \leftarrow : C \equiv O > 70 \text{ kcal/mol}$$


Bonding in Metal Carbonyls



CH 101 IC Dr. Akshai Kumar

Metal-Ligand π -bonding





M

