

AMENDMENT NO. 2 FEBRUARY 2022

TO

IS 15609 : 2005 POLYETHYLENE FLEXIBLE POUCHES FOR THE PACKING OF NATURAL MINERAL WATER AND PACKAGED DRINKING WATER — SPECIFICATION

(Foreword, para 4) — Insert the following new para after para 4:

‘This amendment is based on the FSSAI Regulations 2018 vide notification number F.No. 1-95/Std/Packaging/SP (L&C/A)/FSSAI-2017, and draft amendment Regulations 2020, vide notification number F.No.Std/SP-20/T-01. This amendment includes specific migration limit of toxic substances listed by FSSAI.

This amendment also includes updated references. IS 16738 supersedes IS 10141 and accordingly updated in the reference.’

(Page 1, clause 2) — Substitute the following for the existing clause:

‘2 REFERENCES

The following standards contain provisions which, through reference in this text, constitute provisions of this standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreement based on standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below:

<i>IS No./ Other Publication</i>	<i>Title</i>
IS 2508 : 2016	Polyethylene films and sheets — Specification (<i>third revision</i>)
IS 2828 : 2019/ ISO 472 : 2013	Plastics — Vocabulary (<i>second revision</i>)

Price Group 1

<i>IS No./ Other Publication</i>	<i>Title</i>
IS 3025 (Part 2) : 2019/ ISO 11885 : 2007	Methods of sampling and test (physical and chemical) for water and wastewater: Part 2 Determination of selected elements by inductively coupled plasma optical emission spectrometry (ICP-OES) (<i>first revision</i>)
IS 3025 (Part 5) : 2018	Methods of sampling and test (physical and chemical) for water and waste water: Part 5 Odour (<i>second revision</i>)
IS 3025 (Part 8) : 1984	Methods of sampling and test (physical and chemical) for water and waste water: Part 8 Taste rating (<i>first revision</i>)
IS 4905 : 2015/ ISO 24153 : 2009	Random sampling and randomization procedures (<i>first revision</i>)
IS 7019 : 1998	Glossary of terms in plastics and flexible packaging, excluding paper (<i>second revision</i>)
IS 7028 (Part 2) : 2002	Performance tests for complete, filled transport packages: Part 2 Vibration test at fixed low frequency (<i>second revision</i>)
IS 9845 : 1998	Determination of overall migration of constituents of plastics materials and articles intended to come in contact with foodstuffs — Method of analysis (<i>second revision</i>)
IS 10146 : 1982	Specification for polyethylene for its safe use in contact with foodstuffs, pharmaceuticals and drinking water
IS 13428 : 2015	Packaged natural mineral water — Specification (<i>second revision</i>)
IS 14500 : 1998	Linear low-density polyethylene (LLDPE) films — Specification
IS 14535 : 1998	Recycled plastics for the manufacturing of products — Designation
IS 14543 : 2016	Packaged drinking water (other than packaged natural mineral water) — Specification (<i>second Revision</i>)

<i>IS No./ Other Publication</i>	<i>Title</i>
IS 15495 : 2020	Printing ink for food packaging — Code of practice (first revision)
IS 16738 : 2018	Positive list of constituents for polypropylene, polyethylene and their copolymers for its safe use in contact with foodstuffs and pharmaceuticals
ISO 18856 : 2004	Water quality — Determination of selected phthalates using gas chromatography/mass spectrometry'

(Page 3, clause **6.1.10**) — Insert the following new clauses after **6.1.10**:

‘6.1.11 Determination of Specific Migration

6.1.11.1 The specific migration is tested to determine the quantity of a specific substance that can migrate from a food packaging material or food container into food. Specific migration limits are usually expressed as mg/kg food.

6.1.11.2 The sample/simulants shall be prepared using the procedure described in IS 9845. The testing for detection of toxic substances shall be carried out as per method given in Table 3.

6.1.11.3 The limit of specific migration of all toxic substances when tested as prescribed in column 4 of Table 3 shall not release the substances in quantities exceeding the specific migration limits listed under Table 3.

Table 3 Specific Migration Limits
(Clauses 6.1.11.2 and 6.1.11.3)

Sl No.	Toxic Substances	Migration Limit, Maximum, mg/kg	Test Method
(1)	(2)	(3)	(4)
i)	Barium	1.0	IS 3025 (Part 2)
ii)	Cobalt	0.05	-do-
iii)	Copper	5.0	-do-
iv)	Iron	48.0	-do-

Table 3 (Concluded)

Sl No.	Toxic Substances	Migration Limit, Maximum, mg/kg	Test Method
(1)	(2)	(3)	(4)
v)	Lithium	0.6	-do-
vi)	Manganese	0.6	-do-
vii)	Zinc	25.0	-do-
viii)	Antimony	0.04	-do-
ix)	Phthalic acid, bis(2-ethylhexyl)ester (DEHP)	1.5	ISO 18856'

(Page 3, clause 10) — Substitute the following for the existing clause:

‘10 BIS CERTIFICATION MARKING

The product(s) conforming to the requirements of this standard may be certified as per the conformity assessment schemes under the provisions of the *Bureau of Indian Standards Act, 2016* and the Rules and Regulations framed thereunder, and the products may be marked with the Standard Mark.’