

AMENDMENT NO. 1 JUNE 2024
TO
IS 2887 : 2017 LAUNDRY SOAP POWDERS/FLAKES — SPECIFICATION
(Third Revision)

(Page 1, clause 3.1) — Substitute the existing sentence by the following:

‘For the purpose of this standard, the following definitions shall apply in addition to those given under 3 of IS 286.’

(Page 1, clause 5.3.1) — Substitute the existing sentence by the following:

‘The moisture and volatile matter (at 105 °C), when determined in accordance with 5 of IS 286, shall be not more than 4.0 percent by mass.’

(Page 1, clause 5.3.2) — Substitute the existing sentence by the following:

‘The titre of fatty acids when determined in accordance with 17 of IS 286, shall be not more than 25 °C.’

(Page 2, clause 7.1) — Substitute the existing sentence by the following:

‘The general precautions in sampling, scale of sampling and preparation of test samples shall be as prescribed in 4.1, 4.2 and 4.3 respectively of IS 286’.

(Page 2, Table 1) — Substitute the existing Table by the following:

Table 1 Requirements for Laundry Soap Powder/Flakes
(Clauses 5.2, 7.3.1 and 8.1)

SI No.	Characteristic	Requirement for		Method of Test, Ref to
		Type 1 (Pure)	Type 2 (Built)	
(1)	(2)	(3)	(4)	(5)
i)	Total fatty matter, percent by mass, <i>Min</i>	80.0	40.0	IS 286
ii)	Rosin acids ¹⁾ , percent by mass of total fatty matter, <i>Max</i>	3.0	15.0	IS 286
iii)	Unsaponified fatty matter, percent by mass, <i>Max</i>	0.5	0.3	IS 286
iv)	Free caustic alkali, percent by mass, <i>Max</i>	0.2	0.2	IS 286
v)	Matter insoluble in alcohol, percent by mass, <i>Max</i>	8.0	52.0	IS 286
vi)	Glycerol, percent by mass, <i>Max</i>	1.5	—	IS 286
vii)	Hexabromide test (on fatty acids)	----- Negative -----		IS 548 (Part 2)

Price Group 1

Amendment No. 1 to IS 2887

Table 1 (Concluded)

SI No.	Characteristic	Requirement for		Method of Test, Ref to
		Type 1 (Pure)	Type 2 (Built)	
(1)	(2)	(3)	(4)	(5)
viii)	Active alkalinity, ml, <i>Max</i>	—	20	Annex B of this standard
ix)	Chlorides (as sodium chloride), percent by mass, <i>Max</i>	1.5	3.0	IS 286
x)	LSD/NSD ²⁾ content, percent by mass, <i>Min</i>	—	4.0	Annex B of IS 4955

1) If rosin is not used as an ingredient during the manufacture of soap there is no need to test the requirement of rosin acid content.

2) For the purpose of calculation the molecular mass of LSD/NSD shall be taken as 330.

(Page 4, Annex A) — Substitute:

‘IS 286 : 2018 Methods of sampling and test for soaps (*third revision*)’ for ‘IS 286 : 1978 Methods of sampling and test for soaps (*second revision*)’

‘IS 4955 : 2020 Household laundry detergent powders — Specification (*fifth revision*)’ for ‘IS 4955 : 2001 Household laundry detergent powders (*third revision*)’.

CHD (25)

Publication Unit, BIS, New Delhi, India