

**AMENDMENT NO. 1 APRIL 1998
TO
IS 13229 : 1991 ZINC FOR GALVANIZING —
SPECIFICATION**

(Page 1, clause 1) — Substitute the following for the existing clause:

'1 SCOPE

1.1 This standard covers the requirement of Zinc used for galvanizing.'

(Page 1, clause 2) — Substitute 'IS 1387 : 1993 General requirements for metallurgical materials (*second revision*)' for 'IS 1387 : 1967 General requirements for the supply of metallurgical materials (*first revision*)'.

(Page 1, clause 3) — Substitute following for the existing clause:

'This standard covers two grades of zinc, namely Zn 98.5 and Zn 98.0.'

(Page 1, clause 4.1) — Substitute 'IS 1387 : 1993' for 'IS 1387 : 1967'.

(Page 1, Table 1) — Substitute the following for the existing table :

**Table 1 Chemical Composition of Zinc for Galvanizing
(Clause 6.1)**

Constituent	Requirements, Percent by mass	
	Grade Zn 98.5	Grade Zn 98.0
(1)	(2)	(3)
Zinc, <i>Min</i>	98.5	98.0
Lead, <i>Max</i>	1.40	1.60
Cadmium, <i>Max</i>	0.05	0.2
Iron, <i>Max</i>	0.05	0.05
Tin, <i>Max</i>	0.02	0.02
Copper, <i>Max</i>	0.02	0.02
Total impurities, <i>Max</i>	1.5	2.0

NOTE — The possible presence of other unnamed elements is not precluded. However, analysis shall regularly be made only for the elements (except zinc) listed in the table. The zinc content shall be determined by difference between the sum of total elements analyzed and 100. By agreement between manufacturer and the purchaser, limits may be established for other elements.

Amend No. 1 to IS 13229 : 1991

(Page 2, clause 12.2) — Substitute the following for the existing clause:

'12.2 Standard Marking

12.2.1 The material may also be marked with the Standard Mark.

The use of the Standard Mark is governed by the provisions of the *Bureau of Indian Standards Act, 1986* and the Rules and Regulations made thereunder. The details of conditions under which the licence for the use of Standard Mark may be granted to manufacturers or producers, may be obtained from the Bureau of Indian Standards.'

(MTD 9)