

AMENDMENT NO. 1 NOVEMBER 1979
TO
IS : 2569-1978 SPECIFICATION FOR MALATHION
WATER DISPERSIBLE POWDER CONCENTRATES
(Second Revision)

Alteration

[Page 4, Table 1, Sl No. (v)] —Substitute the following for the existing matter under respective columns:

(1)	(2)	(3)	(4)	(5)
v)	Acidity (as H_2SO_4), percent by mass, <i>Max</i>	0.2	—	11.3.2
	<i>OR</i>			
	Alkalinity (as $NaOH$), percent by mass, <i>Max</i>	0.1	—	11.3.3

Addendum

(Page 6, clause 5.1.2) — Add the following new clause after 5.1.2:

‘ 5.1.3 For determination of suspensibility after accelerated storage, dilute the 1/10th portion left to 250 ml with anhydrous ethyl alcohol. Stopper and shake vigorously for 2 minutes to effect complete solution. Allow to stand for 15 minutes. Transfer a 10 ml aliquot to 100-ml volumetric flask and dilute to mark with anhydrous ethyl alcohol and mix. Allow the solid material if any, to settle and transfer a suitable aliquot of the clear solution to a separating funnel. Add sufficient anhydrous ethyl alcohol to make a total volume of 25 ml and proceed for determination of malathion content. ’