

AMENDMENT NO. 4 FEBRUARY 2026

TO

IS 17753 : 2021 PAPERBASED MULTILAYER LAMINATED/EXTRUDED COMPOSITE CARTONS (ASEPTIC AND NON-ASEPTIC) FOR PROCESSED LIQUID FOOD PRODUCTS AND BEVERAGES — SPECIFICATION

(Page 3, clause 5.2.5) — Substitute the following for the existing:

‘5.2.5 Water Vapour Transmission Rate (WVTR) and Oxygen Transmission Rate (OTR)

5.2.5.1 The paper based multilayer laminated/extruded composite sheet passing the shelf-life test shall be tested for water vapour transmission rate (WVTR) according to Annex C or IS 17846 and oxygen transmission rate according to IS 13360 (Part 8/Sec 6/Subsec 2).

5.2.5.2 For paper based multilayer laminated/extruded composite sheet with aluminium foil based barrier, WVTR shall not exceed 0.1 g/m²/day and OTR shall not exceed 1 cc/m²/24 h when tested in accordance with **5.2.5.1**.

5.2.5.3 For paper based multilayer laminated/extruded composite sheets not falling under **5.2.5.2**, the requirements for WVTR and OTR as agreed between manufacturer and brand owners shall be declared by the manufacturer of paper based multilayer laminated/extruded composite sheet based on **5.2.5.1**. Samples shall be assessed on declared value. WVTR and OTR, when measured in accordance with **5.2.5.1**, shall be within ± 5 percent of the declared value.’

(Page 5, Annex A) — Substitute the following entries for IS 1776 : 1989, IS 2508 : 2016, IS 2771 (Part 1) : 1990, IS 9873 (Part 6) : 2017, IS 16983 : 2018, ISO 2528 : 2017 and ISO 15105-2 : 2003:

<i>‘IS No./Other Publication</i>	<i>Title</i>
1776 : 2024	Folding box board, uncoated — Specification (<i>second revision</i>)
2508 : 2024	Polyethylene films and sheets — Specification (<i>fourth revision</i>)
2771 (Part 1) : 2022	Corrugated fibreboard boxes — Specification: Part 1 General requirements (<i>third revision</i>)
9873 (Part 6) : 2025/ ISO 8124-6 : 2023	Safety of toys: Part 6 Certain phthalate esters (<i>second revision</i>)
16983 : 2024	Solid bleached sulphate board — Specification (<i>first revision</i>)
17846 : 2022/ISO 2528 : 2017	Sheet materials — Determination of water vapour transmission rate (WVTR) — Gravimetric (dish) method
13360 (Part 8/Sec 6/ Subsec 2) : 2025/ISO 15105- 2 : 2003	Plastics — Methods of testing: Part 8 Permanence/Chemical properties, Section 6 Film and sheeting — Determination of gas-transmission rate, Sub-Section 2 Equal-pressure method (<i>first revision</i>)’

(Page 5, Annex A) — Delete the entry for ‘IS 5158 : 1987’.

(Page 5, Annex A) — Insert the following new entries at the end:

<i>‘IS No./Other publication</i>	<i>Title</i>
EN 648 : 2018	Paper and board intended to come into contact with foodstuffs — Determination of the fastness of fluorescent whitened paper and board
CEN/TS 17630 :2021	Pulp, paper and paperboard — Determination of anthraquinone in extracts from pulp, paper and paperboard’.