

AMENDMENT NO. 3 JUNE 2011
TO
IS 12923 : 1990 CANE GUR (JAGGERY) — SPECIFICATION

(Page 1, clause 2) — Substitute the following for the existing:

‘2 REFERENCE

The following standards contain provisions, which through reference in this text constitute provisions of this standard. At the time of publication, the editions indicated were valid. All standards are subject to revision and parties to agreements based on this standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below:

<i>IS No.</i>	<i>Title</i>
1070 : 1992	Reagent grade water (<i>third revision</i>)
15279 : 2003	Sugar and sugar products — Methods of test

[Page 1, clause 7.2(c)] — Substitute ‘Net quantity’ for ‘Net mass’.

[Page 1, clause 7.2(e)] — Add the following after Sl No. (e):

- ‘f) Any other requirements as given under the *Standards of Weights and Measures (Packaged Commodities) Rules*, 1977 and the *Prevention of Food Adulteration Act*, 1955 and the Rules framed thereunder.’

(Page 2, Table 1) — Substitute the following for the existing table:

Amend No. 3 to IS 12923 : 1990

Table 1 Requirement for Cane *GUR*
(Clauses 4.3 and 6.1)

Sl No.	Characteristic	Requirement		Method of Test, Ref to	
		Grade 1	Grade 2	Annex of This Standard	Clause of IS 15279
(1)	(2)	(3)	(4)	(5)	(6)
i)	Sucrose (on dry basis), percent by mass, <i>Min</i>	80	70	—	12
ii)	Reducing sugars (on dry basis), percent by mass, <i>Max</i>	10	20	—	7
iii)	Moisture, percent by mass, <i>Max</i>	5	7	—	4
iv)	Water insoluble matter (on dry basis), percent by mass, <i>Max</i>	1.5	2.0	—	14
v)	Sulphated ash (on dry basis), percent by mass, <i>Max</i>	3.5	5.0	—	10
vi)	Sulphur dioxide (on dry basis) ppm, <i>Max</i>	50	50	—	13
vii)	Ash insoluble in dilute hydrochloric acid (on dry basis), percent by mass, <i>Max</i>	0.3	0.3	A	—

NOTE — Total sugar (expressed as invert sugar) (on dry basis) shall be 90 percent for both Grade 1 and Grade 2 cane *GUR*.

(FAD 2)

Reprography Unit, BIS, New Delhi, India