

AMENDMENT NO. 2 JUNE 2025
TO
IS 2347 : 2023 DOMESTIC PRESSURE COOKER — SPECIFICATION
(Seventh Revision)

[Page 1, clause **5.1.1**, (see also Amendment No. 1)] — Substitute the following for the existing:

‘**5.1.1** The body, lid of the pressure cookers, the containers, and the grid shall conform to Designation 19000, 19500, 19000A, 19002, 31000, 31000A, 31200, 40800, 81400, 81400A of IS 21 or IS737 or stainless steel conforming to Designation X04Cr19Ni9/X07Cr18Ni9 of IS 5522/IS 6911 or stainless steel conforming to Designation X8Cr16Mn8Cu2Ni2N of IS 15997/IS 6911. The containers and the grid shall conform to any of the Designations as per IS 21 or IS 5522 or IS 15997.’

(Page 2, clause **5.1.1**, Note) — Insert the following at the end:

‘**4** The material shall not contain more than 0.05 percent as metal of any toxic metals such as lead, cadmium and arsenic. Supplier's certificate is acceptable.’

[(Page 3, clause **5.11**, (see also Amendment No. 1)] — Substitute the following for the existing:

‘5.11 Visual Pressure Indicator

If the cooker is provided with visual pressure indicator, the material shall conform to aluminium as per IS 733/IS 739 or stainless steel as per IS 6603/IS 6528. Visual pressure indicator, indicates the presence of inside pressure before the internal pressure reaches 0.1 kg/cm². The indicator may be coloured for easy visibility.’

[Page 5, clause **8.1**, Note, (see also Amendment No. 1)] — Insert the following at the end:

‘**3** If there is any leakage during test, pressurize the cooker under steam for 1 whistle. Release the steam from the cooker and remove the hot water and recheck the cooker for air pressure test. There shall not be any continuous leak.’

(Page 7, clause **8.15.4**) — Insert the following at the end:

‘**8.15.5** In case the lid fitted with the glass is being used for pressure cooking, the assembly shall comply to all the tests mentioned in **8.15**. The minimum nominal thickness of the glass shall be 8 mm.’

[Page 8, clause **10.5.1(c)**] — Substitute the following for the existing:

‘c) Aluminium pressure cooker body should not be used for deep frying;’