

AMENDMENT NO. 1 MAY 2023
TO
IS 269 : 2015 ORDINARY PORTLAND CEMENT — SPECIFICATION
(Sixth Revision)

[Page 2, Table 1, Sl No. x)] — Insert the following new row:

(1)	(2)	(3)	(4)
‘ xi)	Ground granulate blast furnace slag	5	Conforming to IS 16714’.

(Page 2, clause 10.1) — Delete the entries (a) and (c); insert the following; and renumber the existing:

‘d) PP woven laminated block bottom valve sacks conforming to IS 16709, or’.

[Page 3, Table 2, Sl No. (v), col 5] — Substitute ‘3.3’ for ‘3.5’.

[Page 3, Table 2, Sl No. (v), col 7] — Substitute ‘3.3’ for ‘3.5’.

[Page 3, Table 2, Note 2 a)] — Substitute the following for the existing:

‘a) Tricalcium aluminate content, : 10.0
percent by mass, *Max* 9.0 (for OPC 43S and for 53S)’.

[Page 4, Table 3, Sl No. iii) a), col 5] — Substitute ‘120’ for ‘60’.

[Page 4, Table 3, Sl No. iii) a), col 7] — Substitute ‘120’ for ‘60’.

(Page 5, Annex A) — Delete ‘2580 : 1985’ and ‘12154 : 1987’ and their title.

(Page 5, Annex A) — Substitute the following two IS No. and their title in place of the existing of 4905 : 1968 and 11562 : 2000

‘4905 : 2015/ISO 24153 : Random Sampling and Randomization Procedures (*first revision*)
2009

11652 : 2017 Textiles — High density polyethylene (HDPE)/polypropylene (PP) woven sacks for packaging of 50 kg cement — Specification (*third revision*)’.

(Page 5, Annex A) — Insert the following IS No. and their title:

‘16709 : 2017 Textiles — Polypropylene (PP) woven, laminated, block bottom valve sacks for packaging of 50 kg cement — Specification

16714 : 2018 Ground granulated blast furnace slag for use in cement, mortar and concrete — Specification’

(CED 02)