

AMENDMENT NO. 2 MARCH 2025
TO
IS 277 : 2018 GALVANIZED STEEL STRIPS AND SHEETS
(PLAIN AND CORRUGATED) — SPECIFICATION
(Seventh Revision)

(Page 1, clause 1.2) — Substitute the following for the existing:

‘1.2 Galvanized steel sheets covered by this standard are intended to be used for purposes such as paneling, roofing, applications requiring lock forming, engineering applications, etc.’

(Page 1, clause 1.4) — Substitute the following for the existing:

‘1.4 The requirements of hot-dip galvanized/galvannealed steel sheet, plate and strip for automotive applications are covered in IS 18385.’

(Page 1, clause 2) — Substitute the following for the existing:

<i>‘IS No.</i>	<i>Title</i>
IS 209 : 2024	Refined zinc — Specification (<i>fifth revision</i>)
IS 228 (in all parts)	Methods for chemical analysis of steels
IS 513	Cold reduced carbon steel sheet and strip:
(Part 1) : 2016	Cold forming and drawing purpose (<i>sixth revision</i>)
(Part 2) : 2016	High tensile and multi-phase steel (<i>sixth revision</i>)
IS 875 (Part 2) : 1987	Code of practice for design loads (other than earthquake) for buildings and structures: Part 2 Imposed loads (<i>second revision</i>)
IS 1079 : 2017	Hot rolled carbon steel sheet, plate and strip — Specification (<i>seventh revision</i>)
IS 1608 (Part 1) : 2022/ ISO 6892-1 : 2019	Metallic materials — Tensile testing: Part 1 Method of test at room temperature (<i>fifth revision</i>)
IS 1956 (Part 4) : 2013	Glossary of terms relating to iron and steel: Part 4 Flat products (<i>second revision</i>)
IS 2629 : 1985	Recommended practice for hot-dip galvanizing on iron and steel (<i>first revision</i>)
IS 6745 : 1972	Method for determination of mass of zinc coating on zinc coated iron and steel articles
IS 8910 : 2022/ISO 404 : 2013	Steel and steel products — General technical delivery requirements (<i>second revision</i>)
IS/ISO 16163 : 2012	Continuously hot-dipped coated steel sheet products — Dimensional and shape tolerances (<i>first revision</i>)’

Price Group 1

Amendment No. 2 to IS 277 : 2018

(Page 2, clause 5.2, last sentence) — Delete ‘or IS 13229.’

(Page 2, clause 6) — Substitute the following for the existing:

‘6 MECHANICAL PROPERTIES

6.1 The mechanical properties of base steel, after galvanizing shall be as per Table 2.

6.2 The thickness to be used for the calculation of the yield point or yield strength, tensile strength shall be either one of the following:

- a) Actual measured thickness after removing the coating layer;
- b) Results after subtracting the equivalent coating thickness of the actual measured coating mass from the actually measured thickness including the coating layers, the equivalent coating thickness shall be as per mutual agreement between both the manufacturer and the purchaser.’

(Page 4, clause 8.1.2) — Substitute the following for the existing:

‘8.1.2 Tensile test shall be carried out in accordance with IS 1608 (Part 1), and the values of tensile strength, yield stress and percentage elongation shall conform to the requirements specified in Table 2.’

(Page 6, clause 14.2.4, line 2) — Substitute ‘IS 513 (Part 1 and Part 2) *for* ‘IS 513’.

(MTD 04)

Publication, BIS, New Delhi