

AMENDMENT NO. 2 MARCH 1999
TO
IS 1775 : 1981 SPECIFICATION FOR BASE PAPER
FOR SENSITIZED PAPER
(First Revision)

[Page 4, Table 1, Sl No. (viii), col 1] — Substitute 'Burst Index' for 'Burst factor'.

[Page 4, Table 1, Sl No. (viii), col 2] — Substitute '1.8' for '18'.

(Page 5, clause 2.3) — Substitute the following for the existing text:

'Grammage — Grammage shall be as agreed to between the buyer and the supplier, keeping in view the requirements of grammage and tolerance given in IS 9032: 1978. However, when tested as per 6 of IS 1060 (Part 1) : 1966, no single test result shall vary by more than ± 5 percent from nominal grammage. Further, the mean of 10 test results shall not vary from nominal grammage by more than ± 2.5 percent. However, where 2.5 percent is less than 1.5 g/m^2 , the tolerance shall be $\pm 1.5 \text{ g/m}^2$.'

(CHD 15)