

AMENDMENT NO. 1 SEPTEMBER 2026
TO
IS 4409 : 2023 FERRONICKEL — SPECIFICATION
(Second Revision)

(Page 1, clause 3.1) — Insert the following at the end:

‘3.2 Ferronickel with Ni < 15 Percent — Ferronickel with Ni < 15 percent is a master alloy of iron and nickel with a minimum nickel content of 5.0 percent by mass and a maximum nickel content of 15.0 percent by mass, and not covered under IS 13502.’

(Page 1, clause 4.2) — Insert the following at the end:

‘4.3 The designation of ferronickel with Ni < 15 percent, shall be as agreed upon between the supplier and the purchaser.’

(Page 1, clause 7.1) — Insert the following at the end:

‘The chemical composition of ferronickel with Ni < 15 percent shall conform to the limits given in Table 3.’

(Page 2, Table 2, Note 4) — Delete.

(Page 2, Table 2) — Insert the following at the end:

‘Table 3 Chemical Composition of Ferronickel with Ni < 15 percent

(Clauses 7.1)

Sl No.	Elements	From (Included)	To (Not Included)
(1)	(2)	(3)	(4)
i)	Ni	5	15
ii)	C	—	4.00
iii)	Si	—	5.00
iv)	S	—	2.00
v)	P	—	0.1

(Page 2, clause 7.2) — Insert the following at the end:

‘7.3 If required by the purchaser, the other elements such as arsenic, bismuth, lead, antimony and tin shall be tested over a period mutually agreed between the purchaser and the manufacturer and it shall not exceed 0.010 percent.

If specified by the purchaser, higher value of the elements may also be agreed between the purchaser and the manufacturer.’

(Page 2, clause 11.1, line 1) — Substitute the following for the existing:

‘The material or packaging or certificate of analysis shall be marked with the following:’

(MTD 05)

Price Group 1
Publication, BIS, New Delhi