

AMENDMENT NO. 1 AUGUST 2015
TO
IS 16232 : 2014 IRON FORTIFIED IODIZED SALT
(DOUBLE FORTIFIED SALT) — FOOD GRADE — SPECIFICATION

[Page 1, clause 3.2] — Substitute the following for the existing clause:

3.2 Salt used for manufacture of double fortified salt shall have minimum 98.0 percent of sodium chloride content on dry weight basis for double fortified salt manufactured by fortification with encapsulated ferrous fumarate and 99.0 percent of sodium chloride on dry weight basis for other forms of iron fortification when tested in accordance with the method prescribed in A-5 of IS 253. Moisture shall not be more than 1.5 percent by mass when tested in accordance with the method prescribed in Annex A of IS 7224 respectively.

[Page 1, Table 1] — Substitute the following for the existing table:

Table 1 Requirements for Iron Fortified Iodized Salt (Double Fortified Salt)
(Clause 3.4)

Sl No.	Characteristic	Requirement	Method of Test, Ref to	
			Annex	IS No.
(1)	(2)	(3)	(4)	(5)
i)	Moisture, percent by mass, <i>Max</i>	1.5	—	Annex A of IS 7224
ii)	Water insoluble matter, percent by mass on dry basis, <i>Max</i>	1.0	—	A-4 of IS 253
iii)	Chloride content (as NaCl), percent by mass, on dry basis, <i>Min</i>	97.0	—	A-5 of IS 253
iv)	Matter insoluble in dilute HCl, percent by mass on dry basis, <i>Max</i>	0.30	—	A-6 of IS 253
v)	Matter soluble in water other than sodium chloride, percent by mass, on dry basis, <i>Max</i>	2.5	—	A-7 of IS 253
vi)	Iron content (as Fe), mg/kg	850 - 1 100	A	—
vii)	Iodine content, mg/kg, <i>Min</i> :			
	a) Manufacturer's level	30	B	—
	b) Distribution channel including retail level	15		
viii)	pH of 5 percent aqueous solution :			
	a) For iron fortification through encapsulated ferrous fumarate	3.5 – 7.5	C	—
	b) For other forms of iron fortification	3.5 – 5.5		
ix)	Sulphate (as SO ₄), percent by mass, <i>Max</i>	1.1	—	A-9 of IS 253
x)	Magnesium (as Mg), water soluble, percent by mass, <i>Max</i>	0.10	—	A-8 of IS 253
xi)	Phosphorous (as P ₂ O ₅), mg/kg :		D	—
	a) For iron fortification through encapsulated ferrous fumarate	Not more than 3 100		
	b) For other forms of iron fortification	2 800 – 3 100		
xii)	Sodium hexa meta phosphate, percent by mass on dry basis, <i>Max</i>	1.0	E	—