

**AMENDMENT NO. 1 DECEMBER 2004
TO
IS 14842 : 2000 COIR VENEER BOARD FOR GENERAL
PURPOSES — SPECIFICATION**

(Page 2, clause 8.2) — Substitute the following for the existing:

8.2 The dimensions of coir veneer board shall be as follows:

2 400 mm × 1 200 mm 1 800 mm × 1 200 mm
2 100 mm × 1 200 mm 1 800 mm × 900 mm
2 100 mm × 900 mm

(Page 2, clause 8.3) — Add the following Note after the clause:

NOTE — Any other dimensions (length, width and thickness) as agreed to between the manufacturer and the purchaser may also be used.

(Page 2, clause 8.3.1) — Substitute the following for the existing:

8.4 Tolerances

Tolerance on the nominal sizes of finished boards shall be as given below:

<i>Dimension</i>	<i>Tolerance</i>
Length	+6 - 0 mm
Width	+3 - 0 mm

Thickness:

i) Less than 6 mm	10 percent
ii) 6 mm and above	5 percent
Edge straightness	2 mm per 1 000 mm or 0.2 percent
Squareness	2 mm per 1 000 mm or 0.2 percent

(Page 2, clause 9.2, line 3) — Substitute '8.4' for 'IS 12049'.

Amend No. 1 to IS 14842 : 2000

(Page 3, clause 11.3, Table 1) — Add the following new clause after Table 1:

11.4 Modulus of Rupture (MOR) and Modulus of Elasticity (MOE)

Three test specimens for MOR and MOE from each sample may be drawn as specified in IS 1734 (Part 11) : 1983. Modulus of rupture and modulus of elasticity shall be determined for each test specimen in accordance with the method prescribed in IS 1734 (Part 11) and the average and minimum individual values shall not be less than the values given below:

Average and Minimum Individual Values of Modulus of Elasticity (MOE) and Modulus of Rupture (MOR)

Grade	MOE (N/mm ²)	MOR (N/mm ²)
BWR		
Average	3 000	30
Minimum Individual	2 700	27
MR		
Average	2 500	25
Minimum Individual	2 200	22

(Page 3, existing clause 11.4) — Renumber '11.4' as '11.5'.

(Page 3, existing clause 11.4, second and third line) — Substitute '11.2, 11.3 and 11.4' for '11.2 and 11.3'.

(Page 3, Annex A) — Add 'IS 1734 (Part 11) : 1983 Methods of Test for Plywood : Part 11 Determination of static bending strength (second revision)' at the appropriate place and delete 'IS 12049 : 1987 Dimensions and tolerances relating to wood based panel materials'.

(CED 20)