

AMENDMENT NO. 1 JULY 2025
TO
IS 16984 : 2024 COATED FOLDING BOX BOARD FOR GENERAL CONSUMER
PRODUCT PACKAGING — SPECIFICATION

(*First Revision*)

[Page 1, clause 4(a)] — Substitute the following for the existing:

‘a) Top coating — The coating grammage (combined pre-coat and post-coat) shall be (25 ± 5) gsm’.

(Page 2, clause 5.6) — Substitute the following for the existing:

‘The material when supplied in printed mode, shall pass for the print resistance and ink adhesions when tested in accordance with the Annex B and Annex C respectively of this standard.’

(Page 2, clause 5.10.1) — Substitute the following for the existing:

‘In case of direct food contact usage, the paper board shall confirm to IS 16983 or IS 1776 or IS 12999 except for the requirement of grammage. In addition, the paper board shall be OBA (optical brightening agent) free when tested in accordance with EN 648 till a relevant Indian Standard/method of test is developed. Further, anthraquinone shall not be used for making paper board. CEN/TS 17630 : 2021 ‘Pulp, paper and paperboard — Determination of anthraquinone in extracts from pulp, paper and paperboard’ shall be used till a relevant Indian Standard/ method of test is developed to determine presence of anthraquinone during paper board making.’

[Page 3, Table 1, Sl No. (i), col (3)] — Substitute ‘1.45 to 1.75 (*see* Note 1)’ for ‘1.5 to 1.6’.

[Page 3, Table 1, Sl No. (v), col (2)] — Substitute ‘Brightness, indoor C/2°, percent, *Min* (*see* Note 2)’ for ‘Brightness, indoor C/2°, percent, *Min*’.

[Page 3, Table 1, Sl No. (v), col (3)] — Substitute ‘80’ for ‘85’.

(Page 3, Table 1) — Insert the following at the end:

‘NOTES

1 No single test result for bulk shall vary by more than ± 0.05 cc/g from the declared bulk when tested in accordance with IS 1060 (Part 5/ Sec 3).’

2 ‘The requirement for brightness shall not be applicable for material intended for packaging food items.’

[Page 4, Table 3, Sl No. (ii), col (3)] — Substitute ‘18’ for ‘20’.

[Page 4, Table 3, Sl No. (iii), col (2), (3) and (4)] — Substitute the following for the existing:

‘iii)	Wax pick number:	IS 1060 (Part 3)’
a)	Coated surface	—
b)	Uncoated or bottom surface	No pick at 12A

(CHD 16)

Price Group 1
Publication, BIS, New Delhi