

AMENDMENT NO. 1 NOVEMBER 2019

TO

IS 16993 : 2018 MICROFINE ORDINARY PORTLAND CEMENT — SPECIFICATION

[Page 3, Table 2, Sl No. (i) and (ii)] — Substitute the following for the existing entries:

Sl No.	Characteristic	Requirement	Method of Test, Ref to
(1)	(2)	(3)	(4)
i)	Fineness, m ² /kg, <i>Min</i> (optional) (<i>see</i> Note 4) BET method (Nitrogen adsorption)	2 000	IS 11578
ii)	Particle size, µm, <i>Max</i> (<i>see</i> Note 1) :		Using laser diffraction PSD analyzer
	a) D_{50}	10	
	b) D_{95}	20	

(Page 3, Table 2, Note 3) — Insert the following new Note:

‘4 By agreement between the purchaser and the manufacturer, the fineness test may be carried out in accordance with the method given in IS 11578.’