

AMENDMENT NO. 1 APRIL 2011
TO
IS 3005 (PART 3) : 1982 SPECIFICATION FOR GREY CAST
IRON INGOT MOULDS, STOOLS AND SLAG LADLES

PART 3 GREY CAST IRON INGOT MOULDS OF MASS
MORE THAN ONE TONNE AND UP TO EIGHT TONNES

(First Revision)

(Page 4, clause 2.1) — Substitute the following for the existing:

‘The grades of grey iron ingot moulds shall be as per IS 210 : 1993§’ and add a footnote as follows:

‘§Grey iron castings (*fourth revision*).’

(Page 4, clause 3.1) — Substitute ‘IS 1387 : 1993†’ for ‘IS 1387-1967†’.

(Page 4, clause 5.1) — Substitute ‘IS 228‡’ for ‘IS : 228-1959‡’.

(Page 4, Table 1, row 1) — Delete.

(Page 4, Table 1, row 2) — Substitute ‘Carbon 3.5 to 3.6’ for ‘Total carbon 3.40 to 3.6’.

(Page 4, Table 1, row 7, col 2) — Substitute ‘0.18’ for ‘0.30’.

(Page 4, footnote marked †) — Substitute ‘(*second revision*)’ for ‘(*first revision*)’.

(Page 4, footnote marked ‡) — Substitute the following for the existing:

‘Methods of chemical analysis of pig iron, cast iron and plain carbon and low alloy steels (*revised*) (issued in parts).’

(Page 5, clause 8.1, line 1) — Substitute ‘6 hours’ for ‘4 hours’.

(Page 5, clause 8.1, line 5) — Substitute ‘30 hours’ for ‘20 hours’ and ‘36 hours’ for ‘50 hours’.

Amend No. 1 to IS 3005 (Part 3) : 1982

(Page 5, clause 9.1) — Add the following at the end:

- ‘vii) Minimum 50 hours uniform cooling cycle in sand jacket before cooling with water jet.’

(Page 5, clause 10.1, line 2) — Add ‘(having 90, *Min* percent fixed carbon)’ after ‘coating’.

(Page 6, clause 12.2) — Delete the last sentence.

(Page 9, clause 19.2) — Substitute the following for the existing:

‘19.2 BIS Certification Marking

Each ingot mould may also be marked with the Standard Mark.

19.2.1 The use of the Standard Mark is governed by the provisions of the *Bureau of Indian Standards Act*, 1986 and the Rules and Regulations made thereunder. The details of conditions under which the licence for the use of Standard Mark may be granted to manufacturers or producers, may be obtained from the Bureau of Indian Standards.’