

AMENDMENT NO. 4 TO NOVEMBER 2020

TO

IS 3196 (PART 1) : 2013 WELDED LOW CARBON STEEL GAS CYLINDER EXCEEDING 5 LITRE WATER CAPACITY FOR LOW PRESSURE LIQUEFIABLE GASES

PART 1 CYLINDERS FOR LIQUEFIED PETROLEUM GAS (LPG) — SPECIFICATION

(Sixth Revision)

[Page 9, clause **23.2** b) (*see also Amendment No. 3*)] — Substitute the following for the existing clause:

‘b) One coat of primer as per IS 12744 shall be used in case of enamel paint. If cylinder is painted with polyurethane paint, one coat of epoxy primer as per IS 13238 shall be used. Colour of the primer shall be as agreed to between the purchaser and the manufacturer. Any other primer may be used as per agreement between the manufacturer and the purchaser with approval of Statutory Authority;’

[Page 9, clause **23.2** c), first line (*see also Amendment No. 3*)] — Substitute ‘IS 2932’ for ‘IS 2932 (Part 1)’

[Page 9, clause **23.2** d) (*see also Amendment No. 3*)] — Substitute the following for the existing clause:

‘d) The total combined thicknesses of above protective coatings shall be minimum 67 microns.’

[Page 9, clause **23.2** e) (*see also Amendment No. 3*)] — Substitute the following for the existing clause:

‘e) As an alternate to a), b) and c) above, cylinders shall be powder coated conforming to IS 13871 of signal red colour (Shade No. 537 of IS 5) or any other

colour as approved by statutory authority. The minimum thickness of powder coating shall be 50 microns.'

[Page 10, Annex A (see also Amendment No. 3)] — Delete the following referred Indian Standard:

'IS 2074 (Part 1) : 2015 Ready mixed paint, air drying, red oxide — Zinc chrome, priming — Specification Part 1 For domestic and decorative applications (*third revision*)'

[Page 10, Annex A (see also Amendment No. 3)] — Delete the following referred Indian Standard:

'IS 2931 (Part 1) : 2013 Ready mixed paint, air drying, red oxide — Zinc phosphate, priming — Specification Part 1 For domestic and decorative applications (*first revision*)'

[Page 10, Annex A (see also Amendment No. 3)] — Substitute 'IS 2932 : 2013 Enamel, synthetic, exterior: a) undercoating b) finishing — Specification (*fourth revision*)' for 'IS 2932 (Part 1) : 2013 Enamel, synthetic, exterior:-(a) undercoating (b) finishing — Specification Part 1 For domestic and decorative applications (*fourth revision*)'

[Page 10, Annex A (see also Amendment No. 3)] — Substitute 'IS 12744 : 2013 Ready mixed paint, air drying, red oxide — Zinc phosphate, priming — Specification (*first revision*)' for 'IS 12744 (Part 1) : 2013 Ready mixed paint, air drying, red oxide — Zinc phosphate, priming — Specification: Part 1 For domestic and decorative applications (*first revision*)'