

AMENDMENT NO. 1 OCTOBER 1991
TO
IS 8190 (Part 1) : 1988 REQUIREMENTS FOR PACKING
OF PESTICIDES
PART 1 SOLID PESTICIDES
(Second Revision)

(Page 2, Table 1) — Insert the following after the existing matter under col 2 of SI No. (iii) :

'Pendimethalin (see IS 12698 : 1989)'

(Page 3, Table 1) — Insert the following after the existing matter under col 2 of SI No. (xii) :

'Ferbam (see IS 12501 : 1988)'

(Page 3, Table 1) — Insert the following after the existing matter under respective columns of SI No. (xix) :

'xix) Glyphosate, technical (see IS 12502 : 1988)	HDPE woven sacks/bags (see IS 8069 : 1981) or HM-HDPE drums having LDPE liners of thick- ness not less than 0.062 mm'
--	--

(Page 4, Table 3, Note 3) — Substitute the following for the existing note :

“ NOTE 3 — Retail pack of zineb and mancozeb up to 1 kg may also be packed in trilaminate pouches comprising of 50 gsm paper or 0.012 mm polyester/0.009 mm aluminium foil/0.037 5 mm LDPE. Each pouch shall be heat-sealed and then packed in cardboard carton individually. Carton for packs up to 500 g shall be as given in IS 6604 : 1972 but carton for 1 kg packs shall be an 'E' fluted corrugated board carton of minimum specification 240 gsm duplex board/ 80 gsm kraft/80 gsm kraft.”

(Page 4, Table 3) — Insert the following after SI No. (vii) under respective columns :

'viii) Ferbam WP (see IS 12652 : 1988) Mild steel drums (see Note 4)

NOTE 4 — Retail packs of ferbam in quantities 250 g and 500 g shall be packed in LDPE bags of thickness not less than 0.062 mm, mouth heat-sealed. The sealed bags shall then be packed in fibre board containers.'

(Page 5, Table 4) — Insert the following after the existing matter under col 3 against SI No. (iii) :

'(see Note 1)

NOTE 1 — Carbofuran may also be packed in LDPE/HDPE pouches of 1 kg capacity. 25 such pouches shall be packed in a HDPE woven sack/bag (see IS 8068:1981). Each HDPE woven sack/bag shall be provided with an internal loose LDPE liner of thickness not less than 0.062 mm and in the form of tubular sheath, bottom sealed.'

(Page 5, Table 4) — Insert the following after the existing matter in the table under respective columns:

'iv) Pendimethalin (see IS 12702 : 1989)	Mild steel containers suitably and properly lacquered or lined with LDPE liner of thickness not less than 0.062 mm. For individual pack up to 5 kg, LDPE bags of thickness not less than 0.062 mm inserted in suitable cardboard cartons which are further packed in corrugated boxes [see IS 2771 (Part 1) : 1977]'
---	--

(FAD 1)

Reprography Unit, BIS, New Delhi, India