

**AMENDMENT NO.1 OCTOBER 1992
TO
IS 3390 :1988 SPECIFICATION FOR
SPHYGMOMANOMETERS, MERCURIAL**

(Second Revision)

(Page 3, clause 4.2, third and fourth sentences) — Substitute the following for the existing sentences:

'Rubber tubing shall have a minimum tensile strength and elongation at break before ageing as 105 kgf/cm² and 400 percent respectively. A reduction of 20 percent each shall be permitted on tensile strength and elongation after ageing.'

(Page 3, clause 4.8.3.2, informal table, against 'Above 100 mm and below 200 mm') — Substitute the following for the existing matter:

'Bag	+ 0
	-10

Cuff pocket	-0
	+10

(Page 3, clause 4.8.3.2) — Insert the following note at the end :

'NOTE — Within the deviations permitted above, the length and width of inflating bags shall be uniform throughout.'

(Page 3, clause 4.8.3.3) — Substitute the following for the existing clause :

'4.8.3.3 The dimensions specified in 4.8.3.1 are overall dimensions. Seams in rubber bag, if provided shall be 4.0 ± 1.0 mm wide. Other dimensions may be permitted subject to agreement between the purchaser and the supplier.'

(Page 3, clause 4.8.4):

a) Line 9 — Substitute ' 3.5 ± 1 mm' for ' 3 ± 0.5 mm'.

b) Line 11 — Substitute ' 7.5 ± 1 mm' for '8.0 mm'.

-0

(*Page 5, clause 4.12*) — Insert the following sentence at the end of the clause:
The error of a reading taken at any position on the scale shall be within ± 3 mm
Hg.'

(*Page 5, clause 7.5, last sentence*) — Substitute the word 'show' for 'throw'.