



AMENDMENT NO. 1 MAY 1983

TO

IS:8720-1978 METHODS OF SAMPLING OF TIMBER
SCANTLINGS FROM DEPOTS AND THEIR
CONVERSION FOR TESTING

[The Timber Sectional Committee, BDC 9 was of the view, that the sample size specified as 10%, needs to be rationalized in accordance with IS:2500(Part I)-1973 Specification for sampling inspection tables: Part I Inspection by attributes and by count of defects (*first revision*), and a table showing size of sample depending on lot size has been included in this amendment.]

Alteration

(Page 4, clause 3.3) - Substitute the following for the existing clause:

'3.3 The number of scantlings to be selected from the lot shall depend upon the size of lot as given below:

<i>Lot Size</i>	<i>Number of Scantlings</i>
Up to 150	20
151 to 300	32
301 to 500	50

3.3.1 The scantlings shall be selected at random from the lot.

NOTE - For random selection procedures, guidance may be obtained from IS:4905-1968⁵.

(BDC 9)