

AMENDMENT NO. 1 DECEMBER 2021

TO

IS 17450 : 2020 1,3-PHENYLENEDIAMINE — SPECIFICATION

(Page 1, Table 1) — Substitute the following *for* the existing:

‘Table 1 Requirements for 1,3-Phenylenediamine

(Clauses 3.2, 5.3.1, 5.3.2 and 6.1)

Sl No.	Characteristic	Requirements for (On Dry Basis)		Method of Test, Ref to Annex/IS
		Grade 1	Grade 2	
(1)	(2)	(3)	(4)	(5)
(i)	Purity by GC, area percent, <i>Min</i>	99.5	99	A
(ii)	1,2-Phenylenediamine content, area percent, <i>Max</i>	0.1	0.1	A
(iii)	1,4-Phenylenediamine content, area percent, <i>Max</i>	0.15	0.5	A
(iv)	Set point in °C, <i>Min</i>	62	62	8 of IS 5299
(v)	Moisture by Karl Fischer, percent in mass, <i>Max</i>	0.5	0.5	10.2 of IS 5299
(vi)	Other unknown impurities, area percent, <i>Max</i>	—	0.3 (each not greater than 0.1 area percent, <i>Max</i>)	A