Lattice Dynamics and Phonon

Qijing Zheng

Department of Physics

University of Science and Technology of China



2020/12/30

Outline

- Lattice Dynamics
 - 1D Atomic Chain
 - 3D lattice
 - How to calculate the dynamical matrix

Density functional perturbation theory



Condensed Matter — Theory of Everything

$$\mathcal{H}(\{\boldsymbol{r}\}, \{\boldsymbol{R}\})$$


$$\parallel$$

$$\sum_{i} \frac{\hat{\boldsymbol{p}}_{i}^{2}}{2m} + \frac{1}{2} \sum_{i,j} \frac{e^{2}}{|\boldsymbol{r}_{i} - \boldsymbol{r}_{j}|} + \sum_{i,l} \frac{Z_{l} e^{2}}{|\boldsymbol{r}_{i} - \boldsymbol{R}_{l}|} + \sum_{i} \frac{\hat{\boldsymbol{p}}_{l}^{2}}{2M_{l}} + \frac{1}{2} \sum_{l,j} \frac{Z_{l} Z_{J} e^{2}}{|\boldsymbol{R}_{l} - \boldsymbol{R}_{J}|}$$

$$\Downarrow$$


$$i\hbar \frac{\partial}{\partial t} \psi(\{\boldsymbol{r}\}, \{\boldsymbol{R}\}) = \mathcal{H}(\{\boldsymbol{r}\}, \{\boldsymbol{R}\}) \psi(\{\boldsymbol{r}\}, \{\boldsymbol{R}\})$$

Harmonic Approximation



1D Chain of Atoms — 1 Atom per Unit

A 1D chain of N equally spaced atoms at $R_j(t) = x_j + u_j(t)$



The Newton's Equation

$$M \frac{\mathrm{d}^2 u_j}{\mathrm{d}t^2} = K(u_{j+1} + u_{j-1} - 2u_j)$$
 $j = 1, ..., N$

Assume the solution has the form $u_j(t) = \frac{A_q}{\sqrt{M}} e^{i(qx_j - \omega t)}$, then ¹

$$\omega^{2} = \frac{K}{M} (2 - e^{iqa} - e^{-iqa})$$
$$= \frac{2K}{M} (1 - \cos qa)$$
$$\Rightarrow \quad \omega = \sqrt{\frac{4K}{M}} \left| \sin \frac{qa}{2} \right|$$




Q.J. Zheng (D.P. USTC)

 $^{^{1}}u_{j}(t)$ here is complex. In practice, take the real part, i.e. $\mathrm{Re}[u_{j}(t)].$

Born-von Karman boundary condition

The Born-von Karman Periodic Boundary Condition:

$$u_n = u_{N+n}$$
 \Rightarrow $e^{iqx_j} = e^{iqx_{N+j}}$ \Rightarrow $e^{iqNa} = 1$
 \Rightarrow $q = \frac{2\pi}{a} \frac{I}{N};$ $(I = 0, 1, ..., N)$





Usually, q is restricted within the first Brillouin Zone

$$-\frac{\pi}{a} \leqslant q \leqslant \frac{\pi}{a}$$




Dispersion and Vibration Pattern





1D Chain of Atoms — 2 Atoms per Unit

A 1D chain with 2 atoms in each unit: $R_s^j(t) = x_j + d_s + u_s^j(t)$; s = 1, 2



The Newton's Equation

$$\begin{aligned} & M_1 \frac{\mathrm{d}^2 u_1^j}{\mathrm{d} t^2} = K(u_2^j + u_2^{j-1} - 2u_1^j) \\ & M_2 \frac{\mathrm{d}^2 u_2^j}{\mathrm{d} t^2} = K(u_1^j + u_1^{j+1} - 2u_2^j) \end{aligned} \implies \begin{cases} u_1^j(t) = \frac{A_q}{\sqrt{M_1}} e^{i(qx_j - \omega t)} \\ u_2^j(t) = \frac{B_q}{\sqrt{M_2}} e^{i(qx_j - \omega t)} \end{cases}$$


We then have

$$\begin{pmatrix} \frac{2K}{M_1} & \frac{-K}{\sqrt{M_1M_2}}(1+e^{-iqa}) \\ \frac{-K}{\sqrt{M_1M_2}}(1+e^{iqa}) & \frac{2K}{M_2} \end{pmatrix} \begin{pmatrix} A_q \\ B_q \end{pmatrix} = \omega^2 \begin{pmatrix} A_q \\ B_q \end{pmatrix}$$


$$\implies \omega_{\pm}^2 = \frac{K}{M_1M_2} \left((M_1+M_2) \pm \sqrt{M_1^2 + M_2^2 + 2M_1M_2\cos qa} \right)$$

8 / 32

Dispersion and Vibration Pattern



$$M_1 = M_2$$




イロト (個) (4) 重り (重)

$$\frac{A_q}{B_q} = \left[\frac{K(1 + e^{-iqa})}{\sqrt{M_1 M_2}}\right] / \left[\frac{2K}{M_1} - \omega^2\right]$$

$$\omega_-(q=0)$$

$$\omega_+(q=0)$$

3D Lattice



- x_j : the position of unit cell j
- d_s: the equilibrum position of the atom s in the cell
- \mathbf{u}_s^j : displacement from the equilibrum positon for the atom s in the cell j
- \mathbf{R}_s^j : the position of the atom s in the cell j

$$R_s^j(t) = x_j + d_s + u_s^j(t)$$

$$= r_s^j + u_s^j(t)$$

$$R_{s\alpha}^j(t) = r_{s\alpha}^j + u_{s\alpha}^j(t) \quad (\alpha = x, y, z)$$

The total energy can be written as

$$E_{\text{tot}}\left(\{\boldsymbol{R}_{s}^{j}(t)\}\right) = E_{\text{tot}}^{0}\left(\{\boldsymbol{r}_{s}^{j}\}\right) + \sum_{js\alpha} \frac{\partial E_{\text{tot}}^{0}}{\partial u_{s\alpha}^{j}} u_{s\alpha}^{j} + \frac{1}{2} \sum_{\substack{js\alpha \\ k \neq \beta}} \frac{\partial^{2} E_{\text{tot}}^{0}}{\partial u_{s\alpha}^{j} \partial u_{t\beta}^{k}} u_{s\alpha}^{j} u_{t\beta}^{k} + \dots$$

- The expression is exact if we take all the orders in the expansion.
- All the derivatives are taken at the equilibrium positions $\{r_s^j\}$, i.e. $\frac{\partial E_{\rm tot}^0}{\partial u_{\rm fot}^j}=0$.
- Harmonic approximation: truncated at *second* order.



3D Lattice Dynamics

Within the harmonic approximation, the Newton's equation for the atom s in cell j

$$M_{s} \frac{\mathrm{d}^{2} u_{s\alpha}^{j}(t)}{\mathrm{d}t^{2}} = -\frac{\partial E_{\text{tot}}}{\partial u_{s\alpha}^{j}} = -\sum_{kt\beta} \frac{\partial^{2} E_{\text{tot}}^{0}}{\partial u_{s\alpha}^{j} \partial u_{t\beta}^{k}} u_{t\beta}^{k} = -\sum_{kt\beta} C_{s\alpha,t\beta}^{j,k} u_{t\beta}^{k}$$
(1)

The ansatz of the solution

$$u_{s\alpha}^{j}(t) = \frac{\eta_{s\alpha}^{\sigma}(\mathbf{q})}{\sqrt{M_{s}}} e^{i\mathbf{q}\mathbf{x}_{j}} e^{-i\omega_{\sigma}t}$$
(2)

Substitute Eq. 2 into Eq. 1

$$\omega_{\sigma}^{2}(\boldsymbol{q})\,\eta_{s\alpha}^{\sigma} = \sum_{t\beta} \left[\sum_{k} \frac{1}{\sqrt{M_{s}M_{t}}}\, \frac{\partial^{2}E_{\text{tot}}^{0}}{\partial u_{s\alpha}^{i}\partial u_{t\beta}^{k}}\, e^{i\boldsymbol{q}(\mathbf{x}_{k}-\mathbf{x}_{j})} \right] \eta_{t\beta}^{\sigma} = \sum_{t\beta} D_{s\alpha,t\beta}(\boldsymbol{q})\,\eta_{t\beta}^{\sigma}$$

In matrix form


$$\begin{pmatrix} \ddots & & & \\ & D_{s\alpha,t\beta}(\mathbf{q}) & & \\ & & \ddots \end{pmatrix} \begin{pmatrix} \vdots \\ \eta_{t\beta}^{\sigma}(\mathbf{q}) \\ \vdots \end{pmatrix} = \omega^{2}(\mathbf{q}) \begin{pmatrix} \vdots \\ \eta_{t\beta}^{\sigma}(\mathbf{q}) \\ \vdots \end{pmatrix}$$

$$3N_{a} \times 3N_{a} \qquad 3N_{a} \qquad \text{polarization vector}$$

where $\sigma = 1, ..., 3N_a$ and N_a is the number of atoms in the *primitive cell*.

4□ > 4□ > 4□ > 4□ > 4□ > 1□

3D Dispersion



- \bullet If N_a atoms in the primitive cell, $3N_a$ phonons in total.
- ullet 3 acoustic phonons, $3N_a-3$ optical phonons.

The Interatomic Force Constants

The Interatomic Force Constants (IFC)

$$\frac{\partial^2 E_{\text{tot}}^0}{\partial u_{s\alpha}^j \partial u_{t\beta}^k} = C_{s\alpha,t\beta}^{j,k}$$

• Symmetric because partial differentiation is commutative

$$\frac{\partial^2 E_{\text{tot}}^0}{\partial u_{s\alpha}^j \partial u_{t\beta}^k} = \frac{\partial^2 E_{\text{tot}}^0}{\partial u_{t\beta}^k \partial u_{s\alpha}^j} \quad \Rightarrow \quad C_{s\alpha,t\beta}^{j,k} = C_{t\beta,s\alpha}^{k,j} \tag{3}$$

ullet Translation invariance, only depend on the difference between j and k

$$\frac{\partial^2 E_{\text{tot}}^0}{\partial u_{s\alpha}^j \partial u_{t\beta}^k} = \frac{\partial^2 E_{\text{tot}}^0}{\partial u_{s\alpha}^0 \partial u_{t\beta}^{(k-j)}} \quad \Rightarrow \quad C_{s\alpha,t\beta}^{j,k} = C_{s\alpha,t\beta}^{0,k-j} \tag{4}$$

• Acoustic Sum Rule (ASR): if we displace the whole solid by an arbitrary uniform displacement, the forces acting on the atoms must be zero.

$$F_{s\alpha}^{j} = -\sum_{\beta} \left[\sum_{kt} \frac{\partial^{2} E_{\text{tot}}^{0}}{\partial u_{s\alpha}^{j} \partial u_{r\beta}^{k}} \right] \delta_{\beta} = 0 \qquad \Rightarrow \qquad \sum_{kt} \frac{\partial^{2} E_{\text{tot}}^{0}}{\partial u_{s\alpha}^{j} \partial u_{r\beta}^{k}} = 0 \tag{5}$$

 ✓ □ ► ✓ □ ► ✓ □ ► ✓ □ ► ✓ □ ►
 ≥
 ✓ ○ ○

 Q.J. Zheng (D.P. USTC)
 2020/12/30
 13/32

The Dynamical Matrix

The Dynamical Matrix

$$D_{s\alpha,t\beta}(\boldsymbol{q}) = \frac{1}{\sqrt{M_s M_t}} \sum_{l} \frac{\partial^2 E_{\text{tot}}^0}{\partial u_{s\alpha}^0 \partial u_{t\beta}^l} e^{i\boldsymbol{q} \boldsymbol{x}_l} = \frac{1}{\sqrt{M_s M_t}} \sum_{l} C_{s\alpha,t\beta}^{0,l} e^{i\boldsymbol{q} \boldsymbol{x}_l}$$

• If we define the distortion pattern $m{u}_s^I(m{q}) = m{v}_s(m{q}) \, e^{im{q}m{x}_I}$

$$D_{s\alpha,t\beta}(\boldsymbol{q}) = \frac{1}{N} \frac{1}{\sqrt{M_s M_t}} \frac{\partial^2 E_{\rm tot}^0}{\partial v_{s\alpha}^*(\boldsymbol{q}) \partial v_{t\beta}(\boldsymbol{q})}$$

ullet Dynamical matrix is Hermitian and admit real eigenvalues $\omega^2(oldsymbol{q})$

$$D_{s\alpha,t\beta}(\boldsymbol{q}) = D_{t\beta,s\alpha}^*(\boldsymbol{q})$$

Proof

$$\begin{split} D_{s\alpha,t\beta}(\boldsymbol{q}) &= \frac{1}{\sqrt{M_s M_t}} \sum_{l} C_{s\alpha,t\beta}^{0,l} \, e^{i\boldsymbol{q}\boldsymbol{x}_l} \\ &= \frac{1}{\sqrt{M_s M_t}} \sum_{l} C_{s\alpha,t\beta}^{0,l} \, e^{i\boldsymbol{q}\boldsymbol{x}_l} \\ &= \frac{1}{\sqrt{M_s M_t}} \sum_{l} C_{s\alpha,t\beta}^{0,l} \, e^{i\boldsymbol{q}\boldsymbol{x}_l} \\ &= \frac{1}{\sqrt{M_s M_t}} \sum_{l} C_{t\beta,s\alpha}^{0,l} \, e^{i\boldsymbol{q}\boldsymbol{x}_l} \\ &= \frac{1}{\sqrt{M_s M_t}} \sum_{l} C_{t\beta,s\alpha}^{0,l} \, e^{i\boldsymbol{q}\boldsymbol{x}_l} \\ &= D_{t\beta,s\alpha}(\boldsymbol{q}) \end{split}$$

- (ロ) (部) (注) (注) (注) のQで

Phonon Polarization Vectors

The eigenvectors $\eta^{\sigma}(\mathbf{q})$ of the Hermitian matrix $D_{s\alpha,t\beta}(\mathbf{q})$ are called the phonon polarization vector.

• The polarization vector is *cell-periodic*.

$$u_{s\alpha}^{j}(t) = \frac{\eta_{s\alpha}^{\sigma}(\mathbf{q})}{\sqrt{M_{s}}} e^{i\mathbf{q}\mathbf{x}_{j}} e^{-i\omega_{\sigma}t}$$

So the solution is a cell-periodic part multiply by e^{iqx} — Bloch's theorem.

Orthogonalization relation:

$$\sum_{s\alpha} \eta_{s\alpha}^{\sigma'*}(\boldsymbol{q}) \, \eta_{s\alpha}^{\sigma}(\boldsymbol{q}) = \delta_{\sigma\sigma'}; \qquad \sum_{\sigma} \eta_{s\alpha}^{\sigma*}(\boldsymbol{q}) \, \eta_{t\beta}^{\sigma}(\boldsymbol{q}) = \delta_{st} \, \delta_{\alpha\beta}$$

• Relation to phonon displacement — direction and amplitude of the vibration.

$$\xi_{s\alpha}^{\sigma} = \frac{1}{\sqrt{M_s}} \, \eta_{s\alpha}^{\sigma}(\mathbf{q})$$

• At some high-symmetry q-path

$$egin{cases} m{q} \parallel m{\eta}(m{q}) & ext{Longitudinal Wave} \ m{q} \perp m{\eta}(m{q}) & ext{Transverse Wave} \end{cases}$$

How to Calculate the Dynamical Matrix I

The definition of the dynamical matrix

$$D_{s\alpha,t\beta}(\mathbf{q}) = \frac{1}{\sqrt{M_s M_t}} \sum_{l=-\infty}^{\infty} C_{s\alpha,t\beta}^{0,l} e^{i\mathbf{q}\mathbf{x}_l} \approx \frac{1}{\sqrt{M_s M_t}} \sum_{|l| < l_{\text{cut}}} C_{s\alpha,t\beta}^{0,l} e^{i\mathbf{q}\mathbf{x}_l}$$
(6)

Finite-difference and supercell approach — Frozen phonon method

IFC by finite-difference:

$$\frac{\partial^{2} E_{\text{tot}}^{0}}{\partial u_{s\alpha}^{0} \partial u_{t\beta}^{l}} = \frac{\partial F_{t\beta}^{l}}{\partial u_{s\alpha}^{0}}$$

$$\approx \frac{F_{t\beta}^{l}(\Delta_{s\alpha}) - F_{t\beta}^{l}(-\Delta_{s\alpha})}{2\Delta_{s\alpha}}$$

measure the force of this atom

- Supercell must be large enough so that IFC is negligible at the cell boundary.
- Movements done only in one primitive cell.
- $3 \times N_a \times 2$ movements, i.e. move by $\pm \Delta$ in x/y/z directions for each atom in the primitive cell.
- Symmetry can be adopted to reduce the number of movements.
- The dynamical matrix can then be obtained at arbitrary q by Eq. 6.


Q.J. Zheng (D.P. USTC)

How to Calculate the Dynamical Matrix II

measure the force of atoms in arbitrary cell





$$D_{s\alpha,t\beta}(\mathbf{q}) \approx \frac{1}{\sqrt{M_s M_t}}$$
$$\times \frac{F_{t\beta}^l(\Delta_{s,\mathbf{q}}) - F_{t\beta}^l(-\Delta_{s,\mathbf{q}})}{2\Delta_{s,\mathbf{q}}}$$




• Can only obtain dynamical matrix at certain q.










•
$$D_{s\alpha,t\beta}(\mathbf{q}) \xrightarrow{\mathsf{FT}} C_{s\alpha,t\beta}^{0,l} \xrightarrow{\mathsf{Eq. 6}} D_{s\alpha,t\beta}(\mathbf{k})$$


How to Calculate the Dynamical Matrix III

- Lineare response approach density functional perturbation theory
 - Can calculate $D_{s\alpha,t\beta}(\mathbf{q})$ at arbitrary \mathbf{q} using a primitive cell.
 - $D_{s\alpha,t\beta}({m q})$ is periodic in reciprocal space: $D_{s\alpha,t\beta}({m q}+{m G})=D_{s\alpha,t\beta}({m q})$



- In practice, first calculate $D_{s\alpha,t\beta}(q)$ with a small q-mesh. Then, perform FT to get the IFC in real space. Finally, dynamical matrix at arbitrary q can be obtained.
- Fails in metal with Kohn anomalies or in polar semiconductors where the dynamical matrix is non-analytic for $q \to 0$.
- Ocdes: Phonopy, PHON, YPHON, PhonTS, ShengBTE, ALM, ALAMODE, Quantum Espresso, Abinit. Siesta...

LO-TO Splitting



Long-wavelength limit in polar materials

The dynamical matrix in polar materials can be separated into two parts $^{\mathrm{2}}$

$$D_{s\alpha,t\beta}(\boldsymbol{q} \to 0) = D_{s\alpha,t\beta}^{\mathsf{an}}(\boldsymbol{q} = 0) + D_{s\alpha,t\beta}^{\mathsf{na}}(\boldsymbol{q} \to 0)$$

where the nonanalytic part is written as

$$D_{s\alpha,t\beta}^{\mathsf{na}}(\boldsymbol{q}\to 0) = \frac{1}{\sqrt{M_s M_t}} \frac{4\pi e^2}{\Omega} \frac{\left(\sum_{\gamma} q_{\gamma} Z_s^{*\gamma\alpha}\right) \left(\sum_{\mu} q_{\mu} Z_t^{*\mu\beta}\right)}{\sum_{\gamma\mu} q_{\gamma} \epsilon_{\infty}^{\gamma\mu} q_{\mu}} \tag{7}$$


• Z_s^* is the Born effective charge tensor for atom s

$$Z_s^{*\alpha\beta} = \Omega_0 \frac{\partial \mathcal{P}_\beta}{\partial u_{s\alpha}} = \frac{\partial \mathcal{F}_{s\alpha}}{\partial \mathcal{E}_\beta}$$

- **1** The response of the polarization per unit cell along the direction β induced by a displacement along the direction α of the atoms belonging to the sublattice s, under the condition of a zero electric field.
- 2 The force on the atom s along α induced by the macroscopic field along β .
- **3** Sum rules: $\sum_s Z_s^{*\alpha\beta} = 0$
- $\bullet \ \, \text{ The infrared absorption: } I_{\text{IR}}(\omega_\sigma) \propto \sum_{\alpha=1}^3 \left| \sum_{s\beta} Z_s^{*\alpha\beta} \eta_{s\beta}^\sigma \right|^2$
- ϵ_{∞} is the *electronic* dielectric tensor of the crystal, i.e. the static dielectric constant with clamped nuclei.

²X. Gonze and C. Lee, *Phys. Rev. B* 55, 10355(1997).

Phonon Band Structure with/without NAC




- The limiting value of Eq. 7 may be different for different $q \to 0$ directions, as can be seen in the phonon dispersion of Anatase TiO2.
- This strange behavior is physical and the frequency of the observed phonons depends on the polarizability in the different directions, with respect to the propagation of the incoming electric field.

<ロト <部ト < 注 ト < 注 ト

 $^{^3} https://github.com/phonopy/phonopy/tree/master/example/NaCl$

 $^{^{4} {\}rm https://github.com/phonopy/phonopy/tree/master/example/TiO2-anatase}$

DFPT Interpolation Scheme for Polar Material



Outline

- Lattice Dynamics
 - 1D Atomic Chain
 - 3D lattice
 - How to calculate the dynamical matrix

Density functional perturbation theory

First and Second-order Derivatives of the Total Energy

Within DFT, the total energy is given by

$$E_{\text{tot}} = \sum_{i}^{\text{occ}} \langle \psi_i(\mathbf{r}) | -\frac{\hbar^2}{2m} \nabla^2 | \psi_i(\mathbf{r}) \rangle + \int_{V} V_{\text{ext}}(\mathbf{r}) \rho(\mathbf{r}) \, d\mathbf{r} + E_{\mathcal{H}}[\rho] + E_{xc}[\rho] + U_{\mathcal{H}}$$

- $V_{\rm ext}(\mathbf{r})$: electron-ion interaction
- *U_{II}*: ion-ion interaction
- $E_H[\rho]$: electron Hartree energy
- $E_{xc}[\rho]$: exchange-correlation energy

• $\rho(\mathbf{r})$: electron density

$$\rho(\mathbf{r}) = \sum_{i}^{occ} \psi_{i}^{*}(\mathbf{r}) \psi_{i}(\mathbf{r})$$

The first and second order derivative with respect to external parameter λ , μ

$$\frac{\partial E_{\text{tot}}}{\partial \lambda} = \int_{V} \frac{\partial V_{\text{ext}}(\mathbf{r})}{\partial \lambda} \rho(\mathbf{r}) \, d\mathbf{r} + \frac{\partial U_{II}}{\partial \lambda}$$
 (8)

$$\frac{\partial^{2} E_{\text{tot}}}{\partial \lambda \partial \mu} = \int_{V} \frac{\partial^{2} V_{\text{ext}}(\mathbf{r})}{\partial \lambda \partial \mu} \rho(\mathbf{r}) \, d\mathbf{r} + \frac{\partial^{2} U_{II}}{\partial \lambda \partial \mu} + \int_{V} \frac{\partial V_{\text{ext}}(\mathbf{r})}{\partial \lambda} \frac{\partial \rho(\mathbf{r})}{\partial \mu} \, d\mathbf{r} \tag{9}$$

2-nd derivative requires the extra calculation of the linear response of the charge density to the external perturbation! イロト イ御 トイミト イミト 一度

Density Functional Perturbation Theory I

The Kohn-Sham eqution

With a small perturbation μ

$$\begin{split} \left[-\frac{\hbar^2}{2m} \nabla^2 + V_{KS}(\mathbf{r}; \mu) \right] \psi_n(\mathbf{r}) &= \varepsilon_n \psi_n(\mathbf{r}) \\ \rho(\mathbf{r}) &= \sum_n^{\text{occ}} |\psi_n(\mathbf{r})|^2 \\ V_{KS}(\mathbf{r}) &= V_{\text{ext}}(\mathbf{r}) + V_H(\mathbf{r}) + V_{\text{xc}}(\mathbf{r}) \end{split}$$

$$V_{KS}(\mathbf{r};\mu) = V_{KS}(\mathbf{r};\mu=0) + \mu \frac{\partial V_{KS}(\mathbf{r})}{\partial \mu}$$
$$\psi_n(\mathbf{r};\mu) = \psi_n(\mathbf{r};\mu=0) + \mu \frac{\partial \psi_n(\mathbf{r})}{\partial \mu}$$
$$\varepsilon_n(\mu) = \varepsilon_n(\mu=0) + \mu \frac{\partial \varepsilon_n}{\partial \mu}$$

Inserting these equations and keeps only the first-order terms

$$\left[-\frac{\hbar^2}{2m} \nabla^2 + V_{KS}(\mathbf{r}) - \varepsilon_n \right] \frac{\partial \psi_n(\mathbf{r})}{\partial \mu} = -\left[\frac{\partial V_{KS}(\mathbf{r})}{\partial \mu} - \frac{\partial \varepsilon_n}{\partial \mu} \right] \psi_n(\mathbf{r})$$
(10)

where

$$\frac{\partial V_{KS}(\mathbf{r})}{\partial \mu} = \frac{\partial V_{ext}(\mathbf{r})}{\partial \mu} + \frac{\partial V_{H}(\mathbf{r})}{\partial \mu} + \frac{\partial V_{xc}(\mathbf{r})}{\partial \mu}$$
(11)

$$\frac{\partial V_H(\mathbf{r})}{\partial \mu} = \int \frac{1}{|\mathbf{r} - \mathbf{r}'|} \frac{\partial \rho(\mathbf{r}')}{\partial \mu} d\mathbf{r}'; \qquad \frac{\partial V_{xc}(\mathbf{r})}{\partial \mu} = \int \frac{dV_{xc}}{d\rho(\mathbf{r}')} \frac{\partial \rho(\mathbf{r}')}{\partial \mu} d\mathbf{r}'$$
(12)

Density Functional Perturbation Theory II

Electron density response to the perturbation

$$\frac{\partial \rho(\mathbf{r})}{\partial \mu} = \sum_{n}^{\text{occ}} \left[\frac{\partial \psi_{n}^{*}(\mathbf{r})}{\partial \mu} \psi_{n}(\mathbf{r}) + \psi_{n}^{*}(\mathbf{r}) \frac{\partial \psi_{n}(\mathbf{r})}{\partial \mu} \right]$$
(13)

$$\frac{\partial \psi_n(\mathbf{r})}{\partial \mu} = \sum_{m \neq n} \frac{\langle \psi_m | \frac{\partial V_{KS}(\mathbf{r})}{\partial \mu} | \psi_n \rangle}{\varepsilon_n - \varepsilon_m} \psi_m(\mathbf{r})$$
(14)

Where n is the index for the occupied staets and m runs over all the states.

Define $P_v = \sum_n^{occ} |\psi_n\rangle\langle\psi_n|$ as the projector on the valence bands, then $P_c = \mathbb{1} - P_v$ is the projector on the conduction bands

$$\begin{split} \frac{\partial \rho(\boldsymbol{r})}{\partial \mu} &= \sum_{n}^{\text{occ}} \left[P_{c} \frac{\partial \psi_{n}^{*}(\boldsymbol{r})}{\partial \mu} \psi_{n}(\boldsymbol{r}) + \psi_{n}^{*}(\boldsymbol{r}) P_{c} \frac{\partial \psi_{n}(\boldsymbol{r})}{\partial \mu} \right] + \sum_{n}^{\text{occ}} \left[P_{v} \frac{\partial \psi_{n}^{*}(\boldsymbol{r})}{\partial \mu} \psi_{n}(\boldsymbol{r}) + \psi_{n}^{*}(\boldsymbol{r}) P_{v} \frac{\partial \psi_{n}(\boldsymbol{r})}{\partial \mu} \right] \\ &= \sum_{n}^{\text{occ}} \left[P_{c} \frac{\partial \psi_{n}^{*}(\boldsymbol{r})}{\partial \mu} \psi_{n}(\boldsymbol{r}) + \psi_{n}^{*}(\boldsymbol{r}) P_{c} \frac{\partial \psi_{n}(\boldsymbol{r})}{\partial \mu} \right] + \sum_{mn}^{\text{occ}} \psi_{m}^{*}(\boldsymbol{r}) \psi_{n}(\boldsymbol{r}) \left(\left\langle \frac{\partial \psi_{n}}{\partial \mu} | \psi_{m} \right\rangle + \left\langle \psi_{n} | \frac{\partial \psi_{m}}{\partial \mu} \right\rangle \right) \end{split}$$

Due the orthonormality of $\psi_n(\mathbf{r})$, i.e. $\langle \psi_m | \psi_n \rangle = \delta_{mn}$

$$\frac{\partial \rho(\mathbf{r})}{\partial \mu} = \sum_{n}^{\text{occ}} \left[P_c \frac{\partial \psi_n^*(\mathbf{r})}{\partial \mu} \psi_n(\mathbf{r}) + \psi_n^*(\mathbf{r}) P_c \frac{\partial \psi_n(\mathbf{r})}{\partial \mu} \right]$$
(15)

The electron density response depends only on the component of the perturbation that couples the occupied states with the empty ones.

イロト イ団ト イミト イミト 一恵

Density Functional Perturbation Theory III

Apply P_c on the left and right-hand side of Eq. 10

$$\left[-\frac{\hbar^2}{2m} \nabla^2 + V_{KS}(\mathbf{r}) + \frac{\alpha P_v}{\rho} - \varepsilon_n \right] P_c \frac{\partial \psi_n(\mathbf{r})}{\partial \mu} = -(\mathbb{1} - P_v) \frac{\partial V_{KS}(\mathbf{r})}{\partial \mu} \psi_n(\mathbf{r})$$
(16)

where the αP_{ν} is added to make the left-hand-side nonsingular.

$$\frac{\partial V_{KS}(\mathbf{r})}{\partial \mu} = \frac{\partial V_{ext}(\mathbf{r})}{\partial \mu} + \int \frac{1}{|\mathbf{r} - \mathbf{r}'|} \frac{\partial \rho(\mathbf{r}')}{\partial \mu} d\mathbf{r}' + \int \frac{dV_{xc}}{d\rho(\mathbf{r}')} \frac{\partial \rho(\mathbf{r}')}{\partial \mu} d\mathbf{r}'$$
(17)

$$\frac{\partial \rho(\mathbf{r})}{\partial \mu} = \sum_{n}^{\text{occ}} \left[P_{c} \frac{\partial \psi_{n}^{*}(\mathbf{r})}{\partial \mu} \psi_{n}(\mathbf{r}) + \psi_{n}^{*}(\mathbf{r}) P_{c} \frac{\partial \psi_{n}(\mathbf{r})}{\partial \mu} \right]$$

Considering the time-reversal symmetry $\psi_{n-k}^*(\mathbf{r}) = \psi_{n,k}(\mathbf{r})$

$$\frac{\frac{\partial \rho(\mathbf{r})}{\partial \mu}}{\frac{\partial \rho(\mathbf{r})}{\partial \mu}} = \sum_{n,-\mathbf{k}}^{\text{occ}} P_c \frac{\partial \psi_{n,-\mathbf{k}}^{*}(\mathbf{r})}{\partial \mu} \psi_{n,-\mathbf{k}}(\mathbf{r}) + \sum_{n,\mathbf{k}}^{\text{occ}} \psi_{n,\mathbf{k}}^{*}(\mathbf{r}) P_c \frac{\partial \psi_{n,\mathbf{k}}(\mathbf{r})}{\partial \mu}$$


$$= 2 \sum_{n,-\mathbf{k}}^{\text{occ}} \psi_{n,\mathbf{k}}^{*}(\mathbf{r}) P_c \frac{\partial \psi_{n,\mathbf{k}}(\mathbf{r})}{\partial \mu} \tag{18}$$

Eq. 16, Eq. 17 and Eq. 18 form a set of self-consistent eugations for the perturbed system.


◆□▶◆圖▶◆臺▶◆臺▶○臺

DFT & DFPT Equations

DFT



DFPT



DFPT — Incommensurate Perturbations I

Add a monochromatic perturbation characterized by generic wavevector \boldsymbol{q} to the periodic potential

$$V_{\text{ext}}(\mathbf{r} + \mathbf{x}_j) = V_{\text{ext}}(\mathbf{r}); \qquad \Delta V_{\text{ext}}^{\mathbf{q}}(\mathbf{r} + \mathbf{x}_j) = e^{i\mathbf{q}\cdot\mathbf{x}_j} \, \Delta V_{\text{ext}}^{\mathbf{q}}(\mathbf{r})$$

It can be shown that all the linear responses are also characterized by wavevector q

$$\Delta V_{KS}^{\mathbf{q}}(\mathbf{r} + \mathbf{x}_j) = e^{i\mathbf{q} \cdot \mathbf{x}_j} \Delta V_{KS}^{\mathbf{q}}(\mathbf{r})$$
$$\Delta \rho^{\mathbf{q}}(\mathbf{r} + \mathbf{x}_j) = e^{i\mathbf{q} \cdot \mathbf{x}_j} \Delta \rho^{\mathbf{q}}(\mathbf{r})$$
$$\Delta \psi_{n,k}^{\mathbf{q}}(\mathbf{r} + \mathbf{x}_j) = e^{i\mathbf{q} \cdot \mathbf{x}_j} \Delta \psi_{n,k}^{\mathbf{q}}(\mathbf{r})$$

Let us define the related periodic quantities

$$\begin{split} \Delta V_{\text{ext}}^{\boldsymbol{q}}(\boldsymbol{r}) &= e^{i\boldsymbol{q}\cdot\boldsymbol{r}} \; \tilde{V}_{\text{ext}}^{\boldsymbol{q}}(\boldsymbol{r}); \\ \Delta V_{\text{ext}}^{\boldsymbol{q}}(\boldsymbol{r}) &= e^{i\boldsymbol{q}\cdot\boldsymbol{r}} \; \tilde{V}_{\text{ext}}^{\boldsymbol{q}}(\boldsymbol{r}); \\ \Delta V_{KS}^{\boldsymbol{q}}(\boldsymbol{r}) &= e^{i\boldsymbol{q}\cdot\boldsymbol{r}} \; \tilde{V}_{KS}^{\boldsymbol{q}}(\boldsymbol{r}); \\ \Delta \rho^{\boldsymbol{q}}(\boldsymbol{r}) &= e^{i\boldsymbol{q}\cdot\boldsymbol{r}} \; \tilde{\rho}^{\boldsymbol{q}}(\boldsymbol{r}); \\ \psi_{n,k}(\boldsymbol{r}) &= e^{i\boldsymbol{k}\cdot\boldsymbol{r}} \; u_{n,k}(\boldsymbol{r}); \\ \psi_{n,k}(\boldsymbol{r}) &= e^{i(\boldsymbol{k}+\boldsymbol{q})\cdot\boldsymbol{r}} \; \Delta u_{n,k}^{\boldsymbol{q}}(\boldsymbol{r}); \\ \Delta v_{n,k}^{\boldsymbol{q}}(\boldsymbol{r}) &= e^{i(\boldsymbol{k}+\boldsymbol{q})\cdot\boldsymbol{r}} \; \Delta u_{n,k}^{\boldsymbol{q}}(\boldsymbol{r}); \\ \Delta v_{n,k}^{\boldsymbol{q}}(\boldsymbol{r}) &= e^{i(\boldsymbol{k}+\boldsymbol{q})\cdot\boldsymbol{r}} \; \Delta u_{n,k}^{\boldsymbol{q}}(\boldsymbol{r}); \end{split}$$

Substitute into Eq. 16

$$\left[H_{KS}(\mathbf{r}) + \frac{\alpha P_{\mathbf{v}}}{2} - \varepsilon_{n,\mathbf{k}}\right] P_{c} e^{i(\mathbf{k}+\mathbf{q}) \cdot \mathbf{r}} \frac{\partial u_{n,\mathbf{k}}^{\mathbf{q}}(\mathbf{r})}{\partial \mu} = -P_{c} e^{i(\mathbf{k}+\mathbf{q}) \cdot \mathbf{r}} \frac{\partial \tilde{V}_{KS}^{\mathbf{q}}(\mathbf{r})}{\partial \mu} u_{n,\mathbf{k}}(\mathbf{r})$$
(19)

Apply the phase $e^{-i(\mathbf{k}+\mathbf{q})\cdot\mathbf{r}}$ to the both sides of Eq. 19

$$\left[H_{KS}^{k+q}(\mathbf{r}) + \alpha P_{v}^{k+q} - \varepsilon_{n,k}\right] P_{c}^{k+q} \frac{\partial u_{n,k}^{q}(\mathbf{r})}{\partial \mu} = -P_{c}^{k+q} \frac{\partial \tilde{V}_{KS}^{q}(\mathbf{r})}{\partial \mu} u_{n,k}(\mathbf{r})$$
(20)

where

$$\frac{\partial \tilde{V}_{KS}(\mathbf{r})}{\partial \mu} = \frac{\partial \tilde{V}_{ext}(\mathbf{r})}{\partial \mu} + \int \frac{1}{|\mathbf{r} - \mathbf{r}'|} \frac{\partial \tilde{\rho}^{\mathbf{q}}(\mathbf{r}')}{\partial \mu} \, d\mathbf{r}' + \int \frac{dV_{xc}}{d\rho(\mathbf{r}')} \frac{\partial \tilde{\rho}^{\mathbf{q}}(\mathbf{r}')}{\partial \mu} \, d\mathbf{r}'$$

$$\frac{\partial \tilde{\rho}^{\mathbf{q}}(\mathbf{r}')}{\partial \mu} = 2 \sum_{n,k}^{occ} u_{n,k}^{*}(\mathbf{r}) P_{c}^{k+q} \frac{\partial u_{n,k}^{q}(\mathbf{r})}{\partial \mu}$$

$$P_{v}^{k+q} = \sum_{n=0}^{occ} |u_{n,k+q}\rangle \langle u_{n,k+q}|; \quad P_{c}^{k+q} = 1 - P_{v}^{k+q}$$

The treatment of perturbations incommensurate with the unperturbed system periodicity is mapped onto the *original periodic system*.

4□ > 4□ > 4 = > 4 = > = 9 < ○</p>


Periodic Displacement of Ions — Phonon Perturbation I

In a solid, the external potential can be expressed as the superposition of atomic potential $v_s(r)$

$$V_{\text{ext}}(\mathbf{r}) = \sum_{j} \sum_{s}^{N_a} v_s(\mathbf{r} - \mathbf{x}_j - \mathbf{d}_s - \mathbf{u}_s^j)$$

Consider the periodic displacement of the ions of the form

$$u_{s\alpha}^{j}(\mathbf{q}) = \mu_{s\alpha} e^{i\mathbf{q}\cdot\mathbf{x}_{j}} + \mu_{s\alpha}^{*} e^{-i\mathbf{q}\cdot\mathbf{x}_{j}} \qquad (\alpha = x, y, z)$$
 (21)



$$\begin{split} \frac{\partial V_{\text{ext}}^{q}(\mathbf{r})}{\partial \mu_{s\alpha}} &= -\sum_{j} e^{i\mathbf{q} \cdot \mathbf{x}_{j}} \left. \frac{\partial v_{s}(\mathbf{r} - \mathbf{x}_{j} - \mathbf{d}_{s})}{\partial r_{\alpha}} \right|_{u_{s}^{j} = 0} \\ &= -e^{i\mathbf{q} \cdot \mathbf{r}} \sum_{j} e^{i\mathbf{q} \cdot (\mathbf{x}_{j} - \mathbf{r})} \left. \frac{\partial v_{s}(\mathbf{r} - \mathbf{x}_{j} - \mathbf{d}_{s})}{\partial r_{\alpha}} \right|_{u_{s}^{j} = 0} \end{split}$$

The colored quantity has the periodicity of the lattice.

Periodic Displacement of Ions — Phonon Perturbation II

The dynamical matrix

$$D_{s\alpha,t\beta}(\boldsymbol{q}) = \frac{1}{\sqrt{M_s M_t}} \sum_k e^{-i\boldsymbol{q} \cdot \boldsymbol{x}_j} \frac{\partial^2 E_{\text{tot}}^0}{\partial u_{s\alpha}^j \partial u_{t\beta}^k} e^{i\boldsymbol{q} \cdot \boldsymbol{x}_k} = \frac{N}{\sqrt{M_s M_t}} \frac{\partial^2 E_{\text{tot}}^0}{\partial u_{s\alpha}^k \partial \mu_{t\beta}}$$

Inserting the equation for the second derivative Eq. 9

$$\begin{split} D_{s\alpha,t\beta}(\boldsymbol{q}) &= \frac{N}{\sqrt{M_s M_t}} \int_{V} \sum_{k} \mathrm{e}^{-i\boldsymbol{q} \cdot \boldsymbol{x}_{j}} \frac{\partial^{2} V_{\mathrm{ext}}^{\boldsymbol{q}}(\boldsymbol{r})}{\partial u_{s\alpha}^{j} \partial u_{t\beta}^{k}} \, \rho(\boldsymbol{r}) \, \mathrm{e}^{i\boldsymbol{q} \cdot \boldsymbol{x}_{k}} \, \mathrm{d}\boldsymbol{r} \\ &+ \frac{1}{\sqrt{M_s M_t}} \int_{V} \sum_{k} \mathrm{e}^{-i\boldsymbol{q} \cdot \boldsymbol{x}_{j}} \frac{\partial V_{\mathrm{ext}}^{\boldsymbol{q}}(\boldsymbol{r})}{\partial u_{s\alpha}^{j} \partial \rho} \frac{\partial \rho(\boldsymbol{r})}{\partial u_{t\beta}^{k}} \, \mathrm{e}^{i\boldsymbol{q} \cdot \boldsymbol{x}_{k}} \, \mathrm{d}\boldsymbol{r} \end{split}$$

Q.J. Zheng (D.P. USTC)

Thank you!