THERMODYNAMICS

for a substance not undergoing any chemical & phase change

$$dU = C_v dT + \left(\frac{\partial U}{\partial V}\right)_T dV \Big]$$

Case-I for an ideal gas undergoing <u>any process</u>

$f = x^2$

$$dU = n C_v dT \qquad \left(\frac{\partial U}{\partial V}\right)_T = 0$$

Case-II for real gas undergoing const 'V' process

$$dU = n C_v dT \qquad \left(\frac{\partial U}{\partial V}\right)_T \neq 0 \qquad \boxed{dV = 0}$$

Case-III for solid/liq undergoing any process

$$dU = n C_v dT \qquad \left(\frac{\partial U}{\partial V}\right)_T \neq 0 \qquad dV \approx 0$$

THERMODYNAMICS

$\underline{1^{st} \text{ law}}$ of $\underline{\text{Thermodynamics}}$:— Total energy of universe is constant

W

U_i

Substance

$\boxed{\text{Closed System}}$

$U_f = U_i + q + w$

$\boxed{dU = q + w}$

q

$\boxed{dq} \quad \boxed{dw}$

$\underline{dT} \quad q \quad w$

$dU = q + w$ is applicable for any system. (False)

1^{st} law of T.D is applicable for any system. True

Q. Calculate ΔU if a system is given $200\,kJ$ heat and simultaneous $50\,kJ$ work is done by the system.

$Q = 200\,kJ$

$W = -50\,kJ$

$\Delta U = Q + W$

$= 150\,kJ$

Q. 1 mol ideal gas is subjected to a change from (2 lit, 300k) to (5 lit, 600k) against a constant pressure 10 bar. (Gas is monoatomic) find

$$\frac{P_1 V_1}{T_2} = \frac{P_2 V_2}{T_2}$$

Q, W & ΔU.

$$R = 8.314 \text{ J/mol/}_{^\circ}$$

$$\Delta U = n C_v \Delta T$$

$$= 1 \times \frac{3}{2} R \times 300$$

$$\boxed{Q = n C_v \Delta T}$$

$$\boxed{Q = n C_p \Delta T} = \frac{3}{2} \times \frac{25}{3} \times \cancel{300}^{100}$$

$$= 3750$$

$$W = -P_{ext} (V_2 - V_1) = ?$$

$$= -10 (3) \text{ bar.lit}$$

$$= -30 \times 100 \text{ J}$$

$$= -3000 \text{ J}$$

$$Q = \Delta U - W$$

$$= 3750 + 3000$$

$$= 6750 \text{ J}$$

Q.

$Q = 50 \, kJ$

$W = -100 \, kJ \implies \Delta U = Q + W$

$= -50 \, kJ$

A

B

ΔU

ΔU

$Q = ?$

$W = -75 \, kJ$

$$\Delta U = Q + W = -50$$

$$Q - 75 = -50$$

$$Q = 25 \, kJ$$

Enthalpy (H) :→

$$H = \boxed{U} + \underline{PV}$$

$\boxed{\text{'H' is a state function}}$

for a change

$$dH = dU + PdV + Vdp$$

from 1st law of T.D

$$dH = q + W + PdV + \boxed{Vdp}$$

at constant 'P'

$\left.\begin{array}{l} P_{ext} = P \\ W = -P_{ext}dV \\ \quad = -PdV \end{array}\right]$

$$\boxed{dH} = q - \cancel{PdV} + \cancel{PdV} + 0$$

$$dU = q + W$$

at const volume

$$dU = q_v$$

at const pressure

$$\boxed{dH} = q_p$$

P_{ext}

P

at const 'P' Q_1 ΔH_1

$Q_1 = \Delta H_1$

if $P \neq$ const Q_2 ΔH_2

$Q_2 \neq \Delta H_2$

$N_2 + 3H_2 \longrightarrow 2NH_3$

$\Delta H_f = -100kJ$

heat

THERMODYNAMICS

for a substance not undergoing any chemical & phase change

$$H = f(P, V) = \underline{f(P, T)} = f(V, T)$$

$$dH = \left(\frac{\partial H}{\partial T}\right)_P dT + \left(\frac{\partial H}{\partial P}\right)_T dp$$

$$\boxed{dH = C_p dT + \left(\frac{\partial H}{\partial P}\right)_T dp}$$

Simplified form of above eqⁿ

$$dH = q_p$$

$$\frac{q_p}{dT} = C_p$$

$$\left(\frac{dH}{dT}\right)_p = C_p$$

$$\left(\frac{\partial U}{\partial T}\right)_V = C_V$$

Case-I for ideal gas undergoing any process

$$H = f(T)$$

$$\left(\frac{\partial H}{\partial P}\right)_T = 0$$

$$\boxed{dH = n C_p dT}$$

Case-II for real gas undergoing constant pressure process

$$\boxed{dH = n C_p dT}$$

$$\left(\frac{\partial U}{\partial V}\right)_T = 0$$

$$U = f(T)$$

$$H = U + PV$$

for an ideal gas

$$H = \underline{U} + \boxed{n R T}$$

$$\left(\frac{\partial H}{\partial P}\right)_T \neq 0$$

$$dp = 0$$

Case-III for solid & liq undergoing process

$$dH = C_p dT + \left(\frac{\partial H}{\partial P}\right)_T dp \qquad \boxed{dp \neq 0}$$

change in properties of solid/liq is negligible with change in pressure

$$\left(\frac{\partial H}{\partial P}\right)_T \simeq 0$$

$$\boxed{dH = n C_p dT}$$

Rev & irr   ⑦

heat   ⑥

W ———   ③

U ———→   ⑧

H ———→   ⑧

solid state
S-II