


Robot Joint Inertia Specifications

Joint 1



Property	Value
Volume [mm ³]	5.4693773e+05
Surface Area [mm ²]	4.2183171e+05
Average Density [g/mm ³]	3.7753533e-03
Mass [gram]	2.0648832e+03
Center of Gravity [mm]	X:-1.1063615e-01, Y: -5.4711270e+00, Z: -1.5897733e+01

Inertia Tensor with respect to C1 coordinate frame: [gram* mm²]


3.6169019e+06	3.9294009e+03	-2.9605259e+02
3.9294009e+03	3.2495719e+06	-2.5094206e+02
-2.9605259e+02	-2.5094206e+02	2.3444915e+06

Inertia Tensor at CENTER OF GRAVITY: [gram * mm²]

3.0332190e+06	5.1792838e+03	3.3357961e+03
5.1792838e+03	2.7276724e+06	1.7934953e+05
3.3357961e+03	1.7934953e+05	2.2826576e+06

Robot Joint Inertia Specifications

Joint 2



Property	Value
Volume [mm ³]	1.0121887e+06
Surface Area [mm ²]	7.9478493e+05
Average Density [g/mm ³]	3.6352307e-03
Mass [gram]	3.6795395e+03
Center of Gravity [mm]	X: 1.1405379e-02, Y: 1.6184244e+01, Z: 1.0360634e+02

Inertia Tensor with respect to C1 coordinate frame: [gram* mm²]


9.2192879e+07	1.7166852e+03	5.3545961e+04
1.7166852e+03	8.9850582e+07	-6.6080728e+06
5.3545961e+04	-6.6080728e+06	5.4652173e+06

Inertia Tensor at CENTER OF GRAVITY: [gram * mm²]

5.1731918e+07	2.3958819e+03	5.7893960e+04
2.3958819e+03	5.0353401e+07	-4.3825716e+05
5.7893960e+04	-4.3825716e+05	4.5014360e+06

Robot Joint Inertia Specifications

Joint 3



Property	Value
Volume [mm ³]	7.4781397e+05
Surface Area [mm ²]	4.6677064e+05
Average Density [g/mm ³]	3.1914242e-03
Mass [gram]	2.3865916e+03
Center of Gravity [mm]	X: 7.8148689e-02, Y: 1.0718481e+02, Z: 1.4117267e+02

Inertia Tensor with respect to C1 coordinate frame: [gram* mm²]


9.7677063e+07	-2.0932356e+04	-4.4881731e+04
-2.0932356e+04	6.9484210e+07	-3.5921073e+07
-4.4881731e+04	-3.5921073e+07	3.0194727e+07

Inertia Tensor at CENTER OF GRAVITY: [gram * mm²]

2.2694399e+07	-9.4142428e+02	-1.8551757e+04
-9.4142428e+02	2.1920087e+07	1.9179387e+05
-1.8551757e+04	1.9179387e+05	2.7761559e+06

Robot Joint Inertia Specifications

Joint 4



Property	Value
Volume [mm ³]	3.8584923e+05
Surface Area [mm ²]	3.3453626e+05
Average Density [g/mm ³]	3.6289686e-03
Mass [gram]	1.4002347e+03
Center of Gravity [mm]	X:-1.3318256e-01, Y: -1.0746667e+02, Z: 1.9090688e+01

Inertia Tensor with respect to C1 coordinate frame: [gram* mm²]


1.8436318e+07	-2.4627457e+04	1.7842481e+03
-2.4627457e+04	2.0755613e+06	3.0261384e+06
1.7842481e+03	3.0261384e+06	1.7387437e+07

Inertia Tensor at CENTER OF GRAVITY: [gram * mm²]

1.7545679e+06	-4.5863379e+03	-1.7759142e+03
-4.5863379e+03	1.5652147e+06	1.5339913e+05
-1.7759142e+03	1.5339913e+05	1.2159839e+06

Robot Joint Inertia Specifications

Joint 5



Property	Value
Volume [mm ³]	3.8584923e+05
Surface Area [mm ²]	3.3453626e+05
Average Density [g/mm ³]	3.6289686e-03
Mass [gram]	1.4002347e+03
Center of Gravity [mm]	X: 1.3318256e-01, Y: -1.9090688e+01, Z: 1.0996667e+02

Inertia Tensor with respect to C1 coordinate frame: [gram* mm²]


1.9197463e+07	1.7842481e+03	-2.5093675e+04
1.7842481e+03	1.8148582e+07	3.0929670e+06
-2.5093675e+04	3.0929670e+06	2.0755613e+06

Inertia Tensor at CENTER OF GRAVITY: [gram * mm²]

1.7545679e+06	-1.7759143e+03	-4.5863376e+03
-1.7759143e+03	1.2159839e+06	1.5339913e+05
-4.5863376e+03	1.5339913e+05	1.5652147e+06

Robot Joint Inertia Specifications

Joint 6



Property	Value
Volume [mm ³]	1.3218403e+05
Surface Area [mm ²]	7.4349772e+04
Average Density [g/mm ³]	3.0272548e-03
Mass [gram]	4.0015475e+02
Center of Gravity [mm]	X: 1.1080146e-02, Y: -8.0594056e+01, Z: 9.3029337e+00

Inertia Tensor with respect to C1 coordinate frame: [gram* mm²]

3.2012099e+06	5.5806913e+02	-1.2757818e+03
5.5806913e+02	6.6429834e+05	2.4370168e+05
-1.2757818e+03	2.4370168e+05	2.7980711e+06

Inertia Tensor at CENTER OF GRAVITY: [gram * mm²]

5.6741276e+05	2.0073339e+02	-1.2345347e+03
2.0073339e+02	6.2966706e+05	-5.6318805e+04
-1.2345347e+03	-5.6318805e+04	1.9890515e+05