



JINJI CHEMICAL

Redispersible Polymer Powder

Technical Data Sheet

Redispersible polymer powder (RDP), also named as redispersible emulsion powder, is made by spray-drying special water-based emulsion. Mostly based on vinyl acetate-ethylene. Dissolves in water easily and quickly forms emulsion. Its chemical properties are the same as original emulsion completely.

RDP is a multi-performance modifier for dry mix mortars—its core value is to balance the cement matrix's compressive strength with ductility, adhesion, and durability, and it is an indispensable additive for high-performance dry mix mortars (tile adhesives, exterior renders, EIFS, self-leveling floors, wall putties, etc.)

General Information:

Trade Name: **Re-dispersible polymer powder**

Cas No.: 24937-78-8

Properties:

Appearance: Free flowing, white powder

Solid Content: $\geq 98\%$

Ash Content: $12 \pm 2\%$

Bulk Density g/l: 450-550

PH Value: 6-8

Glass Transition Temp.: $0 \pm 5^{\circ}\text{C}$

Min.film formation Temp: 0°C



JINJI CHEMICAL

Performance:

Enhance Adhesion & Bonding strength

Crack Resistance & Toughness Improvement

Water Impermeability & Moisture Resistance

Boosts freeze-thaw resistance: the elastic film prevents damage from water expansion in freezing cycles.

Optimized Workability & Constructability

Application:

Tile adhesive/Tile grouts

Skim coat/ wall putty

Coating mortar for EIFS (external insulation finish system)

Adhesive mortar for EIFS (external insulation finish system)

Tile joint filler/ Blocks jointing mortar

Decoration mortar

Dry mixed mortar

Packaging:

25kg/bag inner with PE bags

Storage and Handling:

Should be stored in dry and cool environment

Storage under pressure should also be avoided

It's recommended to use within 1 year, storage in high humidity and temperature will increase the risk of caking

Do not stack pallets on top of each other

Practice care and caution to avoid explosive conditions