59

60

61

62

63

64

65

66

67

68

69

71

73

75

76

77

78

79

80

81

82

83 84

85

86 87

88

89

90

91

92 93

94

95 96

98

100

101

103

104

105

106

108

109

110

111

112

113

114

50 51

52

53

54

55

56

57



Received 14 February 2020 Accepted 5 June 2020

Edited by A. Berghuis, McGill University, Canada

Keywords: FAD-dependent halogenase; crystal soaking; cofactor binding; enzymatic halogenation; bromination; crystal structure.

PDB reference: Xcc4156, 6y1w

Supporting information: this article has supporting information at journals.iucr.org/d

Structure of apo flavin-dependent halogenase Xcc4156 hints at a reason for cofactor-soaking difficulties


Christiane Widmann, a Mohamed Ismail, b Norbert Sewald and Hartmut H. Niemann^a*

^aStructural Biochemistry (BCIV), Department of Chemistry, Bielefeld University, Universitaetsstrasse 25. 33615 Bielefeld, Germany, and ^bOrganic and Bioorganic Chemistry (OC III), Department of Chemistry, Bielefeld University, Universitaetsstrasse 25, 33615 Bielefeld, Germany. *Correspondence e-mail: hartmut.niemann@uni-bielefeld.de

Flavin-dependent halogenases regioselectively introduce halide substituents into electron-rich substrates under mild reaction conditions. For the enzyme Xcc4156 from Xanthomonas campestris, the structure of a complex with the cofactor flavin adenine dinucleotide (FAD) and a bromide ion would be of particular interest as this enzyme exclusively brominates model substrates in vitro. Apo Xcc4156 crystals diffracted to 1.6 Å resolution. The structure revealed an open substrate-binding site lacking the loop regions that close off the active site and contribute to substrate binding in tryptophan halogenases. Therefore, Xcc4156 might accept larger substrates, possibly even peptides. Soaking of apo Xcc4156 crystals with FAD led to crumbling of the intergrown crystals. Around half of the crystals soaked with FAD did not diffract, while in the others there was no electron density for FAD. The FAD-binding loop, which changes its conformation between the apo and the FAD-bound form in related enzymes, is involved in a crystal contact in the apo Xcc4156 crystals. The conformational change that is predicted to occur upon FAD binding would disrupt this crystal contact, providing a likely explanation for the destruction of the apo crystals in the presence of FAD. Soaking with only bromide did not result in bromide bound to the catalytic halide-binding site. Simultaneous soaking with FAD and bromide damaged the crystals more severely than soaking with only FAD. Together, these latter two observations suggest that FAD and bromide bind to Xcc4156 with positive cooperativity. Thus, apo Xcc4156 crystals provide functional insight into FAD and bromide binding, even though neither the cofactor nor the halide is visible in the structure.

1. Introduction

The activation of C-H bonds in electron-rich organic compounds is an important step that enables their use in a range of downstream applications such as metal-catalyzed cross-coupling reactions or modifications via nucleophilic substitution (Runguphan & O'Connor, 2013; Frese et al., 2016; Durak et al., 2016). Chemical halogenation requires harsh conditions, often employing elemental halogens in combination with Lewis acids. In addition, the process may lead to the formation of byproducts owing to a lack of regioselectivity. Flavin-dependent halogenases (FDHs) have come into focus as a clean alternative because they halogenate their substrates under much milder conditions using halide salts and molecular oxygen at 25°C and pH 7 (Keller et al., 2000; Yeh et al., 2005). Their reaction mechanism has been investigated both in vitro (Dong et al., 2005; Yeh et al., 2006, 2007; Flecks et al., 2008; Fraley et al., 2017) and in silico (Fraley et al., 2017; Ainsley





116

117

118

119

120

121

122

124

126

127

128

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

157

160

161

162

163

164

165

166

167

168

169

170

171

688

et al., 2018). FDHs depend on reduced flavin adenine dinucleotide (FADH₂) as a cofactor, which is bound by a dedicated subdomain. A halide ion (X⁻) is coordinated close to the isoalloxazine ring of FAD (Dong et al., 2005). As a first reaction step, FAD-C4a-OOH is formed (Yeh et al., 2006), which subsequently oxidizes the halide ion, resulting in the formation of hypohalous acid (HOX). The HOX then travels around 10 Å to the substrate-binding site of the enzyme, where halogenation takes place (Dong et al., 2005). A conserved active-site lysine plays a crucial role in the halogenation, either via hydrogen bonding to HOX (Flecks et al., 2008) or by forming a lysine haloamine (Yeh et al., 2007). The exact mechanism is still under debate, but the electrophilic aromatic substitution takes place at the substrate C atom that is closest to the catalytic lysine and, owing to substrate positioning by the enzyme, the reaction is regioselective.

The first FDHs to be characterized were tryptophan halogenases (Trp halogenases; Keller et al., 2000; Yeh et al., 2005). In the following years, a variety of different halogenases were studied that can be grouped into indole halogenases (which include the Trp halogenases; Seibold et al., 2006; Heemstra & Walsh, 2008; Zeng & Zhan, 2011; Menon et al., 2016; Ma et al., 2017; Lingkon & Bellizzi, 2020; Domergue et al., 2019; Luhavaya et al., 2019), phenol halogenases (Buedenbender et al., 2009; Neumann et al., 2010; Zeng et al., 2013; Agarwal et al., 2014; Menon et al., 2017; Mori et al., 2019) and pyrrole halogenases (Hammer et al., 1997; Dorrestein et al., 2005; Yamanaka et al., 2012; Agarwal et al., 2014), depending on the classes of compounds that they halogenate.

Most described indole halogenases belong to the subgroup of Trp halogenases. Using genomic data, we recently identified four halogenases that act on indole derivatives but not on free tryptophan. The native substrates of BrvH, a halogenase identified from a marine metagenome (Neubauer et al., 2018), as well as of three halogenases from Xanthomonas campestris pv. campestris B100 (Ismail et al., 2019), remain unknown. While BrvH preferentially brominated screening substrates, the X. campestris (Xcc) halogenases exclusively brominated them. Previously, only Bmp2 and Bmp5, two marine halogenases from *Pseudoalteromonas* spp., had been shown to selectively incorporate bromide into their substrates (Agarwal et al., 2014). Bmp2 is responsible for the tribromination or tetrabromination of a carrier-tethered pyrrole (El Gamal et al., 2016), whereas Bmp5 catalyzes the bromination and decarboxylation of 4-hydroxybenzoic acid (Agarwal et al., 2014). Both enzymes do not catalyze chlorination, but for Bmp5 in vivo iodination was additionally observed. The exclusive bromination by Bmp2 was attributed to halide specificity (Thapa et al., 2018). A crystal structure of Bmp2 lacked bound halide and did not reveal the molecular basis of the specificity for bromide (El Gamal et al., 2016). In contrast to brominases that do not chlorinate, several FDHs that natively chlorinate their substrates can also catalyze bromination. Thal and Mpy16, for example, which chlorinate tryptophan and pyrrole, respectively, form brominated products if an excess of bromide is present (Seibold et al., 2006; Thapa et al., 2018). RebH, a Trp halogenase that mediates the chlorination step during rebeccamycin biosynthesis, has been shown to brominate a larger number of non-natural probe substrates than it can chlorinate, leading Lewis and coworkers to suggest that owing to the higher electrophilicity of bromine relative to chlorine in hypohalous acid, a preference for bromination is common in FDHs (Fisher et al., 2019).

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

188

190

191

192

193

194

196

197

198

199

200

201

202

203

204

205

206

208

209

210

211

212

214

215

216

217

218

219

221

222

223

224

225

227

We set out to investigate whether the halide specificity of brominases can be attributed to the structural determinants of bromide binding. To this end, we aimed at elucidating the structure of Xcc4156, one of the three brominating Xcc halogenases, in complex with its cofactor and bromide.

2. Methods

2.1. Protein expression

The xcc4156 gene was amplified from a pET-28a plasmid (Ismail et al., 2019) and cloned into a pETM-11 expression vector which contains a hexahistidine tag followed by a tobacco etch virus (TEV) protease cleavage site. This plasmid was transformed into Escherichia coli BL21 (DE3) pGro7 cells. The pGro7 plasmid (Takara) codes for the expression of the GroEL-GroES chaperone system.

An overnight preculture (30°C, 110 rev min⁻¹) was used to inoculate a 21 culture in LB medium containing 30 μg ml⁻¹ kanamycin and 34 µg ml⁻¹ chloramphenicol to an optical density at 600 nm (OD_{600}) of 0.1. The culture was incubated at 37° C (90 rev min⁻¹) until an OD₆₀₀ of 0.4 was reached. 2 g l⁻¹ L-arabinose and 0.1 mM isopropyl β -D-1-thiogalactopyranoside were added for the induction of chaperone and target protein expression, and the cultivation temperature was decreased to 25°C. The cells were harvested by centrifugation after 20 h and the resulting cell pellets were washed with phosphate-buffered saline (PBS) and frozen at -20° C.

2.2. Protein purification

The purification protocol included an immobilized metalaffinity chromatography (IMAC) step followed by ionexchange (IEX) chromatography, TEV digestion and another IMAC step. The exact protocol has been described in Neubauer et al. (2018) and was followed except for the sizeexclusion chromatography step. Protein obtained from the flowthrough and washing steps of the second IMAC step was concentrated using a Vivaspin column (10 000 Da molecularweight cutoff; Sartorius, Germany) to 29.19 mg ml⁻¹ and was stored at -80°C prior to protein characterization and crystallization.

2.3. Protein characterization

To analyze whether the protein forms a monomer or a dimer in solution, dynamic light scattering (DLS) as well as size-exclusion chromatography (SEC) were performed.

For DLS, Xcc4156 was diluted to 5 mg ml $^{-1}$ with 10 mM Tris, 150 mM NaCl pH 8. Samples were centrifuged at 30 000g for 30 min prior to analysis and were transferred to a quartz glass cuvette with a path length of 1.5 mm. Measurements were performed using a DynaPro 801 and the molecular

 Table 1

 X-ray data-collection and refinement statistics.

The data-collection statistics were taken from the AIMLESS output; the refinement and model statistics were taken from *phenix.table_one*. For the data sets containing Br, the statistics were calculated treating Friedel mates as different reflections, except for the values marked with an asterisk.

	Apo Xcc4156	Xcc4156 + FAD	Xcc4156 + NaBr	Xcc4156 + FAD/NaBr
PDB code	6v1w	_	_	_
Space group	P3 ₂	P3 ₂	P3 ₂	P3 ₂
Unit-cell parameters (Å, °)	a = b = 120.0, c = 70.4, $\alpha = \beta = 90, \gamma = 120$	a = b = 119.9, c = 69.7, $\alpha = \beta = 90, \gamma = 120$	a = b = 120.1, c = 70.2, $\alpha = \beta = 90, \gamma = 120$	a = b = 119.7, c = 69.9, $\alpha = \beta = 90, \gamma = 120$
Data-collection statistics	, , ,	, , , ,	, , , ,	, , , , ,
Wavelength (Å)	0.91714	0.9184	0.9184	0.9184
Resolution range (Å)	45.66–1.60 (1.63–1.60)	45.45-2.40 (2.49-2.40)	45.63-2.00 (2.04-2.00)	45.47-2.30 (2.38-2.30)
No. of measured reflections	1551581 (69795)	462687 (48945)	799702 (45171)	521479 (47365)
No. of unique reflections	149524 (7328)	43802 (4635)	76232 (4384)*	49785 (4577)*
Completeness (%)	100 (100)	100 (100)	99.3 (95.5)	99.9 (99.8)
R_{merge} (%)	9.4 (139.6)	12.1 (144.9)	16.2 (145.1)	13.7 (98.5)
R _{meas} (%)	9.9 (147.6)	12.7 (152.2)	18.0 (161.1)	15.2 (109.7)
Multiplicity	10.4 (9.5)	10.6 (10.6)	5.2 (5.2)	5.2 (5.2)
Mean $I/\sigma(I)$	17.1 (1.7)	15.8 (1.7)	13.7 (1.6)	14.4 (2.3)
CC _{1/2} (%)	99.9 (60.4)	99.9 (64.5)	99.7 (56.5)	99.8 (74.8)
Refinement and model statistics	,	()	()	()
No. of reflections (working/test)	142174/7318	41621/2133	144758/7304	94652/4789
R_{cryst} (%)	15.8	18.3	19.1	18.1
R _{free} (%)	18.9	23.8	22.8	21.7
R.m.s.d., bonds (Å)	0.011	0.006	0.003	0.004
R.m.s.d., angles (°)	1.11	0.88	0.67	0.75
Average B factor (\mathring{A}^2)				
Overall	24.4	56.2	28.5	38.3
Protein	22.6	54.9	27.0	37.1
Ligands	33.3	_	_	_
Solvent	35.3	65.4	38.44	46.8
No. of atoms				
Total	9532	9351	9351	9351
Protein	8154	8154	8154	8154
Ligands	181	_	_	_
Solvent	1197	1197	1197	1197
Ramachandran plot from MolProbia	tv			
Favoured region (%)	98.29	98.09	98.09	98.09
Allowed region (%)	1.71	1.91	1.91	1.91

weight was calculated from the hydrodynamic radius using the *DYNAMICS* software (version 5.25.44). The DLS experiment was performed in triplicate. The calculated percentage polydispersities were 8%, 5.42% and 7.77% and the calculated molecular masses were 97.0, 94.9 and 97.7 kDa.

For gel-filtration chromatography, Xcc4156 was diluted to 4, 0.4 and 0.04 mg ml $^{-1}$ using 50 mM Tris, 150 mM NaCl pH 8. The same buffer was used for isocratic elution. 100 μl protein solution was applied onto a Superdex 200 10/300 column with a bed volume of $\sim\!\!21$ ml. The molecular weight was obtained following calibration with ferritin (440 kDa), conalbumin (75 kDa), ovalbumin (44 kDa) and RNase A (13.7 kDa). Peak detection was performed in UNICORN (version 5.20). The obtained molecular masses were 105, 105 and 102 kDa for the samples at 4, 0.4 and 0.04 mg ml $^{-1}$, respectively.

2.4. Protein crystallization and soaking

For crystallization of the apo protein, Xcc4156 was diluted to 10 mg ml^{-1} with 10 mM Tris, 150 mM NaCl pH 8. Crystallization conditions were screened using The JCSG Core IV Suite (Qiagen, Germany) in MRC 2 Lens Plates (SWISSCI, Switzerland). A bunch of thin needles appeared within one day at 20°C in 1 M sodium/potassium tartrate, 0.1 M MES pH

6.0 using a drop size of 0.3 μ l and a protein:reservoir solution ratio of 2:1. Optimization (0.6 M sodium/potassium tartrate, 0.1 M MES pH 6.5; drop volume 3 μ l) yielded thicker needles, but the crystals remained intergrown. Prior to data collection, the protruding part of a large needle was briefly transferred into a solution consisting of 0.7 M sodium/potassium tartrate, 0.1 M MES pH 6.5, 17.5% L-2,3-butanediol and flash-cooled in liquid nitrogen.

For soaking, another optimization plate (0.6 M sodium/ potassium tartrate, 0.1 M MES pH 6.0) was set up with a drop size of 1.5 µl containing protein and reservoir solution in the same ratio as before. When the crystals had grown (usually within a week), an additional 0.5 µl of ligand solution ['FAD' (0.6 M sodium/potassium tartrate, 0.1 M MES pH 6.0, 15 mM FAD), 'NaBr' (0.6 M sodium/potassium tartrate, 0.1 M MES pH 6.0, 150 mM NaBr), 'FAD-NaBr' (0.6 M sodium/potassium tartrate, 0.1 M MES pH 6.0, 15 mM FAD, 150 mM NaBr) or 'NaBr200' (0.6 M sodium/potassium tartrate, 0.1 M MES pH 6.0, 200 mM NaBr)] was added to the drop. Incubation was performed for one day. Photographs were taken after 0 and 24 h. Crystals were harvested after 24 h of soaking following the protocol used for the apo crystals but with the ligands present in the cryosolution at the same concentration as in the ligand solution.

Name	Description	Sequence identity (Clustal Omega) (%)	Structural similarity score (DALI)	PDB code and chain ID	Ligands in chain	Reference
	<u> </u>					
BrvH	Indole halogenase	45.5	50.4	6frl chain A	TLA, MES , GOL	Neubauer et al. (2018)
PyrH	Trp-5 halogenase	33.7	46.8	2wes chain A	FAD, CL	Zhu et al. (2009)
SttH	Trp-6 halogenase	34.0	45.7	5hy5 chain B	FAD, CL	Shepherd et al. (2016)
Tar14	Trp-6 halogenase	32.0	45.0	6nsd chain B	FAD, SO4	Luhavaya et al. (2019)
PrnA	Trp-7 halogenase	32.3	44.8	2ar8 chain A	FAD, CL, CTE	Dong et al. (2005)
Thal	Trp-6 halogenase	32.6	44.4	6h43 chain B	PO4, GOL	Moritzer et al. (2019)
Th-Hal	Trp-6 halogenase	33.7	43.9	5lv9 chain B	_	Menon et al. (2016)
RebH	Trp-7 halogenase	34.1	43.8	20al chain B	FAD	Yeh et al. (2007)
MibH	Peptide halogenase	26.4	39.9	5uao chain C	_	Ortega et al. (2017)
Mpy16	Pyrrole halogenase (variant B)	18.1	28.1	5buk chain A	FAD, GOL	El Gamal et al. (2016)
CndH	Phenol halogenase (variant B)	16.8	27.4	3e1t chain A	FAD, CL	Buedenbender et al. (2009)
Bmp2	Pyrrole halogenase (variant B)	15.3	26.7	5bva chain A	FAD, EDO	El Gamal et al. (2016)

2.5. Protein structure determination

Measurements were carried out on the BL14.2 beamline at Helmholtz-Zentrum Berlin (Gerlach et al., 2016). For both apo and soaked Xcc4156 crystals, 3600 frames were collected with an oscillation angle of 0.1°. The X-ray wavelength was 0.917143 Å for the apo crystals and 0.9184 Å for the soaked crystals. The raw data were processed with XDS and scaled with XSCALE (Kabsch, 2010). For the apo data set, the data were imported into CCP4 (CCP4i2 interface: Potterton et al., 2018) and merged [cut at $I/\sigma(I) = 2$] with AIMLESS (Evans & Murshudov, 2013) for structure solution via molecular replacement using MrBUMP (Keegan & Winn, 2007; McCoy et al., 2007); the best search model was chain A of BrvH (PDB entry 6frl), with a sequence identity of 45.5%. An initial model was built by Buccaneer (Cowtan, 2006). Manual model building was performed in Coot (Emsley et al., 2010), and both REFMAC5 (Murshudov et al., 2011) and phenix.refine (Liebschner et al., 2019) were used for crystallographic refinement of the interim models. Restrained refinement was used and B factors were considered to be isotropic. Noncrystallographic symmetry (NCS) was used to generate further restraints. Validation with MolProbity (Chen et al., 2010) was part of the building process. The statistics of the final model are given in Table 1, and the coordinates and structure factors have been deposited in the Protein Data Bank (PDB entry 6y1w).

Data processing of data sets from the soaked crystals was performed similarly to the apo data set, but as we were looking for anomalous signal, Friedel mates were treated as different reflections for soaks containing NaBr. As the soaked and apo crystals had very similar unit-cell parameters, rigid-body refinement of the apo model against the respective data followed by three cycles of restrained refinement was

performed in *phenix.refine*. The apo model was used to generate additional restraints. The resulting electron-density maps were evaluated in *Coot* with a focus on the FAD-binding and halide-binding sites. No further model building was performed, and the structures were not deposited in the PDB. The statistics of the models are given in Table 1. Figures were generated in *PyMOL*.

2.6. Bioinformatics

A multiple sequence alignment was performed in *Clustal Omega* (Madeira *et al.*, 2019) using the default settings. 44 FDH sequences (given in the supporting information) were input and a phylogenetic tree was calculated from the resulting alignment. The tree was calculated in *Jalview* 2.10.5 (Waterhouse *et al.*, 2009) using the neighbour-joining algorithm and the BLOSUM62 matrix. The structures of the most similar halogenases (Table 2) and halogenases that clustered more distantly with the Trp halogenases were additionally compared with the Xcc4156 structure using the *DALI* server (Holm, 2019) in an 'all-against-all structure comparison'. The resulting comparison was uploaded to *ClustalW2* (Madeira *et al.*, 2019) in order to generate a phylogenetic tree using the neighbour-joining algorithm and distance correction including gaps.

In addition, a *DALI* comparison (Holm, 2019) of the structures of Xcc4156 (PDB entry 6y1w chain *A*), BrvH (PDB entry 6frl chain *A*; Neubauer *et al.*, 2018), Th-Hal (PDB entry 5lv9 chain *B*; Menon *et al.*, 2016) and RebH (PDB entry 2oal chain *B*; Yeh *et al.*, 2007) was performed and used as input for the *ESPript* 3.0 server (Robert & Gouet, 2014). The alignment was also used in Fig. 2, in which the conservation of the amino acids at each position is shown. This quantitative annotation was output by *Jalview* (Waterhouse *et al.*, 2009) based on the

515

516

517

518

519

521

523

525

527

529

531

532

533

534

535

536

540

541

542

543

544

545

546

547

548

549

550

554

557

559

560

561

562

563

564

565

566

567

568

569

570

number of conserved physicochemical properties. Its calculation is based on that used in the AMAS method of multiple sequence alignment analysis (Livingstone & Barton, 1993).

In order to compare the crystal contacts that the loops of RebH (PDB entry 20am; Yeh et al., 2007) and PltM (PDB entry 6bzn; Mori et al., 2019) as well as Xcc4156 are involved in, the PISA server (Krissinel & Henrick, 2007) was used.

3. Results

457

458

459

460

461

462

463

464

465

466

468

469

470

472

473

474

475

476

477

478

480 481

482

483

484

485

486

487

488

489

490

491

492

493

495

496

497

499

501 502

503

504

505

507

508

509

510

511

512

513

3.1. Crystal structure of Xcc4156

Our attempts to co-crystallize Xcc4156 with FAD and bromide failed. A total of 28 96-well plates were set up with different commercial screens, at different protein concentrations and at different temperatures (see Supplementary Table S2). No diffracting crystals were obtained. However, apo Xcc4156 yielded crystals that diffracted to a resolution of 1.6 Å (see Table 1).

In the crystal, there are two chains in the asymmetric unit, with only minor differences between them (Fig. 1a). Each of these is a halogenase monomer consisting of two subdomains: a 'box' subdomain containing the FAD-binding site, which is structurally conserved among FDHs, and a more variable 'pyramid' subdomain (Fig. 1b). The substrate-binding site of FDHs is at the interface between the box and pyramid subdomains (Dong et al., 2005). The dimer observed in the crystal is very similar to the crystallographic dimers of Trp halogenases (Dong et al., 2005; Yeh et al., 2007; Zhu et al., 2009; Shepherd et al., 2016; Menon et al., 2016; Moritzer et al., 2019; Luhavaya et al., 2019; Lingkon & Bellizzi, 2020). Estimates of the molecular weight from the hydrodynamic radius obtained by size-exclusion chromatography (SEC) and dynamic light scattering (DLS) are 105 and 96.5 \pm 1.5 kDa, respectively. These values are substantially higher than that of a monomer (58.1 kDa), but are still lower than the molecular weight of a dimer (116.2 kDa). SEC was performed on samples between 4 and 0.04 mg ml⁻¹, giving very similar results. This renders a concentration-dependent change in the oligomerization state very unlikely. As a nonglobular shape can explain an apparent molecular weight that is higher but not lower than the actual value, we take the SEC and DLS results as an indication that Xcc4156 may be monomeric in solution. In Thal, a tryptophan halogenase, SEC and DLS also hinted towards a monomer, as is the case here, but the enzyme likewise formed a dimer in the crystal (Moritzer et al., 2019). ESI-MS under native conditions revealed that Thal was present both as a homodimer and a monomer in solution (Minges et al., 2020). The same might be the case for Xcc4156. The presence of the same dimer in all Trp halogenase crystals, and in solution in the case of PrnA as observed by SEC (Dong et al., 2005), suggests an evolutionary advantage of this association, which is supported by a study on Thal mutants in which increased thermostability coincided with a higher proportion of the protein being present as a homodimer in solution (Minges et al., 2020).

To further investigate the similarity to known halogenases, a multiple sequence alignment of 44 FDH sequences was performed in Clustal Omega (Madeira et al., 2019). Additionally, the Xcc4156 structure was compared with the structures of selected halogenases (Table 2) using the DALI server (Holm, 2019) and a phylogenetic tree was created from the DALI comparison (Supplementary Fig. S1).

The sequence alignment and structural comparison performed in this study confirmed the high similarity of Xcc4156 to Trp halogenases that we expected based on previous sequence alignments (Ismail et al., 2019). In accordance, Xcc4156 shares their overall structure (see above).




Figure 1 Crystal structure of Xcc4156. (a) Dimer in the crystal of Xcc4156 (PDB entry 6y1w). The structurally conserved part between different FDHs ('box') is shown in dark blue and the structurally variable 'pyramid' is shown in light blue. (b) Monomer of Xcc4156 (chain A). The FADbinding loop in the 'box' subdomain and a loop at the substrate-binding site at the interface between the 'box' and the 'pyramid' subdomains are highlighted. The inferred FAD-binding and substrate-binding sites (deduced from their respective positions in Trp halogenases) are marked as green ovals.

Xcc4156 has 45% sequence identity to BrvH (Neubauer *et al.*, 2018) and around 30–35% sequence identity to various Trp halogenases (for example 34% to both PyrH and RebH and 32% to PrnA).

As expected, based on the high sequence identity, the structure of Xcc4156 resembles that of BrvH (Figs. 2a and 2b). Their substrate-binding region distinguishes Xcc4156 and BrvH from the Trp halogenases. When clustered after a BLAST pairwise alignment, the latter form two groups (Fisher et al., 2019). In addition to other minor differences, particularly in the loops, the substrate coordination differs between these groups (Figs. 2a–2d; Luhavaya et al., 2019). One group, containing, for example, SttH, Th-Hal, PyrH, KtzR and Tar14, has a long substrate-binding loop ('1' in Fig. 2c). This group includes C5 Trp halogenases, which halogenate their substrate tryptophan in the C5 position, as well as some C6 Trp halogenases. The substrate-binding loop of the second group, which contains, for example, RebH, Thal, PrnA and KtzQ, is shorter and connects to a different side of the pyramid ('2' in

Fig. 2d). This group comprises all known C7 Trp halogenases as well as some C6 Trp halogenases.

Xcc4156 and BrvH have short loops in both positions, resulting in a more open substrate-binding site compared with Trp halogenases and a solvent-accessible catalytic lysine residue. In Trp halogenases the loop usually closes over the substrate upon binding. As Xcc4156 and BrvH have much shorter loops, this seems very unlikely in these two enzymes. The absence of the substrate-binding loop is reflected in the residues adjacent to the substrate-binding site. Whereas the catalytic residues in RebH all have corresponding and similar residues in Xcc4156 (refer to Supplementary Table S1) and a part of the π -stacking region is also similar, the backbone binding region of RebH does not have a counterpart in Xcc4156. Like BrvH, Xcc4156 does not halogenate free tryptophan (Neubauer et al., 2018; Ismail et al., 2019); these enzymes do, however, show activity towards free indole and indole derivatives. This can be explained by the lack of stabilization of tryptophan in the substrate-binding site. Thus,




Figure 2 Structural comparison of Xcc4156 with BrvH, Th-Hal and RebH. (a) Xcc4156 chain A (blue). (b) BrvH (grey; PDB entry 6frl chain A). (c) Th-Hal (red; PDB entry 5lv9 chain B). (d) RebH (green; PDB entry 2oa1 chain A). In (a)–(d) the tryptophan from RebH (grey) is shown to mark the location of the substrate-binding site, as neither the Xcc4156 structure nor the BrvH and Th-Hal structures contain a bound substrate. Two loop regions are highlighted that form part of the substrate-binding site in two clades of halogenases. Region '1' is the substrate-binding loop of the C5 Trp halogenase group containing Th-Hal (amino acids 149–157, 146–160, 135–169 and 156–166 in Xcc4156, BrvH, Th-Hal and RebH, respectively). Region '2' is the substrate-binding loop of the C7 Trp halogenase group that RebH belongs to (amino acids 428–438, 434–444, 443–457 and 442–467 in Xcc4156, BrvH, Th-Hal and RebH, respectively). Xcc4156 and BrvH have a short loop in both positions, resulting in a very open substrate-binding site. Refer to Supplementary Fig. S1 for a phylogenetic tree. (e) Alignment based on a DALI structure comparison showing the sequences of Xcc4156, BrvH, Th-Hal and RebH in both loop regions. The rectangle encloses the loop regions that are highlighted in (a)–(d). The conservation of the amino acids (yellow) was output by Jalview.

the hypothesis that BrvH might halogenate a peptide (Neubauer et al., 2018), like MibH (Ortega et al., 2017), also applies to Xcc4156. A peptide or larger tryptophan derivative could interact with the halogenase surface, orienting the substrate in the active site. It should be noted, however, that Xcc4156 only shares 26% sequence identity with MibH, and both Xcc4156 and BrvH do not cluster close to MibH based on sequence alignment (data not shown), an observation that was also made by Fisher et al. (2019).

The FAD-binding loop (amino acids 47–56) of Xcc4156 does not have continuous electron density in chain B (Supplementary Fig. S4b). Its position seems to be mainly stabilized by a weak interaction between the carbonyl O atom of Gly51 and a hydrogen of the guanidino group of Arg313 (both in chain B). In chain A, however, the loop is well defined as it is part of a crystal contact that is stabilized by two hydrogen bonds between the backbone N and O atoms of Val53 in chain A and the side-chain amide of Gln470 in chain B (Figs. 3a and S4a). The FAD-binding loop of FDHs has been hypothesized to adopt two conformations. In apo crystals of That the FAD-binding loop adopts an 'open' conformation (Fig. 3c), whereas in FAD-bound structures the loop closes (Fig. 3d; Moritzer & Niemann, 2019). The side chain of a glutamate flanking the FAD-binding loop flips by almost 180° upon FAD binding in Thal (Figs. 3c and 3d) and PyrH (Figs. 3e and 3f). Although the loop of apo Xcc4156 would be expected to resemble that of apo Thal, it has similarities to both the open and closed states (Fig. 3g). However, Glu57 in Xcc4156 adopts the same conformation as Glu49 in apo Thal and apo PyrH, indicating that the loop is in its open conformation (Figs. 3a, 3c and 3e). While part of the loop differs between chain A and B in apo Xcc4156 (Fig. 3b), probably owing to the crystal contact in chain A, Glu57 has the same orientation in both chains.

Instead of FAD, the FAD-binding site in both chains of Xcc4156 contains a well defined L-tartrate ion (Fig. 3h and Supplementary Figs. S2a–S2c) which does not directly interact with the loop. Tartrate was used as the precipitant in




Figure 3 Comparison of the FAD-binding loop of Xcc4156 with the open and closed FAD-binding loops of Thal and PyrH. (a) The crystal contact that fixes the loop in chain A (blue; amino acids 47-58) of Xcc4156 in position. The backbone atoms of Val53 in chain A form two hydrogen bonds (pink) to the Gln470 side-chain amide in chain B of a symmetry-related molecule (grey). (b) Overlay of chain A of Xcc4156 (blue) with chain B (grey). Light blue dashed lines connect the same amino acids in both chains. The distances between C^{α} atoms are 0.8, 1.7, 2.5, 2.9, 2.6 and 1.0 Å for Glu49–Gly54. (c) The FAD-binding loop of Thal (green; PDB entry 6h43 chain A; amino acids 39–50) in the 'open' conformation when no FAD is bound. (d) Upon FAD binding, the FADbinding loop closes (PDB entry 6sls chain A). (e) In the absence of FAD, the FAD-binding loop of PyrH could not be modelled (red; PDB entry 2weu; amino acids 36-47). (f) When FAD is bound the loop closes, taking on the same conformation as in Thal (PDB entry 2wet chain A). In (a), (c), (d), (e) and (f), a conserved glutamate residue (Glu57 in Xcc4156 and Glu49 in both Thal and PyrH) is shown which acts as a sensor for FAD binding. (g) Overlay of apo Xcc4156 chain A (blue), apo Thal (green), Thal + FAD (green) and PyrH + FAD (red). Loops are open in the apo state and closed in the FAD-bound state. (h) Overlay of apo Xcc4156 chain A (blue) and Thal + FAD (green). In Xcc4156, an L-tartaric acid (TLA) molecule is bound at the site that coordinates a phosphate of FAD in other halogenases.

crystallization. Interestingly, the same tartrate-binding site can be observed in two other halogenases: an unnamed halogenase and BrvH (PDB entries 2pyx and 6frl; Joint Center for Structural Genomics, unpublished work; Neubauer *et al.*, 2018; Supplementary Figs. S2d and S2e). The coordination is the same in all three cases, with most adjacent water molecules at the same positions and the involvement of three backbone N

atoms (Thr23, Ala24 and Leu335 in Xcc4156; Thr16, Ala17 and selenomethionine Met351 in PDB entry 2pyx; and Thr19, Ala20 and Leu340 in BrvH). Two corresponding residues (Ala16 and Leu349) in Thal coordinate one phosphate of the FAD (PDB entry 6sls; Supplementary Fig. S2*f*).

Another striking feature of the FAD-binding site is the side chain of Asn347 (Supplementary Fig. S3). This amino acid is

the second amino acid of the canonical halide-binding site that has been observed in FDHs (Supplementary Fig. S5). The latter site is close to the isoalloxazine ring of the FAD and consists of two backbone NH groups that coordinate the halide. Whether this site is relevant for halogenation or is only an artefact of crystallization remains unclear (Blasiak & Drennan, 2009). In apo Xcc4156, this site (Thr346 and Asn347) does not contain any bound halide. In most FDHs, a glycine occupies the second position of this conserved region. This led Gkotsi et al. (2019) to postulate the halogenaserecognition sequence motif Fx.Px.Sx.G (where 'x.' denotes any number of amino acids) in addition to the established GxGxxG and WxWxIP motifs. The glycine residue in their proposed sequence motif is conserved in almost all known FDHs. Exceptions are BrvH and the other two X. campestris halogenases characterized by the Sewald laboratory (Neubauer et al., 2018; Ismail et al., 2019), which all have a serine at this position. The asparagine in Xcc4156 is particularly interesting as its side chain occupies the position that would be taken up by the ribityl moiety of FAD in a FAD-bound halogenase, thus possibly hampering FAD binding (Supplementary Figs. S3a and S3b). The amide N atom is within 1 Å of the C'₂ atom of a FAD molecule from Thal when superimposed with Xcc4156.




Figure 4
Soaking of apo crystals of Xcc4156. Soaks were performed by the addition of 0.5 μl 150 mM NaBr ('NaBr'), 15 mM FAD ('FAD'), 15 mM FAD and 150 mM NaBr ('FAD–NaBr') or 200 mM NaBr ('NaBr200') in reservoir solution to a drop consisting of 0.5 μl reservoir solution and 1 μl protein solution. Photographs were taken directly after the addition of the ligand solution to the drop ('0 h') and after 24 h. The pink bar indicates 100 μm.

3.2. Soaking of apo Xcc4156 crystals

After unsuccessfully attempting to cocrystallize Xcc4156 with its cofactor FAD and NaBr (Supplementary Table S2), soaking of apo crystals was performed. Thin, intergrown needles grew within one or a few days of setting up the plates. For soaking, reservoir solution containing the respective ligand(s) was added to the drop (Fig. 4).

971

972

973

974

975

976

977

978

979

980

981

982

983

984

985

987

988

989

990

991

992

993

994

995

996

997

998

999

1000

1001

1002

1003

1004

1005

1006

1007

1008

1012

1013

1014

1015

1016

1017

1018

1019

1020

1021

1022

1023

1024

1025

When 150 mM NaBr was added, the crystals were not harmed and retained their appearance. The addition of 15 mM FAD led to a visual deterioration of the crystals, and the addition of both 15 mM FAD and 150 mM NaBr led to a worse crumbling of the crystals. To verify that this effect was not caused by the higher ionic strength of the latter solution, crystals were soaked with 200 mM NaBr. These crystals, like those at a lower NaBr concentration, did not show any sign of harm. Interestingly, the crumbling of the crystals appeared to be much worse for smaller crystals and intergrown areas, suggesting that single large crystals are less prone to deterioration.

3.3. Crystal structures of soaked Xcc4156

913

914

915

916

917

918

919

920

921

922

924

926

927

930

931

932

933

934

936

937

938

939

940

941

942

943

944

945

946

947

948

949

951

953

955

957

958

959

960

963

964

965

966

967

968

969

The soaked crystals were harvested and data were collected (see Table 1 for data statistics). The structures were solved by refinement of the final apo model against the respective data. For crystals soaked with NaBr no bromide could be observed in the halide-binding site despite the presence of bromide in other sites as confirmed by an anomalous difference map (Fig. 5).

When data sets were collected from crystals soaked with FAD (or FAD and NaBr), we noticed that around half of the crystals showed little to no diffraction (to less than 4 Å resolution, compared with around 2-3 Å for apo crystals or NaBr soaks). Interestingly, in all of the remaining data sets (one and three data sets from crystals soaked with FAD or with FAD and NaBr, respectively) the FAD-binding sites were empty save for tartrate, which was present at the same site as in the apo crystals in both chains. The crystals soaked with FAD thus showed similar electron density to the apo crystals, whereas those soaked with both FAD and NaBr resembled the NaBr-soaked crystals. As the soaked structures did not reveal any relevant structural information




Figure 5 Anomalous difference density of a bromide ion in an Xcc4156 crystal soaked with NaBr. The bromide ion is coloured brown; the anomalous difference density (green mesh) is contoured at 3σ . Side chains at a distance of less than 6 Å from the bromide are shown as sticks.

beyond the apo structure and had considerably lower resolution, we did not perform further model building or deposit these structures in the PDB.

The visual deterioration of the crystals, the partial loss of diffraction and the finding that no electron density for FAD was present upon soaking suggest that binding of FAD might destroy the crystals. When no FAD is bound the crystals still diffract, but the resulting electron density shows no sign of FAD, and when FAD is bound the diffraction is gravely reduced.

4. Discussion

We observed a visual deterioration of apo crystals of the flavin-dependent halogenase Xcc4156 upon the addition of FAD, which was even more dramatic when bromide was present as well. This might be explained by the binding of FAD causing a change in the position of the FAD-binding loop. Indeed, the loop is partly disordered in one chain of the apo structure and is fixed in an open conformation in the other

There are four other halogenases, RebH, PyrH, PltM and Thal, for which both apo and holo structures are available. In apo PyrH, the FAD-binding loop (amino acids 37–43) is disordered and was not modelled (Zhu et al., 2009). In the presence of FAD the loop adopts an ordered 'closed' conformation. The loop is close to the FAD and interacts with it through backbone atoms. It should be mentioned that the apo and FAD-bound structures of PyrH have different space groups and crystal packing, the reasons for which are unclear as the crystals grew under the same conditions. Thal behaves similarly to PyrH, with the exception that in the apo form it exhibits a well defined loop in the 'open' conformation, leaving space between the loop and the potential FAD. The loop closes when Thal is soaked with FAD (Moritzer & Niemann, 2019). In both RebH and PltM the FAD-binding loop, as in Thal, is well defined in the apo state; however, the loop position does not change in the presence of the cofactor. This can be explained as in both structures the FAD-binding loop is part of a crystal contact, with the loops of two chains interacting with each other, generating a noncrystallographic twofold axis. In PltM, the conformation is very similar to that observed for 'closed' loop conformations (Mori et al., 2019). This is in contrast to the 'open' loop position in RebH (Bitto et al., 2008), where the loop is not in direct contact with the cofactor, leaving the FAD-binding site solvent exposed. Unlike in RebH and PltM, soaking Xcc4156 crystals with FAD seems to have caused the FAD-binding loop to change its position, resulting in visible harm to the crystals.

In order to explain this different behaviour, the crystal contacts that the loops are involved in were compared using the PISA server (Krissinel & Henrick, 2007). In Xcc4156 only four residues are part of the relevant interface, as opposed to six or five residues in apo RebH and apo PltM, respectively. The average buried area of the residues within the loop is 55% for RebH, 42% or 54% for PltM (with four monomers in the

1028

1029

1030

1031

1032

1033

1034

1035

1036

1037

1038

1040

1042

1043

1044

1045

1046

1047

1048

1049

1051

1052

1053

1054

1055

1056

1057

1058

1059

1060

1061

1062

1063

1065

1066

1067

1069

1071

1072

1073

1074

1075

1076

1077

1078

1079

1080

1081

1082

1083

asymmetric unit; thus, two dimers that interact via their loops) and only 27.5% for Xcc4156. This might indicate a weaker interaction that can be disrupted as FAD binds. Binding of FAD in chain A and the resulting elimination of the crystal contact seems to have led to a loss in diffraction of the crystals. The crystals of Xcc4156 that still showed diffraction had no FAD bound in chain A, as would be expected. Interestingly, however, soaking the crystals with FAD also did not result in FAD being bound by the less ordered FAD-binding loop (chain B) of the crystals. The high concentration of tartrate (600 mM compared with 15 mM FAD) and its presence in the FAD-binding site could explain the absence of FAD but not the observed crystal cracking.

We also observed that the visual deterioration of the crystals during soaking was more severe when NaBr was present in addition to FAD, which could not be explained by the higher ionic strength of the solution. However, the halide binding might have a cooperative effect, promoting the binding of FAD. This would enable the soaking solution to affect the crystals more dramatically. Without FAD, even in the presence of high concentrations of NaBr no halide is bound in the proposed halide-binding site. This is in accordance with the literature. Out of 50 published structures of FDHs (as of 8 January 2020), 15 have no FAD and no halide bound in the respective binding sites (apo), 16 have only FAD modelled (either because no halide is present or because it was not modelled) and another 12 have both FAD and the halide modelled in at least one chain. Of the seven remaining structures, one PrnA structure (PDB entry 2ard) contains FADH₂ with no halide modelled (Dong et al., 2005) and two PltM structures (PDB entries 6bza and 6bzz) contain FAD that is bound in an unusual pose (Mori et al., 2019). One RebH structure (PDB entry 20a1) contains FAD and chloride in one chain, but only adenine and no halide modelled in the other (Bitto et al., 2008), and one Thal structure (PDB entry 6slt) contains only FAD in one chain, while in the other only AMP was modelled (Moritzer & Niemann, 2019). The modelling of only parts of the FAD in the latter two cases can be explained as the adenine moiety is bound by a nonflexible region and the riboflavin moiety (which forms part of the halide-binding site) is more flexible in these cases, making its modelling harder or impossible (Moritzer & Niemann, 2019). The MibH structure (PDB entry 5uao) contains both FAD and chloride in two chains and neither of them in two other chains (Ortega et al., 2017). The PltA structure (PDB entry 5dbj) contains FAD in all five chains, but chloride is only present in four chains (Pang et al., 2015). The correlation between the binding of FAD and the halide strongly implies a dependence of halide binding on FAD binding, as has been proposed by Mori et al. (2019). The cooperative effect that we observed substantiates our hypothesis that FAD binding causes the loop to close and the crystals to break and makes a nonspecific effect of FAD binding unlikely. As bromide soaks on their own do not negatively affect the crystal integrity, it is hard to rationalize the exacerbated damage to crystals upon soaking with FAD and bromide other than through cooperative binding at the evolved halide-binding site formed by the protein and FAD. We cannot completely rule out that nonspecific binding of bromide and FAD to the protein surface causes this effect, but this appears to us to be highly unlikely. 1084

1085

1086

1087

1088

1089

1090

1091

1093

1094

1096

1097

1098

1100

1101

1102

1103

1104

1105

1106

1107

1108

1109

1110

1111

1112

1113

1114

1115

1116

1117

1118

1119

1120

1121

1122

1123

1124

1125

1126

1127

1128

1129

1130

1131

1132

1133

1134

1135

1136

1137

1138

1139

1140

In summary, we observed the cracking of apo crystals of the halogenase Xcc4156 upon the addition of FAD to the crystals. This could be explained by a change in the position of the FAD-binding loop, which was part of a crystal contact. This effect was increased in the presence of bromide, suggesting a cooperative effect between the binding of FAD and the halide.

Acknowledgements

We thank Helmholtz-Zentrum Berlin (HZB) for the allocation of synchrotron-radiation beamtime and the dedicated beamline scientists Dr Christian Feiler and Dr Thomas Hauss.

Funding information

We gratefully acknowledge the financial support from HZB. The position of CW was funded by the rectorate of Bielefeld University as a strategic project. MI acknowledges funding from the German Academic Exchange Service (DAAD) and the Bielefelder Nachwuchsfonds of Bielefeld University.

References

- Agarwal, V., El Gamal, A. A., Yamanaka, K., Poth, D., Kersten, R. D., Schorn, M., Allen, E. E. & Moore, B. S. (2014). *Nat. Chem. Biol.* **10**, 640–647.
- Ainsley, J., Mulholland, A. J., Black, G. W., Sparagano, O., Christov, C. Z. & Karabencheva-Christova, T. G. (2018). ACS Omega, 3, 4847–4859.
- Bitto, E., Huang, Y., Bingman, C. A., Singh, S., Thorson, J. S. & Phillips, G. N. Jr (2008). *Proteins*, **70**, 289–293.
- Blasiak, L. C. & Drennan, C. L. (2009). Acc. Chem. Res. 42, 147–155.
 Buedenbender, S., Rachid, S., Müller, R. & Schulz, G. E. (2009). J. Mol. Biol. 385, 520–530.
- Chen, V. B., Arendall, W. B., Headd, J. J., Keedy, D. A., Immormino, R. M., Kapral, G. J., Murray, L. W., Richardson, J. S. & Richardson, D. C. (2010). Acta Cryst. D66, 12–21.
- Cowtan, K. (2006). Acta Cryst. D62, 1002-1011.
- Domergue, J., Erdmann, D., Fossey-Jouenne, A., Petit, J.-L., Debard, A., de Berardinis, V., Vergne-Vaxelaire, C. & Zaparucha, A. (2019). *AMB Express*, **9**, 175.
- Dong, C., Flecks, S., Unversucht, S., Haupt, C., van Pée, K.-H. & Naismith, J. H. (2005). Science, 309, 2216–2219.
- Dorrestein, P. C., Yeh, E., Garneau-Tsodikova, S., Kelleher, N. L. & Walsh, C. T. (2005). *Proc. Natl Acad. Sci. USA*, **102**, 13843–13848. Durak, L. J., Payne, J. T. & Lewis, J. C. (2016). *ACS Catal.* **6**, 1451–
- El Gamal, A., Agarwal, V., Diethelm, S., Rahman, I., Schorn, M. A., Sneed, J. M., Louie, G. V., Whalen, K. E., Mincer, T. J., Noel, J. P., Paul, V. J. & Moore, B. S. (2016). *Proc. Natl Acad. Sci. USA*, 113, 3797–3802.
- Emsley, P., Lohkamp, B., Scott, W. G. & Cowtan, K. (2010). Acta Cryst. D66, 486–501.
- Evans, P. R. & Murshudov, G. N. (2013). *Acta Cryst.* D**69**, 1204–1214.
 Fisher, B. F., Snodgrass, H. M., Jones, K. A., Andorfer, M. C. & Lewis, J. C. (2019). *ACS Cent. Sci.* **5**, 1844–1856.
- Flecks, S., Patallo, E. P., Zhu, X., Ernyei, A. J., Seifert, G., Schneider, A., Dong, C., Naismith, J. H. & van Pée, K.-H. (2008). Angew. Chem. Int. Ed. 47, 9533–9536.
- Fraley, A. E., Garcia-Borràs, M., Tripathi, A., Khare, D., Mercado-Marin, E. V., Tran, H., Dan, Q., Webb, G. P., Watts, K. R., Crews, P.,

1199

1200

1201

1203

1204

1207

1210

1211

1212

1213

1214

1215

1216

1217

1218

1219

1223

1224

1225

1226

1227

1229

1232

1234

1237

1240

1241

1242 1243

1244

1245

1246

1247

1248 1249

1251

1253

1254

- Sarpong, R., Williams, R. M., Smith, J. L., Houk, K. N. & Sherman, 1141 D. H. (2017). J. Am. Chem. Soc. 139, 12060-12068. 1142
 - Frese, M., Schnepel, C., Minges, H., Voss, H., Feiner, R. & Sewald, N. (2016). ChemCatChem, 8, 1799-1803.
 - Gerlach, M., Mueller, U. & Weiss, M. S. (2016). J. Large-Scale Res. Facil. 2. A47.
 - Gkotsi, D. S., Ludewig, H., Sharma, S. V., Connolly, J. A., Dhaliwal, J., Wang, Y., Unsworth, W. P., Taylor, R. J. K., McLachlan, M. M. W., Shanahan, S., Naismith, J. H. & Goss, R. J. M. (2019). Nat. Chem. **11**. 1091–1097.
 - Hammer, P. E., Hill, D. S., Lam, S. T., Van Pée, K.-H. & Ligon, J. M. (1997). Appl. Environ. Microbiol. 63, 2147-2154.
 - Heemstra, J. R. & Walsh, C. T. (2008). J. Am. Chem. Soc. 130, 14024-
 - Holm, L. (2019). Bioinformatics, 35, 5326-5327.

1143

1144

1145

1146

1147

1148

1149

1150

1151

1152

1153

1154

1155

1157

1158

1159

1160

1161

1162

1163

1164 1165

1166

1167

1168

1169

1170

1171

1172

1173

1174

1175

1176

1177

1178

1179

1180

1181

1182

1183

1184

1185

1186 1187

1188

1189

1190

1191

1192 1193 1194

1195 1196

1197

- Ismail, M., Frese, M., Patschkowski, T., Ortseifen, V., Niehaus, K. & Sewald, N. (2019). Adv. Synth. Catal. 361, 2475–2486.
- Kabsch, W. (2010). Acta Cryst. D66, 125-132.
- Keegan, R. M. & Winn, M. D. (2007). Acta Cryst. D63, 447-457.
 - Keller, S., Wage, T., Hohaus, K., Hölzer, M., Eichhorn, E. & van Pée, K.-H. (2000). Angew. Chem. Int. Ed. 39, 2300-2302.
 - Krissinel, E. & Henrick, K. (2007). J. Mol. Biol. 372, 774-797.
- Liebschner, D., Afonine, P. V., Baker, M. L., Bunkóczi, G., Chen, V. B., Croll, T. I., Hintze, B., Hung, L.-W., Jain, S., McCoy, A. J., Moriarty, N. W., Oeffner, R. D., Poon, B. K., Prisant, M. G., Read, R. J., Richardson, J. S., Richardson, D. C., Sammito, M. D., Sobolev, O. V., Stockwell, D. H., Terwilliger, T. C., Urzhumtsev, A. G., Videau, L. L., Williams, C. J. & Adams, P. D. (2019). Acta Cryst.
- Lingkon, K. & Bellizzi, J. J. (2020). ChemBioChem, 21, 1121-1128. Livingstone, C. D. & Barton, G. J. (1993). Comput. Appl. Biosci. 9, 745-756.
- Luhavaya, H., Sigrist, R., Chekan, J. R., McKinnie, S. M. K. & Moore, B. S. (2019). Angew. Chem. Int. Ed. 58, 8394–8399.
- Ma, L., Zhang, W., Zhu, Y., Zhang, G., Zhang, H., Zhang, Q., Zhang, L., Yuan, C. & Zhang, C. (2017). Appl. Biochem. Biotechnol. 101, 6123-6136.
- Madeira, F., Park, Y. M., Lee, J., Buso, N., Gur, T., Madhusoodanan, N., Basutkar, P., Tivey, A. R. N., Potter, S. C., Finn, R. D. & Lopez, R. (2019). Nucleic Acids Res. 47, W636-W641.
- McCoy, A. J., Grosse-Kunstleve, R. W., Adams, P. D., Winn, M. D., Storoni, L. C. & Read, R. J. (2007). J. Appl. Cryst. 40, 658-674.
- Menon, B. R. K., Brandenburger, E., Sharif, H. H., Klemstein, U., Shepherd, S. A., Greaney, M. F. & Micklefield, J. (2017). Angew. Chem. Int. Ed. 56, 11841-11845.
- Menon, B. R. K., Latham, J., Dunstan, M. S., Brandenburger, E., Klemstein, U., Leys, D., Karthikeyan, C., Greaney, M. F., Shepherd, S. A. & Micklefield, J. (2016). Org. Biomol. Chem. 14, 9354-9361.
- Minges, H., Schnepel, C., Böttcher, D., Weiss, M. S., Spross, J., Bornscheuer, U. T. & Sewald, N. (2020). ChemCatChem, 12, 818-831.

- Mori, S., Pang, A. H., Thamban Chandrika, N., Garneau-Tsodikova, S. & Tsodikov, O. V. (2019). Nat. Commun. 10, 1255.
- Moritzer, A.-C., Minges, H., Prior, T., Frese, M., Sewald, N. & Niemann, H. H. (2019). J. Biol. Chem. 294, 2529-2542.
- Moritzer, A.-C. & Niemann, H. H. (2019). Protein Sci. 28, 2112-2118.
- Murshudov, G. N., Skubák, P., Lebedev, A. A., Pannu, N. S., Steiner, R. A., Nicholls, R. A., Winn, M. D., Long, F. & Vagin, A. A. (2011). Acta Cryst. D67, 355-367.
- Neubauer, P. R., Widmann, C., Wibberg, D., Schröder, L., Frese, M., Kottke, T., Kalinowski, J., Niemann, H. H. & Sewald, N. (2018). PLoS One, 13, e0196797
- Neumann, C. S., Walsh, C. T. & Kay, R. R. (2010). Proc. Natl Acad. Sci. USA, 107, 5798-5803.
- Ortega, M. A., Cogan, D. P., Mukherjee, S., Garg, N., Li, B., Thibodeaux, G. N., Maffioli, S. I., Donadio, S., Sosio, M., Escano, J., Smith, L., Nair, S. K. & van der Donk, W. A. (2017). ACS Chem. Biol. 12, 548-557.
- Pang, A. H., Garneau-Tsodikova, S. & Tsodikov, O. V. (2015). J. Struct. Biol. 192, 349-357.
- Potterton, L., Agirre, J., Ballard, C., Cowtan, K., Dodson, E., Evans, P. R., Jenkins, H. T., Keegan, R., Krissinel, E., Stevenson, K., Lebedev, A., McNicholas, S. J., Nicholls, R. A., Noble, M., Pannu, N. S., Roth, C., Sheldrick, G., Skubak, P., Turkenburg, J., Uski, V., von Delft, F., Waterman, D., Wilson, K., Winn, M. & Wojdyr, M. (2018). Acta Cryst. D74, 68-84.
- Robert, X. & Gouet, P. (2014). Nucleic Acids Res. 42, W320-W324. Runguphan, W. & O'Connor, S. E. (2013). Org. Lett. 15, 2850-
- Seibold, C., Schnerr, H., Rumpf, J., Kunzendorf, A., Hatscher, C., Wage, T., Ernyei, A. J., Dong, C., Naismith, J. H. & van Pée, K.-H. (2006). Biocatal. Biotransformation, 24, 401–408.
- Shepherd, S. A., Menon, B. R. K., Fisk, H., Struck, A. W., Levy, C., Leys, D. & Micklefield, J. (2016). ChemBioChem, 17, 821-824.
- Thapa, H. R., Lail, A. J., Garg, N. & Agarwal, V. (2018). Methods Enzymol. 604, 333-366.
- Waterhouse, A. M., Procter, J. B., Martin, D. M. A., Clamp, M. & Barton, G. J. (2009). Bioinformatics, 25, 1189-1191.
- Yamanaka, K., Ryan, K. S., Gulder, T. A. M., Hughes, C. C. & Moore, B. S. (2012). J. Am. Chem. Soc. 134, 12434–12437.
- Yeh, E., Blasiak, L. C., Koglin, A., Drennan, C. L. & Walsh, C. T. (2007). Biochemistry, 46, 1284-1292.
- Yeh, E., Cole, L. J., Barr, E. W., Bollinger, J. M., Ballou, D. P. & Walsh, C. T. (2006). Biochemistry, 45, 7904–7912.
- Yeh, E., Garneau, S. & Walsh, C. T. (2005). Proc. Natl Acad. Sci. USA, **102**, 3960–3965.
- Zeng, J., Lytle, A. K., Gage, D., Johnson, S. J. & Zhan, J. (2013). Bioorg. Med. Chem. Lett. 23, 1001-1003.
- Zeng, J. & Zhan, J. (2011). Biotechnol. Lett. 33, 1607-1613.
- Zhu, X., De Laurentis, W., Leang, K., Herrmann, J., Ihlefeld, K., van Pée, K.-H. & Naismith, J. H. (2009). J. Mol. Biol. 391, 74-85.