## **Greek Extended**

Range: 1F00-1FFF

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard. Version 14.0* 

This file may be changed at any time without notice to reflect errata or other updates to the Unicode Standard. See https://www.unicode.org/errata/ for an up-to-date list of errata.

See https://www.unicode.org/charts/ for access to a complete list of the latest character code charts.
See https://www.unicode.org/charts/PDF/Unicode-14.0/ for charts showing only the characters added in Unicode 14.0.
See https://www.unicode.org/Public/14.0.0/charts/ for a complete archived file of character code charts for Unicode 14.0.

## Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 14.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 14.0, online at https://www.unicode.org/versions/Unicode14.0.0/, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, #34, #38, #41, #42, #44, #45, and #50, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

See https://www.unicode.org/ucd/ and https://www.unicode.org/reports/

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Copying characters from the character code tables or list of character names is not recommended, because for production reasons the PDF files for the code charts cannot guarantee that the correct character codes will always be copied.

## **Fonts**

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See https://www.unicode.org/charts/fonts.html for a list.

## **Terms of Use**

You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these code charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

See https://www.unicode.org/pending/pending.html and https://www.unicode.org/alloc/Pipeline.html.

Copyright © 1991-2021 Unicode, Inc. All rights reserved.

	1F0	1F1	1F2	1F3	1F4	1F5	1F6	1F7	1F8	1F9	1FA	1FB	1FC	1FD	1FE	1FF
0	Å	<b>Š</b>	ή	i	Ò	Ů	ഗ്	à	<b>ợ</b>	ή	ထုံ	ă	<b>~</b>	ĭ	ប័	
1	ά	É	ή	1F30	1F40 <b>Ó</b>	ί V	1F60 <b>Ć</b>	1F70 <b>ά</b>	į į	ή	ψ ψ	īFB0	1FC0	1FD0 <b>1</b>	υ TFE0	
2	1F01 ἀ	1F11	iF21	1F31	iF41	1F51	1F61 <b>(</b> )	1F71 <b>È</b>	1F81	1F91	ifat 💫	1FB1	1FC1	1FD1	iFE1	$\dot{\omega}$
	1F02	1F12	1F22	1F32	1F42	1F52	1F62	1F72	1F82	1F92	1FA2	1FB2	1FC2	1FD2	1FE2	1FF2
3	<b>α</b>	<b>દ</b>	<b>ຖົ</b>	<b>1</b>	<b>ò</b>	<b>じ</b>	<b>6</b>	<b>É</b>	<b>റ്റ്</b> 1F83	<b>ຖົ</b>	$\dot{\widetilde{\mathbf{Q}}}$ 1FA3	<b>Q</b> 1FВ3	n 1FC3	1 1FD3	U 1FE3	₩ 1FF3
4	<b>č</b>	<b>É</b>	ή 1F24	<b>ť</b> 1F34	<b>ő</b>	<b>ΰ</b>	<b>6</b>	<b>ὴ</b>	<b>ઌૣ૾</b>	ή 1F94	<b>φ</b> 1FA4	<b>Ć</b> 1FB4	ή 1FC4		<b>ဂု</b>	<b>ထုံ</b>
5	<b>Κ</b>	<b>É</b>	ή 1F25	<b>ť</b>	<b>6</b>	ΰ 1F55	<b>6</b>	ή	ά	ή 1F95	ယ္ 1FA5				ှင် 1FE5	
6	ã		ή	ĩ	11743	ΰ	ã	1F75	į F85	ή	ῷ	$\tilde{f lpha}$	$ ilde{\eta}$	ĩ	ῦ	$\tilde{\omega}$
7	i <sub>F06</sub>		<sup>1F26</sup> η	1F36 <b>t</b>		1F56 <b>Č</b>	1F66	1F76	1F86	1F96	1FA6	1FB6 $\widetilde{\mathbf{Q}}$	1FC6	1FD6	iFE6	1FF6
	1F07	' <b>T</b> ∵	1F27	1F37	· <u>`</u>	1F57	1F67	1F77	1F87	1F97	1FA7	1FB7	1FC7	1FD7	1FE7	1FF7
8	<b>A</b> 1F08	'E	1F28	'I	1F48		1F68	<b>Ò</b>	<b>A</b> .  1F88	1F98	1FA8	<b>A</b> 1FB8	`E 1FC8	1FD8	Y 1FE8	Y 1FF8
9	<b>A</b>	<b>E</b>	<b>H</b>	<b>T</b>	<b>O</b>	<b>Y</b>	<b>\( \)</b> 1F69	<b>Ó</b>	<b>A</b> <sub>1F89</sub>	<b>H</b> . 1F99	<b>1</b> FA9	<b>Ā</b>	<b>E</b>	Ī	$ar{\mathbf{Y}}$	<b>O</b>
Α	Ά	"E	"H	"I	°O		Ώ"	ΰ	'n.	Ή.	"Ω.	A	H'	ľ	`Y	$\Omega'$
В	1F0A <b>A</b>	°E	"H	°I	1F4A	"Y	1F6A	ΰ	1F8A	1F9A	1FAA	A	'H	1FDA	'Y	
	1F0B	1F1B	1F2B	1F3B	1F4B	1F5B	1F6B	1F7B	1F8B	1F9B	1FAB	1FBB	1FCB	1FDB	1FEB	1FFB
С	<b>A</b>	<b>L</b> 1F1C	1F2C	"I	1F4C		" <b>Ω</b>	<b>à</b>	Au 1F8C	1F9C	1FAC	A <sub>L</sub>	1FCC		°P	1FFC
D	Ά	"E	"H	ľ	O	"Y	$\Omega$	ώ	Ä	Ή.	$\Omega$	,	<b>,</b> \	٠,	۶.	,
E	1F0D <b>A</b>	1F1D	<sup>1F2D</sup> <b>7</b> H	1F3D	1F4D	1F5D	1F6D <b>Δ</b>	1F7D	TF8D	1F9D <b>~</b> Н.	1FAD	1FBD	1FCD	1FDD	1FED	1FFD
	1F0E		1F2E	1F3E		~T	1F6E		1F8E	1F9E	1FAE	1FBE	1FCE	1FDE	1FEE	1FFE
F	<b>A</b>		<b>H</b> 1F2F	<b>I</b>		<b>Y</b> 1F5F	<b>①</b>		<b>Α</b> ι 1F8F	<b>1</b> F9F	SZ,	1FBF	1FCF	1FDF	1FEF	

The Unicode Standard 14.0, Copyright © 1991-2021 Unicode, Inc. All rights reserved.

Preco	mpo	sed polytonic Greek	1F18	Έ	GREEK CAPITAL LETTER EPSILON WITH PSILI
1F00	ά	GREEK SMALL LETTER ALPHA WITH PSILI			$\equiv$ 0395 <b>E</b> 0313 $^{\circ}$
		$\equiv$ 03B1 $\alpha$ 0313 $\stackrel{?}{\circ}$	1F19	E	GREEK CAPITAL LETTER EPSILON WITH DASIA
1F01	ά	GREEK SMALL LETTER ALPHA WITH DASIA	1F1A	"E	≡ 0395 E 0314 °
4500	23.	≡ 03B1 α 0314 °	IFIA	E	GREEK CAPITAL LETTER EPSILON WITH PSILI AND VARIA
1F02	à	GREEK SMALL LETTER ALPHA WITH PSILI AND VARIA			≡ 1F18 E 0300 ò
		≡ 1F00 ἀ 0300 ὸ	1F1B	"E	
1F03	â	GREEK SMALL LETTER ALPHA WITH DASIA AND			AND VARIA
		VARIA		1/350	≡ 1F19 °E 0300 °
		≡ 1F01 ά 0300 °	1F1C	Έ	GREEK CAPITAL LETTER EPSILON WITH PSILI AND OXIA
1F04	ά	GREEK SMALL LETTER ALPHA WITH PSILI AND			≡ 1F18 E 0301 6
		OXIA ≡ 1F00 ἀ 0301 ◌́	1F1D	Έ	
1F05	ά	GREEK SMALL LETTER ALPHA WITH DASIA AND		_	AND OXIA
11 00	•	OXIA		_	≡ 1F19 <b>E</b> 0301 ර
		≡ 1F01 α̇ 0301 ′	1F1E		<reserved></reserved>
1F06	ã	GREEK SMALL LETTER ALPHA WITH PSILI AND	1F1F	$\bigotimes$	<re><reserved></reserved></re>
		PERISPOMENI	1F20	ή	GREEK SMALL LETTER ETA WITH PSILI
1F07	ά	$\equiv$ 1F00 $\dot{\alpha}$ 0342 $\tilde{\circ}$ Greek small letter alpha with dasia and	1F21	ή	≡ 03B7 η 0313 ႆ GREEK SMALL LETTER ETA WITH DASIA
11-07	u	PERISPOMENI	11721	11	= 03B7 η 0314 6
		≡ 1F01 α 0342 õ	1F22	'n	GREEK SMALL LETTER ETA WITH PSILI AND
1F08	Ά	GREEK CAPITAL LETTER ALPHA WITH PSILI		٠,	VARIA
		≡ 0391 <b>A</b> 0313 °			≡ 1F20 <b>ἡ</b> 0300 ὸ
1F09	Ά	GREEK CAPITAL LETTER ALPHA WITH DASIA	1F23	ή	GREEK SMALL LETTER ETA WITH DASIA AND
.=	***	≡ 0391 <b>A</b> 0314 °			VARIA
1F0A	Ά	GREEK CAPITAL LETTER ALPHA WITH PSILI AND VARIA	1F24	ή	≡ 1F21 ἡ 0300 ὸ GREEK SMALL LETTER ETA WITH PSILI AND
		■ 1F08 <b>Å</b> 0300 े	11 24	'(	OXIA
1F0B	Ά	GREEK CAPITAL LETTER ALPHA WITH DASIA			≡ 1F20 ἠ 0301 ớ
		AND VARIA	1F25	ή	GREEK SMALL LETTER ETA WITH DASIA AND
		<b>≡</b> 1F09 <b>A</b> 0300 े			OXIA
1F0C	Ά	GREEK CAPITAL LETTER ALPHA WITH PSILI AND	4E00	η̈́	≡ 1F21 ἡ 0301 ۉ
		OXIA ≡ 1F08 'A 0301 6	1F26	Ц	GREEK SMALL LETTER ETA WITH PSILI AND PERISPOMENI
1F0D	Ά	GREEK CAPITAL LETTER ALPHA WITH DASIA			≡ 1F20 <b>ἠ</b> 0342 ῦ
11 05	11	AND OXIA	1F27	ή	GREEK SMALL LETTER ETA WITH DASIA AND
		<b>≡</b> 1F09 <b>Å</b> 0301 Ó			PERISPOMENI
1F0E	Ã	GREEK CAPITAL LETTER ALPHA WITH PSILI AND	4500	)T T	≡ 1F21 ἡ 0342 ῗ
		PERISPOMENI	1F28	Н	GREEK CAPITAL LETTER ETA WITH PSILI
1F0F	Ã	≡ 1F08 Å 0342 Õ GREEK CAPITAL LETTER ALPHA WITH DASIA	1F29	ъ	≡ 0397 H 0313 ° GREEK CAPITAL LETTER ETA WITH DASIA
IFUF	A	AND PERISPOMENI	11 23	11	■ 0397 H 0314 S
		≡ 1F09 <b>A</b> 0342 õ	1F2A	Ή	GREEK CAPITAL LETTER ETA WITH PSILI AND
1F10	Ė	GREEK SMALL LETTER EPSILON WITH PSILI			VARIA
		≡ 03B5 <b>ε</b> 0313 <sup>3</sup>		_	≡ 1F28 <b>'H</b> 0300 े
1F11	ż	GREEK SMALL LETTER EPSILON WITH DASIA	1F2B	Ή	GREEK CAPITAL LETTER ETA WITH DASIA AND
4540	,,	≡ 03B5 ε 0314 °			VARIA — 1520 TL 0200 À
1F12	ŝ	GREEK SMALL LETTER EPSILON WITH PSILI AND VARIA	1F2C	″ <b>ப</b>	≡ 1F29 <b>H</b> 0300 े GREEK CAPITAL LETTER ETA WITH PSILI AND
		≡ 1F10 <b>ἐ</b> 0300 ὸ	11 20	11	OXIA
1F13	ŝ	GREEK SMALL LETTER EPSILON WITH DASIA			<b>=</b> 1F28 <b>'H</b> 0301 Ć
		AND VARIA	1F2D	ľΗ	GREEK CAPITAL LETTER ETA WITH DASIA AND
		≡ 1F11 <b>ἐ</b> 0300 ὸ			OXIA
1F14	Ĕ	GREEK SMALL LETTER EPSILON WITH PSILI AND	1F2E	۶ <sub>LI</sub>	≡ 1F29 <b>H</b> 0301 6 GREEK CAPITAL LETTER ETA WITH PSILI AND
		OXIA ≡ 1F10 ἐ 0301 ớ	IFZE	п	PERISPOMENI
1F15	š	GREEK SMALL LETTER EPSILON WITH DASIA			≡ 1F28 'H 0342 Õ
	-	AND OXIA	1F2F	Ή	GREEK CAPITAL LETTER ETA WITH DASIA AND
	_	≡ 1F11 <b>ἑ</b> 0301 ౕ			PERISPOMENI
1F16		<reserved></reserved>	4520	2	≡ 1F29 <b>H</b> 0342 Õ
1F17		<reserved></reserved>	1F30	i	GREEK SMALL LETTER IOTA WITH PSILI ≡ 03B9 1 0313 °
					= U3U3 U U3U3 U

1F31	į	GREEK SMALL LETTER IOTA WITH DASIA	1F4A	"O	GREEK CAPITAL LETTER OMICRON WITH PSILI
1F32	ì	≡ 03B9 ι 0314 ὁ GREEK SMALL LETTER IOTA WITH PSILI AND VARIA	1F4R	$^{\circ}$	AND VARIA ≡ 1F48 O 0300 o GREEK CAPITAL LETTER OMICRON WITH DASIA
		≡ 1F30 i 0300 ò	15	Ü	AND VARIA
1F33	î	GREEK SMALL LETTER IOTA WITH DASIA AND VARIA  ≡ 1F31 i 0300 ◊	1F4C	"O	≡ 1F49 O 0300 ò GREEK CAPITAL LETTER OMICRON WITH PSILI AND OXIA
1F34	ĭ	GREEK SMALL LETTER IOTA WITH PSILI AND OXIA	1F4D	ď	≡ 1F48 <b>Ö</b> 0301 <sup>△</sup> GREEK CAPITAL LETTER OMICRON WITH DASIA
1F35	ĩ	≡ 1F30 i 0301 6 GREEK SMALL LETTER IOTA WITH DASIA AND		_	<b>AND OXIA</b> = 1F49 <b>O</b> 0301 <b></b>
		OXIA	1F4E	<u></u>	<reserved></reserved>
1F36	ĩ	≡ 1F31 i 0301 6 GREEK SMALL LETTER IOTA WITH PSILI AND	1F4F		<pre><reserved></reserved></pre>
1130	ι	PERISPOMENI	1F50	ΰ	GREEK SMALL LETTER UPSILON WITH PSILI ≡ 03C5 υ 0313 ỏ
1F37	ĩ	≡ 1F30 i 0342 Õ GREEK SMALL LETTER IOTA WITH DASIA AND	1F51	ύ	GREEK SMALL LETTER UPSILON WITH DASIA
11 07	·	PERISPOMENI	1F52	ΰ	≡ 03C5 υ 0314 ὁ GREEK SMALL LETTER UPSILON WITH PSILI
1F38	'n	≡ 1F31 i 0342 õ GREEK CAPITAL LETTER IOTA WITH PSILI			AND VARIA ≡ 1F50 ỷ 0300 ▷
11 00		■ 0399 I 0313 3	1F53	ΰ	GREEK SMALL LETTER UPSILON WITH DASIA
1F39	ľ	GREEK CAPITAL LETTER IOTA WITH DASIA	11 00	Ü	AND VARIA
1F3A	'nĮ	≡ 0399 I 0314 6 GREEK CAPITAL LETTER IOTA WITH PSILI AND	1F54	ΰ	≡ 1F51 ὑ 0300 ὸ GREEK SMALL LETTER UPSILON WITH PSILI
11 07 (	•	VARIA	• .	Ü	AND OXIA
1F3B	Ţ"	≡ 1F38 T 0300 Ò GREEK CAPITAL LETTER IOTA WITH DASIA AND	1F55	ΰ	≡ 1F50 ὑ 0301 Ć GREEK SMALL LETTER UPSILON WITH DASIA
02	•	VARIA	00	Ü	AND OXIA
1F3C	″Т	≡ 1F39 T 0300 ô GREEK CAPITAL LETTER IOTA WITH PSILI AND	1F56	ข้	≡ 1F51 ὑ 0301 Ć GREEK SMALL LETTER UPSILON WITH PSILI
11 30	1	OXIA	11 30	U	AND PERISPOMENI
1F3D	<b>ν</b> Τ	≡ 1F38 T 0301 6 GREEK CAPITAL LETTER IOTA WITH DASIA AND	1F57	ນ້	≡ 1F50 <b>Ů</b> 0342 Õ
ILOD	1	OXIA	11737	U	GREEK SMALL LETTER UPSILON WITH DASIA AND PERISPOMENI
4505	7 <sub>T</sub>	≡ 1F39 T 0301 Ó	4550	$\omega$	≡ 1F51 ὑ 0342 ̃
1F3E	1	GREEK CAPITAL LETTER IOTA WITH PSILI AND PERISPOMENI	1F58 1F59	Ϋ́	<pre><reserved> GREEK CAPITAL LETTER UPSILON WITH DASIA</reserved></pre>
	_	≡ 1F38 Ἰ 0342 Õ	11 00	•	= 03A5 Y 0314 °
1F3F	ľ	GREEK CAPITAL LETTER IOTA WITH DASIA AND	1F5A		<reserved></reserved>
		PERISPOMENI ≡ 1F39 T 0342 Õ	1F5B	Ϋ́	GREEK CAPITAL LETTER UPSILON WITH DASIA AND VARIA
1F40	ò	GREEK SMALL LETTER OMICRON WITH PSILI			≡ 1F59 Y 0300 ò
4544	,	≡ 03BF <b>o</b> 0313 <b>'</b>	1F5C		<reserved></reserved>
1F41	Ò	GREEK SMALL LETTER OMICRON WITH DASIA ≡ 03BF o 0314 °	1F5D	"Y	GREEK CAPITAL LETTER UPSILON WITH DASIA AND OXIA
1F42	ô	GREEK SMALL LETTER OMICRON WITH PSILI			≡ 1F59 <b>Y</b> 0301 6
		AND VARIA ≡ 1F40 ở 0300 ▷	1F5E		
1F43	ô	GREEK SMALL LETTER OMICRON WITH DASIA AND VARIA	1F5F	Y	GREEK CAPITAL LETTER UPSILON WITH DASIA AND PERISPOMENI ≡ 1F59 Y 0342 ~
		≡ 1F41 <b>ȯ</b> 0300 ȯ	1F60	ώ	GREEK SMALL LETTER OMEGA WITH PSILI
1F44	ŏ	GREEK SMALL LETTER OMICRON WITH PSILI			≡ 03C9 <b>ω</b> 0313 ċ
		AND OXIA ≡ 1F40 <b>ở</b> 0301 <sup>ć</sup>	1F61	ώ	GREEK SMALL LETTER OMEGA WITH DASIA
1F45	ő	GREEK SMALL LETTER OMICRON WITH DASIA	1F62	ά	≡ 03C9 ω 0314 6 GREEK SMALL LETTER OMEGA WITH PSILI AND
		AND OXIA ≡ 1F41 <b>ȯ</b> 0301 <sup>o</sup>	<b></b>		VARIA
1F46		<pre>= 1F41 0 0301 0 </pre>	1000	22	≡ 1F60 & 0300 >
1F47		<reserved></reserved>	1F63	ω	GREEK SMALL LETTER OMEGA WITH DASIA AND VARIA
1F48	ő	GREEK CAPITAL LETTER OMICRON WITH PSILI			≡ 1F61 <b>ώ</b> 0300 ὸ
1F49	n	≡ 039F O 0313 ° GREEK CAPITAL LETTER OMICRON WITH DASIA	1F64	ő	
11 43	J	= 039F O 0314 S			OXIA ≡ 1F60 <b>ṁ</b> 0301 ౕ

1F65	ő	GREEK SMALL LETTER OMEGA WITH DASIA AND OXIA	1F81	ģ	GREEK SMALL LETTER ALPHA WITH DASIA AND YPOGEGRAMMENI
1F66	δ	≡ 1F61 ὁ 0301 ۉ GREEK SMALL LETTER OMEGA WITH PSILI AND PERISPOMENI	1F82	ä	≡ 1F01 ά 0345 ॄ GREEK SMALL LETTER ALPHA WITH PSILI AND VARIA AND YPOGEGRAMMENI
1F67	ώ	≡ 1F60 ở 0342 ° GREEK SMALL LETTER OMEGA WITH DASIA AND PERISPOMENI	1F83	â	≡ 1F02 α 0345 GREEK SMALL LETTER ALPHA WITH DASIA AND VARIA AND YPOGEGRAMMENI
1F68	Ω΄	$\equiv$ 1F61 $\dot{\omega}$ 0342 $\tilde{\circ}$ GREEK CAPITAL LETTER OMEGA WITH PSILI $\equiv$ 03A9 $\Omega$ 0313 $\dot{\circ}$	1F84	<b>ặ</b>	≡ 1F03 α 0345 ρ GREEK SMALL LETTER ALPHA WITH PSILI AND OXIA AND YPOGEGRAMMENI
1F69	Ω	GREEK CAPITAL LETTER OMEGA WITH DASIA $\equiv$ 03A9 $\Omega$ 0314 $\circ$	1F85	ά	$\equiv$ 1F04 $\check{\alpha}$ 0345 $\circ$ Greek small letter alpha with dasia and
1F6A	"Ω	GREEK CAPITAL LETTER OMEGA WITH PSILI AND VARIA	1F86	å	OXIA AND YPOGEGRAMMENI ≡ 1F05 α 0345 φ GREEK SMALL LETTER ALPHA WITH PSILI AND
1F6B	$\Omega$	≡ 1F68 № 0300 ▷ GREEK CAPITAL LETTER OMEGA WITH DASIA AND VARIA		٠	PERISPOMENI AND YPOGEGRAMMENI $\equiv$ 1F06 $\tilde{\alpha}$ 0345 $\circ$
1F6C	Ώ	≡ 1F69 Ω 0300 Ò GREEK CAPITAL LETTER OMEGA WITH PSILI AND OXIA	1F87	ą́	GREEK SMALL LETTER ALPHA WITH DASIA AND PERISPOMENI AND YPOGEGRAMMENI $\equiv$ 1F07 $\tilde{\alpha}$ 0345 $\circ$
1F6D	$\Omega$	$\equiv$ 1F68 $\Omega$ 0301 $\circ$ Greek Capital Letter omega with Dasia	1F88	Ä.	GREEK CAPITAL LETTER ALPHA WITH PSILI AND PROSGEGRAMMENI
1F6E	Õ	AND OXIA ≡ 1F69 Ώ 0301 Ó GREEK CAPITAL LETTER OMEGA WITH PSILI	1F89	Ά.	≡ 1F08 Å 0345 ♀ GREEK CAPITAL LETTER ALPHA WITH DASIA AND PROSGEGRAMMENI
02		AND PERISPOMENI ≡ 1F68 Ω 0342 Õ	1F8A	Ά.	$\equiv$ 1F09 $\stackrel{.}{\mathbf{A}}$ 0345 $\stackrel{.}{\circ}$ Greek Capital Letter alpha with Psili and
1F6F	$\Omega$	GREEK CAPITAL LETTER OMEGA WITH DASIA AND PERISPOMENI			VARIA AND PROSGEGRAMMENI ≡ 1F0A "A 0345 ୍
1F70	à	$\equiv$ 1F69 $\mathbf{\hat{\Omega}}$ 0342 $\mathbf{\hat{\circ}}$ Greek small letter alpha with varia	1F8B	Ά.	GREEK CAPITAL LETTER ALPHA WITH DASIA AND VARIA AND PROSGEGRAMMENI
1F71	ά	$\equiv$ 03B1 α 0300 $\stackrel{\circ}{\circ}$ GREEK SMALL LETTER ALPHA WITH OXIA $\equiv$ 03AC $\stackrel{\checkmark}{\alpha}$ greek small letter alpha with tonos	1F8C	Ä.	≡ 1F0B ¾ 0345 ♀ GREEK CAPITAL LETTER ALPHA WITH PSILI AND OXIA AND PROSGEGRAMMENI
1F72	È	GREEK SMALL LETTER EPSILON WITH VARIA ≡ 03B5 ε 0300 ὸ	1F8D	Ά.	≡ 1F0C Å 0345 ♀ GREEK CAPITAL LETTER ALPHA WITH DASIA AND OXIA AND PROSGEGRAMMENI
1F73	έ	GREEK SMALL LETTER EPSILON WITH OXIA ≡ 03AD € greek small letter epsilon with tonos	1505	₹ <b>A</b>	≡ 1FOD <b>Ά</b> 0345 ္
1F74	ή	GREEK SMALL LETTER ETA WITH VARIA ≡ 03B7 η 0300 ὸ	1F8E	A.	GREEK CAPITAL LETTER ALPHA WITH PSILI AND PERISPOMENI AND PROSGEGRAMMENI $\equiv$ 1F0E $\mathbf{\tilde{A}}$ 0345 $\circ$
1F75	ή	GREEK SMALL LETTER ETA WITH OXIA ≡ 03AE ή greek small letter eta with tonos	1F8F	Ã.	GREEK CAPITAL LETTER ALPHA WITH DASIA AND PERISPOMENI AND PROSGEGRAMMENI
1F76		≡ 03B9 ι 0300 δ	1F90	ή	$\equiv$ 1F0F ${f \tilde{A}}$ 0345 ${f \tilde{Q}}$ Greek small letter eta with Psili and
1F77	ĺ	GREEK SMALL LETTER IOTA WITH OXIA ≡ 03AF t greek small letter iota with tonos			YPOGEGRAMMENI ≡ 1F20 ἠ 0345 ♀
1F78	ò	GREEK SMALL LETTER OMICRON WITH VARIA ≡ 03BF o 0300 ò	1F91	ή	GREEK SMALL LETTER ETA WITH DASIA AND YPOGEGRAMMENI
1F79	ó	GREEK SMALL LETTER OMICRON WITH OXIA ≡ 03CC \( \delta \) greek small letter omicron with tonos	1F92	ή	≡ 1F21 ἡ 0345 ္ GREEK SMALL LETTER ETA WITH PSILI AND
1F7A	ù	GREEK SMALL LETTER UPSILON WITH VARIA ≡ 03C5 v 0300 ò			VARIA AND YPOGEGRAMMENI ≡ 1F22 ἢ 0345 ♀
1F7B	ύ	GREEK SMALL LETTER UPSILON WITH OXIA $\equiv$ 03CD $\dot{\upsilon}$ greek small letter upsilon with tonos	1F93	ĥ	GREEK SMALL LETTER ETA WITH DASIA AND VARIA AND YPOGEGRAMMENI
1F7C	ώ	GREEK SMALL LETTER OMEGA WITH VARIA ≡ 03C9 ω 0300 ὸ	1F94	ή̈́	≡ 1F23 η̂ 0345 ႂ GREEK SMALL LETTER ETA WITH PSILI AND
1F7D	ώ	GREEK SMALL LETTER OMEGA WITH OXIA ≡ 03CE $\acute{\omega}$ greek small letter omega with tonos			OXIA AND YPOGEGRAMMENI ≡ 1F24 ἤ 0345 ᢩ
1F7E		<reserved></reserved>	1F95	ή̈́	GREEK SMALL LETTER ETA WITH DASIA AND OXIA AND YPOGEGRAMMENI
1F7F	$\boxtimes$	<reserved></reserved>			≡ 1F25 ή 0345 ္
1F80	á	GREEK SMALL LETTER ALPHA WITH PSILI AND YPOGEGRAMMENI			

≡ 1F00ἀ 0345 ୃ

1F96	ň	GREEK SMALL LETTER ETA WITH PSILI AND PERISPOMENI AND YPOGEGRAMMENI $\equiv$ 1F26 $\tilde{\eta}$ 0345 $\circ$	1FAB	Ω΄	GREEK CAPITAL LETTER OMEGA WITH DASIA AND VARIA AND PROSGEGRAMMENI ≡ 1F6B °Ω 0345 ♀
1F97	ñ	GREEK SMALL LETTER ETA WITH DASIA AND PERISPOMENI AND YPOGEGRAMMENI  ≡ 1F27 η 0345 ♀	1FAC	"Ω.	GREEK CAPITAL LETTER OMEGA WITH PSILI AND OXIA AND PROSGEGRAMMENI $\equiv$ 1F6C $\Omega$ 0345 $\circ$
1F98	'H.	GREEK CAPITAL LETTER ETA WITH PSILI AND PROSGEGRAMMENI  ≡ 1F28 'H 0345    ○	1FAD	$\Omega$	GREEK CAPITAL LETTER OMEGA WITH DASIA AND OXIA AND PROSGEGRAMMENI $\equiv$ 1F6D $\Omega$ 0345 $\circ$
1F99	H.	GREEK CAPITAL LETTER ETA WITH DASIA AND PROSGEGRAMMENI  ≡ 1F29 H 0345 ○	1FAE	Ω̃	GREEK CAPITAL LETTER OMEGA WITH PSILI AND PERISPOMENI AND PROSGEGRAMMENI $\equiv$ 1F6E $\Omega$ 0345 $\circ$
1F9A	"Н.	GREEK CAPITAL LETTER ETA WITH PSILI AND VARIA AND PROSGEGRAMMENI  ≡ 1F2A "H 0345   03	1FAF	$\Omega$	GREEK CAPITAL LETTER OMEGA WITH DASIA AND PERISPOMENI AND PROSGEGRAMMENI $\equiv$ 1F6F $\Omega$ 0345 $\circ$
1F9B	"H.	GREEK CAPITAL LETTER ETA WITH DASIA AND VARIA AND PROSGEGRAMMENI	1FB0		GREEK SMALL LETTER ALPHA WITH VRACHY ≡ 03B1 α 0306 ŏ
1F9C	"H.	≡ 1F2B "H 0345 ♀ GREEK CAPITAL LETTER ETA WITH PSILI AND OXIA AND PROSGEGRAMMENI	1FB1 1FB2	ā à	GREEK SMALL LETTER ALPHA WITH MACRON ≡ 03B1 α 0304 ō GREEK SMALL LETTER ALPHA WITH VARIA AND
1F9D	″Η.	≡ 1F2C "H 0345 0 GREEK CAPITAL LETTER ETA WITH DASIA AND OXIA AND PROSGEGRAMMENI	4ED2		<b>YPOGEGRAMMENI</b> <b>≡</b> 1F70 α 0345 φ
1F9E	Ή.	= 1F2D"H 0345 0 GREEK CAPITAL LETTER ETA WITH PSILI AND	1FB3	á	GREEK SMALL LETTER ALPHA WITH YPOGEGRAMMENI ≡ 03B1 α 0345 ♀
		PERISPOMENI AND PROSGEGRAMMENI ≡ 1F2E H 0345 0	1FB4	á	GREEK SMALL LETTER ALPHA WITH OXIA AND YPOGEGRAMMENI
1F9F	H.	GREEK CAPITAL LETTER ETA WITH DASIA AND PERISPOMENI AND PROSGEGRAMMENI  ■ 1F2F H 0345   OHEO  O	1FB5		≡ 03AC α΄ 0345 ္ <reserved> GREEK SMALL LETTER ALPHA WITH</reserved>
1FA0	φ	GREEK SMALL LETTER OMEGA WITH PSILI AND YPOGEGRAMMENI	1FB6	ã	PERISPOMENI  = 03B1 α 0342 °
1FA1	φ	≡ 1F60 ἀ 0345 ႂ GREEK SMALL LETTER OMEGA WITH DASIA AND YPOGEGRAMMENI	1FB7	ą	GREEK SMALL LETTER ALPHA WITH PERISPOMENI AND YPOGEGRAMMENI $\equiv$ 1FB6 $\tilde{\alpha}$ 0345 $\circ$
1FA2	φ̈́	≡ 1F61 ὑ 0345 ᾳ GREEK SMALL LETTER OMEGA WITH PSILI AND VARIA AND YPOGEGRAMMENI	1FB8 1FB9	_	GREEK CAPITAL LETTER ALPHA WITH VRACHY ≡ 0391 A 0306 ŏ GREEK CAPITAL LETTER ALPHA WITH MACRON
1FA3	φ	≡ 1F62 ὢ 0345 ္ GREEK SMALL LETTER OMEGA WITH DASIA	1FBA	A	<b>≡</b> 0391 <b>A</b> 0304 Ō
1FA4	ő	AND VARIA AND YPOGEGRAMMENI ≡ 1F63 ô 0345 ♀ GREEK SMALL LETTER OMEGA WITH PSILI AND	1FBB	Ά	≡ 0391 A 0300 ò GREEK CAPITAL LETTER ALPHA WITH OXIA
	.,	OXIA AND YPOGEGRAMMENI ≡ 1F64 ἄ 0345 ৃ	1FBC	A.	≡ 0386 <b>A</b> greek capital letter alpha with tonos GREEK CAPITAL LETTER ALPHA WITH PROSGEGRAMMENI
1FA5	φ	GREEK SMALL LETTER OMEGA WITH DASIA AND OXIA AND YPOGEGRAMMENI ≡ 1F65 <b>ö</b> 0345 ♀	1FBD	,	= 0391 <b>A</b> 0345 ♀ GREEK KORONIS
1FA6	$\tilde{\phi}$	GREEK SMALL LETTER OMEGA WITH PSILI AND PERISPOMENI AND YPOGEGRAMMENI	1FBE	·	≈ 0020 sp 0313 d GREEK PROSGEGRAMMENI
1FA7	φ	≡ 1F66 & 0345 0 GREEK SMALL LETTER OMEGA WITH DASIA AND PERISPOMENI AND YPOGEGRAMMENI	1FBF	,	≡ 03B9 ι greek small letter iota  GREEK PSILI  → 02BC' modifier letter apostrophe
1FA8	Ω.	≡ 1F67 & 0345 ୍ GREEK CAPITAL LETTER OMEGA WITH PSILI AND PROSGEGRAMMENI	1FC0	~	≈ 0020 sp 0313 d GREEK PERISPOMENI ≈ 0020 sp 0342 õ
1FA9	$\Omega$	≡ 1F68 $Ω$ 0345 $∘$ GREEK CAPITAL LETTER OMEGA WITH DASIA	1FC1		GREEK DIALYTIKA AND PERISPOMENI ≡ 0048 ° 0342 °
1ΕΔΔ	"O	AND PROSGEGRAMMENI ≡ 1F69 Ώ 0345 ♀ GREEK CAPITAL LETTER OMEGA WITH PSILI	1FC2	ņ	GREEK SMALL LETTER ETA WITH VARIA AND YPOGEGRAMMENI ≡ 1F74 ἡ 0345 ♀
11 / 1/1	26.	AND VARIA AND PROSGEGRAMMENI $\equiv 1F6A ^{\circ}\Omega 0345 \circ$	1FC3	ŋ	GREEK SMALL LETTER ETA WITH YPOGEGRAMMENI ≡ 03B7 η 0345 ♀
					1 (

1FC4	ń	GREEK SMALL LETTER ETA WITH OXIA AND YPOGEGRAMMENI	1FE1	ΰ	GREEK SMALL LETTER UPSILON WITH MACRON
		≡ 03AE ή 0345 ç	1FE2	ΰ	≡ 03C5 υ 0304 ō GREEK SMALL LETTER UPSILON WITH
1FC5		<reserved></reserved>			DIALYTIKA AND VARIA
1FC6	ῆ	GREEK SMALL LETTER ETA WITH PERISPOMENI	1FE3	ΰ	≡ 03CB ΰ 0300 δ GREEK SMALL LETTER UPSILON WITH
1FC7	ñ	$\equiv$ 03B7 $\eta$ 0342 $\tilde{\circ}$ GREEK SMALL LETTER ETA WITH PERISPOMENI	ILES	U	DIALYTIKA AND OXIA
	,1	AND YPOGEGRAMMENI			$\equiv$ 03B0 $\ddot{v}$ greek small letter upsilon with dialytika
4500	\T	≡ 1FC6 <b>η</b> 0345 ৃ	1FE4	Å	and tonos GREEK SMALL LETTER RHO WITH PSILI
1FC8	E	GREEK CAPITAL LETTER EPSILON WITH VARIA ≡ 0395 <b>E</b> 0300 ò	11 64	Р	≡ 03C1 $ρ$ 0313 $°$
1FC9	Έ	GREEK CAPITAL LETTER EPSILON WITH OXIA	1FE5	ρ̈́	GREEK SMALL LETTER RHO WITH DASIA
		$\equiv$ 0388 $\dot{E}$ greek capital letter epsilon with tonos		_	$\equiv$ 03C1 $\rho$ 0314 $\circ$
1FCA	Ή	GREEK CAPITAL LETTER ETA WITH VARIA	1FE6	ΰ	GREEK SMALL LETTER UPSILON WITH PERISPOMENI
1FCB	Ή	≡ 0397 H 0300 Ò GREEK CAPITAL LETTER ETA WITH OXIA			≡ 03C5 v 0342 °
11 00	11	■ 0389 H greek capital letter eta with tonos	1FE7	ΰ	GREEK SMALL LETTER UPSILON WITH
1FCC	H۲	GREEK CAPITAL LETTER ETA WITH			DIALYTIKA AND PERISPOMENI ≡ 03CB Ü 0342 Õ
		PROSGEGRAMMENI ≡ 0397 H 0345 o	1FE8	Ϋ́	
1FCD	,\	GREEK PSILI AND VARIA	•	_	VRACHY
•-		≡ 1FBF ' 0300 ò	4550	<u></u>	■ 03A5 Y 0306 ŏ
1FCE	"	GREEK PSILI AND OXIA	1FE9	ĭ	GREEK CAPITAL LETTER UPSILON WITH MACRON
1FCF	7	≡ 1FBF ' 0301 6 GREEK PSILI AND PERISPOMENI			≡ 03A5 <b>Y</b> 0304 Ō
11 01		≡ 1FBF ' 0342 Õ	1FEA	Ϋ́	GREEK CAPITAL LETTER UPSILON WITH VARIA
1FD0	ĭ	GREEK SMALL LETTER IOTA WITH VRACHY	1FEB	Ύ	≡ 03A5 Y 0300 Ò GREEK CAPITAL LETTER UPSILON WITH OXIA
4ED4	-	≡ 03B9 ι 0306 ŏ	25	•	■ 038E 'Y greek capital letter upsilon with tonos
1FD1	ī	GREEK SMALL LETTER IOTA WITH MACRON ≡ 03B9 1 0304 ○	1FEC	Ή	GREEK CAPITAL LETTER RHO WITH DASIA
1FD2	ì	GREEK SMALL LETTER IOTA WITH DIALYTIKA	4FFD	١.	$\equiv$ 03A1 $\mathbf{P}$ 0314 $\diamond$
		AND VARIA	1FED		GREEK DIALYTIKA AND VARIA ≡ 00A8 " 0300 ò
1FD3	ί	≡ 03CA i 0300 ò GREEK SMALL LETTER IOTA WITH DIALYTIKA	1FEE	.4	GREEK DIALYTIKA AND OXIA
ILDO	ι	AND OXIA			≡ 0385 " greek dialytika tonos
		$\equiv$ 0390 $\mathring{i}$ greek small letter iota with dialytika	1FEF		GREEK VARIA ≡ 0060 ` grave accent
1FD4		and tonos <reserved></reserved>	1FF0		<reserved></reserved>
1FD5		<reserved></reserved>	1FF1	$\boxtimes$	<reserved></reserved>
1FD6	ĩ	GREEK SMALL LETTER IOTA WITH	1FF2	ώ	GREEK SMALL LETTER OMEGA WITH VARIA
		PERISPOMENI ≡ 03B9 t 0342 °			AND YPOGEGRAMMENI ≡ 1F7C à 0345 ♀
1FD7	ĩ	GREEK SMALL LETTER IOTA WITH DIALYTIKA	1FF3	φ	GREEK SMALL LETTER OMEGA WITH
		AND PERISPOMENI			YPOGEGRAMMENI
1FD8	Ĭ	≡ 03CA i 0342 °	1FF4	ώ	≡ 03C9 ω 0345 ♀ GREEK SMALL LETTER OMEGA WITH OXIA AND
ILDO	1	GREEK CAPITAL LETTER IOTA WITH VRACHY ≡ 0399 I 0306 ŏ		ŵ	YPOGEGRAMMENI
1FD9	Ī	GREEK CAPITAL LETTER IOTA WITH MACRON	4555	<i>CD</i>	≡ 03CE <b>ώ</b> 0345 ৃ
	١	≡ 0399 <b>I</b> 0304 ō	1FF5 1FF6		<reserved> GREEK SMALL LETTER OMEGA WITH</reserved>
1FDA	ľ	GREEK CAPITAL LETTER IOTA WITH VARIA ≡ 0399 I 0300 ò	1110	ω	PERISPOMENI
1FDB	Ί	GREEK CAPITAL LETTER IOTA WITH OXIA		_	<b>≡</b> 03C9 <b>ω</b> 0342 <sup>◦</sup>
	_	$\equiv$ 038A $\dot{\rm T}$ greek capital letter iota with tonos	1FF7	ώ	GREEK SMALL LETTER OMEGA WITH PERISPOMENI AND YPOGEGRAMMENI
1FDC	$\emptyset$	<reserved></reserved>			≡ 1FF6 <b>ω</b> 0345 ္
1FDD		GREEK DASIA AND VARIA ≡ 1FFE ' 0300 ò	1FF8	O'	GREEK CAPITAL LETTER OMICRON WITH VARIA
1FDE	•	GREEK DASIA AND OXIA	1FF9	n	≡ 039F O 0300 ò GREEK CAPITAL LETTER OMICRON WITH OXIA
4555	7	= 1FFE ' 0301 6	пГЭ	J	■ 038C O greek capital letter omicron with
1FDF		GREEK DASIA AND PERISPOMENI ≡ 1FFE ' 0342 °		١.	tonos
1FE0	ŭ	GREEK SMALL LETTER UPSILON WITH VRACHY	1FFA	Ω	GREEK CAPITAL LETTER OMEGA WITH VARIA $\equiv$ 03A9 $\Omega$ 0300 $\Diamond$
		≡ 03C5 υ 0306 ŏ	1FFB	Ώ	GREEK CAPITAL LETTER OMEGA WITH OXIA
					$\equiv$ 038F $\Omega$ greek capital letter omega with tonos

1FFC  $\ \Omega$ . Greek capital letter omega with

PROSGEGRAMMENI **≡** 03A9 **Ω** 0345 ृ

1FFD GREEK OXIA

≡ 00B4 ′ acute accent

■ 0084 accests

1FFE 'GREEK DASIA

→ 02BD 'modifier letter reversed comma

≈ 0020 [sp] 0314 6