

								CRYSTALLIZATION COCKTAILS		
PDB_ID	Score	Seq_id	Pubmed_id	Polymer	Assembly	Method	Ligands	pH	Temp	Compounds(con_unit=mM)
4KSO	1.000	1.000	23796516	uni_pol	tetrameric	vapor diffusion		5.7	292.0	sodium acetate (100.0), sodium formate (500.0), glycerol (5% v/v)
1R5P	0.822	0.876	15071498	uni_pol	dimeric(*)	vapor diffusion hanging drop		7.0	298.0	PEG 400 (None)
1WWJ	0.822	0.878	15716274	uni_pol	tetrameric	vapor diffusion	MLT, BET, IMD	6.0	298.0	betaine (None)
2QKE	0.810	0.888	18497745	uni_pol	tetrameric(*)	vapor diffusion hanging drop		5.0	293.0	PEG 3350 (10%), DMSO (10%), sodium acetate (100.0)
1VGL	0.798	0.878	16227211	uni_pol	tetrameric(*)	vapor diffusion hanging drop	HG	4.5	293.0	PEG 3350 (None), DMSO (None), sodium acetate (None)
5JWQ	0.755	0.858	28302851	complex	dodecameric	vapor diffusion hanging drop	ADP	5.75	295.0	sodium citrate (100.0), PEG 3000 (22%)
5JWR	0.736	0.848	28302851	complex	tetrameric(*)	vapor diffusion hanging drop	PO4	7.0	295.0	ammonium sulfate (150.0), tris (100.0), PEG 4000 (10%)
5JWO	0.736	0.848	28302851	complex	dimeric	vapor diffusion hanging drop	ADP		295.0	potassium acetate (200.0), PEG 3350 (10% w/v), glycerol (2.5%)