

										CRYSTALLIZATION COCKTAILS	
PDB_ID	Score	Seq_id	Pubmed_id	Polymer	Assembly	Method	Ligands	pH	Temp	Compounds(con_unit=mM)	
5DNP, 5DNO	1.000	1.000		uni_pol	monomeric(*)	vapor diffusion hanging drop	PO4	6.0	293.0	MES (100.0), PEG 2000 (18% w/v)	
5HFZ	0.928	1.000		uni_pol	monomeric(*)	vapor diffusion hanging drop		7.3	295.0	lithium chloride (100.0), HEPES (100.0), PEG 6000 (25%)	
5H8A	0.928	1.000		uni_pol	monomeric(*)	vapor diffusion sitting drop		8.5	295.0	lithium sulfate (100.0), tris (100.0), PEG 4000 (25%)	
6FPQ	0.928	1.000		complex	dimeric	vapor diffusion sitting drop	MRD	8.0	293.0	ethanol (20% v/v), magnesium sulfate (10), tris (100.0)	
6FPX	0.928	1.000		complex	dimeric(*)	vapor diffusion sitting drop	GOL	9.5	293.0	PEG 8000 (15% w/v), CHES (100.0)	
5EIM	0.903	1.000		complex	dimeric(*)	vapor diffusion hanging drop		8.0	293.0	PEG 3350 (25%), malonic acid (146.4), ammonium citrate (20.0), succinic acid (9.6), malic acid (24.0), sodium acetate (32.0), sodium formate (40.0), ammonium hydrogen tartrate (12.8)	
6FPP	0.897	1.000		uni_pol	monomeric(*)	vapor diffusion sitting drop	GOL, MG	5.5	293.0	PEG (20% w/v), bis-tris (100.0), magnesium chloride (200.0)	
5O8M	0.778	1.000		uni_pol	monomeric(*)	vapor diffusion sitting drop	GOL	8.5	293.0	ammonium sulfate (200.0), tris (100.0), PEG 3350 (25%)	