

								CRYSTALLIZATION COCKTAILS		
PDB_ID	Score	Seq_id	Pubmed_id	Polymer	Assembly	Method	Ligands	pH	Temp	Compounds(con_unit=mM)
1V0H, 1OAF, 1OAG, 2CL4, 2XJ6, 2XI6, 2XIF, 2XIH	1.000	1.000		uni_pol	monomeric	unspecified	HEM, NA, SHA	8.3		lithium sulfate (2250.0), HEPES (100.0)
2GHH, 2GHK, 2GHE, 2GHD, 2GHC	1.000	1.000		uni_pol	monomeric	vapor diffusion sitting drop	K, NO, HEM	8.3	273.0	HEPES (100.0), lithium sulfate (2250.0)
2VCF, 2VCS	1.000	1.000		uni_pol	monomeric	unspecified	ISZ, HEM, NA	8.3		lithium sulfate (2500.0)
7BI1, 5JQR	1.000	1.000		uni_pol	monomeric	vapor diffusion hanging drop	HEM, K	8.3	293.0	lithium sulfate (2250.0), HEPES (100.0)
5JPR	1.000	1.000		uni_pol	monomeric	vapor diffusion hanging drop	SO4, K, HEM	8.0	300.0	lithium sulfate (2250.0), HEPES (100.0)
6TAE, 6XV4	1.000	1.000		uni_pol	monomeric	vapor diffusion hanging drop	HEM, SO4		300.0	lithium sulfate hepes (None)
2VO2, 2VCN, 2VNZ, 2VNX	0.988	0.996		uni_pol	monomeric	unspecified	HEM, NA, SO4	8.3		
2GGN	0.988	0.996		uni_pol	monomeric	vapor diffusion sitting drop	SO4, HEM, NA	8.3	273.0	lithium sulfate (2400.0), HEPES (100.0)
2WD4	0.988	0.996		uni_pol	monomeric	vapor diffusion sitting drop	FE, SO4, TBV, NA	8.3		lithium sulfate (2250.0), HEPES (100.0)
3ZCG	0.980	0.992		uni_pol	dimeric	vapor diffusion sitting drop	HEM, SO4, K, EPE	8.5		lithium sulfate (2500.0), HEPES (100.0)
3ZCH	0.980	0.992		uni_pol	dimeric	unspecified	HEM, SO4, EPE, K	8.5		lithium sulfate (2500.0), HEPES (100.0)
9THS	0.947	1.000		uni_pol	monomeric	vapor diffusion hanging drop	HEM, CA	6.0	298.7	tris-HCl (100.0), magnesium sulfate (2700.0)
7S10	0.935	0.987		uni_pol	monomeric	vapor diffusion hanging drop	HEM, K, SO4	8.0	293.0	magnesium sulfate (None)
9KOE	0.919	0.983		uni_pol	monomeric(*)	vapor diffusion sitting drop	PO4, HEM	8.5	289.0	
5L86	0.919	0.983		uni_pol	monomeric(*)	vapor diffusion sitting drop	SO4, HEM	5.5	293.0	bis-tris (100.0), ammonium sulfate (2000.0)
8FF6, 8FF7	0.813	0.862		uni_pol	monomeric(*)	vapor diffusion hanging drop	HEM, NA	8.5	277.0	lithium sulfate (200.0), tris (100.0), PEG 4000 (30%)
8DJX, 8DJT, 8DJS	0.809	0.854		uni_pol	monomeric	vapor diffusion sitting drop	SO4, HEM, NA	8.5	277.0	lithium sulfate (200.0), tris (100.0), PEG 4000 (30%)