

							CRYSTALLIZATION COCKTAILS	
PDB_ID	Score	Pubmed_id	Assembly	Method	Ligands	pH	Temp	Compounds(con_unit=mM)
4KSO	0.606	23796516	tetrameric	vapor diffusion		5.7	292.0	sodium acetate (100.0), sodium formate (500.0), glycerol (5% v/v)
1R5P	0.500	15071498	dimeric(*)	vapor diffusion hanging drop		7.0	298.0	PEG 400 (None)
1VGL	0.500	16227211	tetrameric(*)	vapor diffusion hanging drop	HG	4.5	293.0	PEG 3350 (None), DMSO (None), sodium acetate (None)
1WWJ	0.500	15716274	tetrameric	vapor diffusion	IMD, BET, MLT	6.0	298.0	betaine (None)
2QKE	0.500	18497745	tetrameric(*)	vapor diffusion hanging drop		5.0	293.0	PEG 3350 (10%), DMSO (10%), sodium acetate (100.0)
5JWQ	0.500	28302851	dodecameric	vapor diffusion hanging drop	ADP	5.75	295.0	sodium citrate (100.0), PEG 3000 (22%)
5JWR	0.500	28302851	tetrameric(*)	vapor diffusion hanging drop	PO4	7.0	295.0	ammonium sulfate (150.0), tris (100.0), PEG 4000 (10%)
5JWO	0.500	28302851	dimeric	vapor diffusion hanging drop	ADP		295.0	potassium acetate (200.0), PEG 3350 (10% w/v), glycerol (2.5%)