

								CRYSTALLIZATION COCKTAILS
PDB_ID	Score	Pubmed_id	Assembly	Method	Ligands	pH	Temp	Compounds(con_unit=mM)
9PVK	0.599	41521555.0	monomeric	vapor diffusion hanging drop	A1CLL, EDO, ZN	7.0	291.0	HEPES (50.0), tryptone (None), PEG 3350 (13.0%), cocrystalised (1), weak affinity (None), back (None)
9F7P	0.599		monomeric	vapor diffusion sitting drop	MLI, CL, NA, PEG, ZN	6.0	288.0	sodium malonate (1800.0)
9F7Q	0.599		monomeric	vapor diffusion sitting drop	GOL, SO4, ZN	6.0	288.0	ammonium sulfate (2500.0), MES (100.0)
13QH, 13QG, 13PU, 13PX, 13PZ, 13OQ, 13QI, 13QO, 13QR, 13QM, 13QP, 13QV, 13RH, 13MK, 13ML, 13MM, 13MV, 13MT, 13MZ, 13NC, 13NI, 13NJ, 13OB, 13NX, 13OA, 13OG, 13OI, 13OK, 13OV, 13OO, 13PB, 13OW, 13PS, 13PO, 13PV, 13PC, 13QC, 13QJ, 13QL, 13QN, 13QE, 13QS, 13QT, 13RF, 13RE, 13RG, 13QX	0.599	41638277.0	monomeric	vapor diffusion sitting drop	ZN, A1AW9	6.0	291.0	sodium maleate (1400.0)
9HHH	0.599		dimeric	vapor diffusion hanging drop	GOL, ZN, SO4	8.0	293.15	ammonium sulfate (1450.0), bicine (100.0), glycerol (10%)
9BRV, 9BRW	0.599	39140055.0	monomeric(*)	vapor diffusion hanging drop	A1ASK, ZN, SO4, CL		291.0	magnesium formate (200.0), PEG 3350 (20.0%)
8JUX	0.599		monomeric(*)	vapor diffusion sitting drop	MG, V00	5.5	283.0	sodium cacodylate (50.0), magnesium acetate (100.0), PEG 6000 (16%)
9F7R	0.599		monomeric	vapor diffusion sitting drop	GOL, PO4, ZN	4.5	288.0	potassium hydrogen phosphate (1200.0), sodium dihydrogen phosphate (800.0), sodium acetate (100.0)
9VAO	0.598	41044763.0	monomeric	vapor diffusion hanging drop	ZN, GOL, PO4	8.0	277.0	tris (None), sodium dihydrogen phosphate (None), potassium hydrogen phosphate (None)
7D6H	0.598	33979649.0	dimeric	vapor diffusion hanging drop	ZN, PO4	4.5	289.0	sodium acetate (100.0), nah2po4/12m k2hpo4 (800.0)
9M9K, 9M95, 9M92, 9M96	0.597		dimeric	evaporation	ZN, MLI, A1ENF		277.0	
9MAL, 9MAF, 9MAJ, 9MAB	0.597		dimeric	vapor diffusion	ZN, CL, 8K2, MLI	6.0	277.0	
9M91, 9M97, 9M93, 9M9A, 9M9B, 9MA9, 9M90, 9M99, 9M94, 9M9J, 9M9L, 9M9C, 9M8Z, 9MAA, 9MAC, 9MAM	0.597		dimeric	evaporation	BZX, CL, ZN	6.0	277.0	
7RBS	0.596	37185902.0	dimeric(*)	vapor diffusion sitting drop	ZN	7.5	289.0	magnesium chloride (20.0), HEPES (100.0), sodium polyacrylate (22%)
7KOK	0.596		monomeric	vapor diffusion hanging drop	Y96, CL, ACT, MES, UNX, ZN	6.0	277.0	MES (100.0), zinc(II) acetate (200.0), PEG 8000 (10%), plp_snyder496 (4.0)
7M1Y	0.596		monomeric(*)	vapor diffusion sitting drop	ZN, CL, GOL, IOD, FMT, NA, 9JT	8.5	277.0	tris-HCl (100.0), sodium formate (3500.0), sodium iodide (100.0), ebselen (4.0)
7SQE	0.596		monomeric(*)	vapor diffusion sitting drop	JWX, ZN, CL, EDO	7.5	277.0	lithium citrate (200.0), PEG 3350 (20%)
8FWN	0.596		monomeric	vapor diffusion sitting drop	PO4, ACT, ZN, CL, GOL	4.5	277.0	sodium acetate (100.0), monosodium phosphate (800.0), potassium hydrogen phosphate (1200.0)
9F7S	0.596		monomeric	vapor diffusion sitting drop	ZN, MLI, PEG, CL, NA	6.0	288.0	sodium malonate (1400.0), PEG 300 (5%)
7RBR	0.596	37185902.0	dimeric	vapor diffusion sitting drop	ZN, CL, EDO	7.5	280.0	sodium tartrate (200.0), PEG 3350 (20%)
7E35	0.596	33979649.0	dimeric	vapor diffusion sitting drop	ZN, GYX	5.5	289.0	sodium citrate (100.0), PEG 8000 (16% v/v)
6XG3	0.596	33531496.0	monomeric(*)	vapor diffusion hanging drop	ZN, PO4, CL	4.5	277.0	sodium acetate (100.0), nah2po4/12 m k2hpo4 (0.8)
8YX4	0.596	39580525.0	monomeric	vapor diffusion sitting drop	GOL, CL, CD, ZN, A1LZ6	7.5	298.0	cocl26h2o (5.0), nicl26h2o (5.0), cdcl2h2o (5.0), magnesium chloride (5.0), HEPES (100.0), PEG 3350 (12% w/v)
8YX5, 8YX3	0.596	39580525.0	monomeric(*)	vapor diffusion sitting drop	A1LZ8, ZN, GOL	7.6	298.0	citric acid (30.0), bis-tris propane/ph (70.0), PEG 3350 (20% w/v)
9CYD	0.596	40180914.0	monomeric	vapor diffusion sitting drop	A1A0U, CL, ZN	7.6	277.0	sodium malonate (300.0), pga-lm (6% w/v), zinc(II) chloride (0.05), tris (100.0)
9CSY	0.596	39213347.0	monomeric(*)	vapor diffusion sitting drop	A1AZ1, TFA, ZN	5.0	293.15	sodium citrate (100.0), jeffamine ed-2001 (30% v/v)
7TZJ	0.596	35494659.0	monomeric(*)	vapor diffusion hanging drop	S88, ZN, DMS	5.46	281.0	zinc(II) acetate (117.0), PEG 8000 (21.6%), bis-tris chloride (100.0)
9BF7	0.596	40297819.0	monomeric	vapor diffusion sitting drop	PO4, GOL, ACT, ZN	7.0	277.15	monosodium phosphate (None), dipotassium phosphate (None), tris-HCl (None), sucrose (None)
7JIV	0.596	33531496.0	monomeric	vapor diffusion hanging drop	VBY, ZN, MES, CL, ACT	6.0	277.0	MES (100.0), zinc(II) acetate (200.0), PEG 8000 (10%), plp_snyder530 (4.0)
6YVA	0.596	32726803.0	dimeric	vapor diffusion sitting drop	ZN	6.5	293.0	PEG 4450 (18%), bis-tris propane (100.0), potassium thiocyanate (200.0)
7KOJ	0.596		monomeric	vapor diffusion hanging drop	Y94, ZN, CL, MES, ACT, UNX	6.0	277.0	MES (100.0), zinc(II) acetate (200.0), PEG 8000 (10%), plp_snyder494 (4.0)
7SGV	0.596		monomeric	vapor diffusion sitting drop	L30, ZN, CL	7.0	277.0	sodium chloride (3000.0), bis-tris (100.0)
8XTD, 8X1X	0.596	41527419.0	monomeric	vapor diffusion sitting drop	356, GOL	7.5	277.15	tris-HCl (100.0), sodium dihydrogen phosphate (1400.0), glycerol (8.5%)
7JIR	0.596	33531496.0	monomeric	vapor diffusion hanging drop	TTT, ZN, MES, ACT, CL	6.0	277.0	MES (100.0), zinc(II) acetate (200.0), PEG 8000 (10%), plp_snyder457 (4.0)
7KRX	0.596		monomeric	vapor diffusion hanging drop	Y41, ZN, CL, ACT, UNX	6.0	277.0	MES (100.0), zinc(II) acetate (200.0), PEG 8000 (10%), plp_snyder441 (4.0)
8ZSE	0.596		monomeric(*)	vapor diffusion hanging drop	A1L2A, ZN		277.0	zinc(II) acetate (50.0), PEG 3350 (20% w/v)
7JIT	0.596	33531496.0	monomeric	vapor diffusion hanging drop	Y95, ZN, CL, MES, ACT	6.0	277.0	MES (100.0), zinc(II) acetate (200.0), PEG 8000 (10%), plp_snyder495 (4.0)
9F7T	0.596		dimeric	vapor diffusion sitting drop	NA, ZN, CL, PEG	8.0	288.0	sodium chloride (4000.0), tris (100.0)
8YX2	0.596	39580525.0	monomeric(*)	vapor diffusion sitting drop	ZN, A1LZ5	7.5	298.0	lithium sulfate (200.0), HEPES (100.0), PEG 3350 (25% w/v)
9CYK	0.596	40180914.0	dimeric	vapor diffusion sitting drop	A1A0V, ACY, GOL	5.97	281.0	lithium acetate (200.0), PEG 8000 (10% w/v), trisodium citrate-citric acid (100.0)
6WRH	0.596	33531496.0	monomeric	vapor diffusion sitting drop	ZN, CL, GOL, PO4	4.5	277.0	sodium acetate (100.0), sodium dihydrogen phosphate (800.0), potassium hydrogen phosphate (1200.0)
9CYB	0.596	40180914.0	monomeric(*)	vapor diffusion sitting drop	A1A0T, SIN	5.72	281.0	sodium succinate (200.0), PEG 8000 (10% w/v), trisodium citrate-citric acid (100.0)
9CYC	0.596	40180914.0	monomeric(*)	vapor diffusion sitting drop	GOL, ACY, A1A0S	5.4	281.0	sodium acetate (200.0), PEG 8000 (10% w/v), trisodium citrate-citric acid (100.0)
7CJM	0.596	33473130.0	monomeric	vapor diffusion sitting drop	TTT, ZN	7.5	283.0	PEG 3350 (12%), tris (100.0), cobalt(II) chloride (5.0), cadmium chloride hemipentahydrate (5.0), magnesium chloride (5.0), nickel(II) chloride (5.0)
7SGU	0.596		monomeric	vapor diffusion sitting drop	9EI, ZN, CL, FMT	4.5	277.0	sodium acetate (100.0), sodium formate (2000.0), plp_snyder608 (4.0)
7UV5	0.594	37185902.0	trimeric	vapor diffusion hanging drop	EDO, ZN	7.5	289.0	sodium tartrate (200.0), PEG 3350 (15%)
7YBG	0.594		monomeric	vapor diffusion sitting drop	DTT, MLA, NA, CL, ZN		277.0	sodium malonate dibasic (1400.0)
9VWY	0.594		monomeric	vapor diffusion hanging drop	ZN, PO4, GOL, CL	8.0	277.0	tris (None), sodium dihydrogen phosphate (None), potassium hydrogen phosphate (None)
7D7K, 7D7L	0.592	33864621.0	monomeric(*)	evaporation	ZN, CFF, EDO, SO4	8.0	293.0	tris (100.0), ammonium sulfate (2000.0), caffeine (0.033% w/v), dithioerythritol (0.033% w/v), l-methionine (0.033% w/v)
9PUH, 9PUJ	0.591	41521555.0	monomeric(*)	vapor diffusion hanging drop	A1CLE, ZN		291.0	sodium citrate (0.2), PEG 3350 (20.0%)
9U7D	0.591		dimeric	vapor diffusion sitting drop	ZN, CL, PEG, A1EOE	6.0	277.0	PEG 8000 (6% w/v), mes/sodium hydroxide (100.0), zinc(II) acetate (200.0), PEG 400 (20%)
9F7U	0.589		monomeric	vapor diffusion sitting drop	MLA, NA, CL, GOL	6.0	288.0	sodium malonate (1600.0)
9F7Y	0.589		monomeric	vapor diffusion hanging drop	ZN, MLA, NA, CL	7.0	288.0	sodium malonate (1400.0), sodium succinate (100.0)
7LFU	0.503	34547223.0	dimeric	vapor diffusion sitting drop	UB4, ACE, DPP, GVE		291.0	sodium thiocyanate (200.0), PEG 3350 (20% w/v)
7LFV	0.503	34547223.0	dimeric(*)	vapor diffusion sitting drop	ZN, EDO, SO4, NH4, CL		291.0	ammonium sulfate (200.0), PEG 3350 (16% w/v)
5E6J	0.503	27203180.0	trimeric(*)	vapor diffusion hanging drop	ACT, NI	5.5	285.0	MES (100.0), lithium acetate (100.0), PEG 6000 (17%)
3E9S	0.500		monomeric	vapor diffusion sitting drop	TTT, ZN, CL	7.5	298.0	lithium chloride (1000.0), MES (100.0), PEG 6000 (30%)
4OVZ, 4OW0	0.500	24568342.0	monomeric(*)	vapor diffusion sitting drop	ZN, P85, DMS, NA	5.5	293.0	sodium citrate (100.0), PEG 600 (40% v/v)
3MJ5	0.500	20527968.0	monomeric(*)	vapor diffusion sitting drop	GRM, ZN	6.5	298.0	diffraction-quality (None), plpro (5), ammonium sulfate (1000.0), MES (50.0), PEG 400 (2.5%)
5TL7	0.500	28438633.0	dimeric(*)	vapor diffusion hanging drop	ZN	8.0	293.0	MPD (65% v/v), tris (100.0), trimethylamine n-oxide (30% w/v)
4MM3	0.500	24854014.0	dimeric	vapor diffusion hanging drop	ZN	7.5	277.0	HEPES (100.0), isopropyl alcohol (10%), PEG 4000 (20%)
5TL6	0.500	28438633.0	dimeric(*)	vapor diffusion hanging drop	ZN, SO4	6.5	293.0	lithium sulfate (100.0), bis-tris (100.0), PEG 3350 (22%), glycerol (30% v/v)
4M0W	0.500	24531491.0	dimeric	vapor diffusion sitting drop	ZN, NA, NHE, GOL	9.5	295.0	PEG 3000 (18%), CHES (100.0)
2FE8	0.500	16581910.0	monomeric(*)	unspecified	ZN, BR, SO4	5.2	295.0	ammonium sulfate (1300.0), sodium citrate (100.0)
5Y3Q	0.500	29289665.0	monomeric	vapor diffusion sitting drop	ZN, BME, NA, GOL	8.0	295.0	PEG 3350 (None), bis-tris propane/citric acid (None)
5Y3E	0.500	29289665.0	monomeric	vapor diffusion sitting drop	ZN, NA, GOL	8.0	295.0	PEG 8000 (None), HEPES (None)
7SKR	0.500	35199517.0	dimeric	vapor diffusion hanging drop	ZN, DMS, 9OZ	8.5	279.0	tris-HCl (100.0), sodium fluoride (600.0)
7SKQ	0.500	35199517.0	dimeric	vapor diffusion hanging drop	TTT, ZN		295.0	ammonium acetate (200.0), PEG 1000 (20%)
9CEH	0.500	41256988.0	dimeric	vapor diffusion hanging drop	A1AWG		295.0	PEG 8000 (16% w/v), potassium dihydrogen phosphate (40.0), glycerol (20% v/v)
7THH	0.500		monomeric(*)	vapor diffusion sitting drop	CL, P6G, EDO, IOD	7.6	289.0	ammonium iodide (200.0), PEG 3350 (20%)